# BELLSOUTH® / CLEC Agreement

## Customer Name: DIECA Communications, Inc.

Covad Communications Company	3
Table of Contents	4
General Terms and Conditions	5
Att 1 - Resale	27
Att 1 - Resale Discounts and Rates	63
Att 2 - UNEs	65
Att 2 - UNE Rates	154
Att 3 - Network Interconnection	402
Att 3 - Local Interconnection Rates	430
Att 4 - Collocation - Central Office	448
Att 4 - Collocation - Remote Site	491
Att 4 - Collocation Rates	527
Att 5 - Interim Number Portability	555
Att 5 - Interim Number Portability Rates	562
Att 6 - Ordering	571
Att 7 - Billing	581
Att 7 - ODUF/ADUF/CMDS Rates	601
Att 8 - Rights of Way	610
Att 9 - Performance Measurements	612
Att 10 - Agreement Implementation Template	614
Att 11 - Disaster Recovery Plan	624
DIECA Communications, Inc.	635
Covad Communicationbs Company - Deposit Amendment - 4/18/02	806
North Carolina Rate Amendment	809
Covad Communications Company - NCSGAT Rate Amendment	852
Covad - Alabama Rate Amendment	896
Covad Communictions Company - Florida Rate Amendment	943

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

# BELLSOUTH® / CLEC Agreement

Notice-Amendment 1012

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

## By and Between

**BellSouth Telecommunications, Inc.** 

### And

DIECA Communications, Inc. d/b/a

**Covad Communications Company** 

#### TABLE OF CONTENTS

#### **General Terms and Conditions**

#### Part A

- 1. Purpose
- 2. Term of the Agreement
- 3. Ordering Procedures
- 4. Parity
- 5. White Pages Listings
- 6. Bona Fide Request/New Business Request Process for Further Unbundling
- 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 8. Liability and Indemnification
- 9. Intellectual Property Rights and Indemnification
- 10. Treatment of Proprietary and Confidential Information
- 11. Assignments
- 12. Resolution of Disputes
- 13. Taxes
- 14. Force Majeure
- 15. Year 2000 Compliance
- 16. Modification of Agreement
- 17. Waivers
- 18. Governing Law
- 19. Arm's Length Negotiations
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Implementation of Agreement
- 25. Filing of Agreement
- 26. Entire Agreement

#### Part B - Definitions

- Attachment 1 Resale
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- **Attachment 6 Ordering and Provisioning**
- Attachment 7 Billing and Billing Accuracy Certification
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- Agreement Implementation Template**
- **Attachment 11- BellSouth Disaster Recovery Plan**

#### **AGREEMENT**

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), a Virginia corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Covad or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Covad is or seeks to become a competitive local exchange carrier ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Covad wishes to purchase unbundled network elements and other services from BellSouth, resell BellSouth's telecommunications services, and/or the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Covad agree as follows:

#### 1. **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communication Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996** ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

#### 2. Purpose

This Agreement sets forth the terms and conditions under which Covad will obtain services and unbundled network elements from BellSouth to provide telecommunications services to Covad customers within the territory of BellSouth. BellSouth will provide Covad with the functionalities of unbundled network elements so that Covad can provide any telecommunications service that can be offered by means of the unbundled elements as described in Attachment 2.

#### 2.1 Term of the Agreement

- The term of this Agreement shall be three years, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. This Agreement shall become effective on the date the last party executes the Agreement.
- 2.3 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.4.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.

- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.3 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective on the date the last party executes the Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic and BellSouth shall continue to provide Covad unbundled network elements and services for resale pursuant to the terms and conditions of this Agreement, except as provided in 2.4.1 and 2.4.2.
- 2.4.1 In the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.4 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Covad pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to Covad pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.
- 2.4.2 Notwithstanding Section 2.4 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.3 above, and (2) Covad either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.
- 2.4.3 The Parties may negotiate changes in section 2 as necessary.

#### 3. OSS

Covad shall, where appropriate, pay charges for Operational Support Systems (OSS).

#### 4. Parity

When Covad purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. For resale purposes, BellSouth will provide Covad with pre-ordering, ordering, maintenance, and trouble reporting, and daily usage data functionality that will enable Covad to provide equivalent levels of customer service to its customers and end users as BellSouth provides to its own customers and end users. When Covad purchases unbundled network elements from BellSouth, to the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Covad shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Covad shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Covad.

#### 5. White Pages Listings

- 5.1 BellSouth shall provide Covad and their customers access to white pages directory listings under the following terms:
- 5.2. <u>Listings</u>. Covad shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Covad residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Covad and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as Covad provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Covad one (1) primary White Pages listing per Covad subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Covad Subscriber Information are found in BellSouth's Ordering Guide for manually processed listings and in the Local Exchange Ordering Guide for mechanically submitted listings.
- 5.3.1 Notwithstanding any provision(s) to the contrary, Covad shall provide to BellSouth, and BellSouth shall accept, Covad's Subscriber Listing Information

(SLI) relating to Covad's customers in the geographic area(s) covered by this Interconnection Agreement. Covad authorizes BellSouth to release all such Covad SLI provided to BellSouth by Covad to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such CLEC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

- 5.3.2 No compensation shall be paid to Covad for BellSouth's receipt of Covad SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Covad's SLI, or costs on an ongoing basis to administer the release of Covad SLI, Covad shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.
- 5.3.3 BellSouth shall not be liable for the content or accuracy of any SLI provided by Covad under this Agreement. Covad shall indemnify, hold harmless and defend BellSouth from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Covad listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Covad any complaints received by BellSouth relating to the accuracy or quality of Covad listings.
- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. Covad will be required to provide to BellSouth the names, addresses and telephone numbers of all Covad customers that wish to be omitted from directories.
- 5.5 <u>Inclusion of Covad Customers in Directory Assistance Database</u>. BellSouth will include and maintain Covad subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Covad shall provide such Directory Assistance listings at no recurring charge. BellSouth and Covad will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

- 5.6 <u>Listing Information Confidentiality</u>. BellSouth will accord Covad's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Covad's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to Covad subscribers at no charge or as specified in a separate BAPCO agreement.

#### 6. Bona Fide Request/New Business Request Process for Further Unbundling

- BellSouth shall, upon request of Covad, provide to Covad access to its network elements at any technically feasible point for the provision of Covad's telecommunications service where such access is necessary and failure to provide access would impair the ability of Covad to provide services that it seeks to offer. Any request by Covad for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Exhibit 1 hereto.
- Covad shall submit any Bona Fide Request/New Business Request in writing to Covad's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Covad's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

## 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

7.1 <u>Subpoenas Directed to BellSouth</u>. Where BellSouth provides resold services or local switching for Covad, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Covad end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Covad end users for the same length of time it maintains such information for its own end users.

- 5.2 Subpoenas Directed to Covad. Where BellSouth is providing to Covad telecommunications services for resale or providing to Covad the local switching function, then Covad agrees that in those cases where Covad receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Covad end users, and where Covad does not have the requested information, Covad will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 8. Liability and Indemnification

- 8.1 <u>Covad Liability</u>. In the event that Covad consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Covad under this Agreement.
- 8.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Covad for any act or omission of another telecommunications company providing services to Covad.

#### 8.3 <u>Limitation of Liability</u>

#### 8.3.1 <u>Liability Cap</u>

8.3.1.1 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Covad, any Covad customer or by any other person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of BellSouth and claims for damages by Covad resulting from the failure of BellSouth to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability. Covad acknowledges that, to the extent BellSouth's obligations hereunder involve provisioning elements and services within any particular interval, BellSouth may not be able to meet such intervals 100% of the time. Covad bears the burden of showing that the number or percentage of intervals missed by BellSouth constitutes a material breach of this Agreement pursuant to applicable law. Any damages found payable to Covad

under this Section shall be reduced by the amount of any performance penalties for the same occurrence payable to Covad under this Agreement.

- 8.3.1.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth customer or by any other person or entity, for damages associated with any of the services provided by Covad pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Covad's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of Covad and claims for damages by BellSouth resulting from the failure of Covad to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability.
- 8.3.2 Neither Party shall be liable for any act or omission of any other telecommunications company to the extent such other telecommunications company provides a portion of a service.
- 8.3.3 Neither Party shall be liable for damages to the other Party's terminal location, Interconnection Point or the other Party's customers' premises resulting from the furnishing of a service, including but not limited to the installation and removal of equipment and associated wiring, except to the extent the damage is caused by such Party's gross negligence or willful misconduct, or by a Party's failure properly to ground a local loop after disconnection using sound engineering principles.
- 8.3.4 The Party providing services under this Agreement, its affiliates and its parent company shall be indemnified, defended and held harmless by the Party receiving such services against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement, involving: 1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving Party's own communications; 2) any claim, loss, or damage claimed by the receiving Party's customer(s) arising from such customer's use of any service, including 911/E911, that the customer has obtained from the receiving Party and that the receiving Party has obtained from the supplying Party under this Agreement; or 3) all other claims arising out of an act or omission of the receiving Party in the course of using services provided pursuant to this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder. Nothing herein is intended to modify or alter in any way the indemnification obligations set forth in Section 9, supra, relating to intellectual property infringement.

- 8.3.5 Neither Party guarantees or makes any warranty with respect to its services when used in an explosive atmosphere. Each Party shall be indemnified, defended and held harmless by the other Party or the other Party's customer from any and all claims by any person relating to the other Party or the other Party's customer's use of services so provided.
- 8.3.6 Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party (the "Indemnified Party") shall promptly give written notice to the other Party (the "Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable request for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party. Unless the Indemnified Party chooses to waive its rights to be indemnified further in any claim or action, the Indemnified Party's counsel shall not interfere with the defense strategy chosen by the Indemnifying Party and its counsel, and the Indemnified Party when such course of action in representation of the Indemnified Party's counsel shall not raise any claims, defenses, or objections or otherwise take a course of action in representation of the Indemnified Party when such course of action might be in conflict with a course of action or inaction chosen by the Indemnifying Party. The Indemnifying Party is not liable under this Section 8 for settlements or compromises by the Indemnified Party of any claim, demand, or lawsuit unless the Indemnifying Party als approved the settlement or compromise in advance or unless the Indemnified Party has tendered the defense of the claim, demand, or lawsuit to the Indemnifying Party in writing and the Indemnifying Party has failed to promptly undertake the defense.
- 8.4 Both Parties agree that they, at their own cost and expense, shall maintain throughout the term of this Agreement, all insurance required by law or required under this Agreement, and may at their own cost and expense purchase insurance or self-insure for their employer, public, professional and legal liabilities. No limit of liability on any policy, no program or self-insurance, nor any failure to maintain adequate insurance coverage shall limit the direct or indirect liability of either Party.
- 8.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE

OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 9. Intellectual Property Rights and Indemnification

- 9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Covad is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Covad may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 9.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.
- 9.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

#### 10. Proprietary and Confidential Information

- 10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Covad, each as the "Discloser," to provide to the other party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, prices, costs, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All Information shall be provided to Recipient in written or other tangible or electronic form, clearly marked with a confidential and, proprietary notice. Information orally or visually provided to Recipient must be designated by Discloser as confidential and proprietary at the time of such disclosure and must be reduced to writing marked with a confidential and proprietary notice and provided to Recipient within thirty (30) calendar days after such oral or visual disclosure.
- 10.1.1 Each Party shall fully comply with all Customer Proprietary Network Information ("CPNI") and carrier information set forth in Section 222 of the Act and the FCC's rules and regulations implementing, or promulgated under, Section 222 of the Act.
- 10.2 <u>Use and Protection of Information.</u> Recipient shall use the Information solely for the purpose(s) of performing its obligations under this Agreement, and Recipient shall protect Information from any use, distribution or disclosure except as

permitted hereunder. Recipient will use the same standard of care to protect Information as Recipient uses to protect its own similar confidential and proprietary information, but not less than a reasonable standard of care. Recipient may disclose Information solely to the Authorized Representatives of the Recipient who (a) have a substantive need to know such Information in connection with performance of the Agreement; (b) have been advised of the confidential and proprietary nature of the Information; and (c) have personally agreed in writing to protect from unauthorized disclosure all confidential and proprietary information, of whatever source, to which they have access in the course of their employment. "Authorized Representatives" are the officers, directors and employees of Recipient and its Affiliates, as well as Recipient's and its Affiliates' consultants, contractors, counsel and agents.

- Ownership, Copying & Return of Information. Information remains at all times the property of Discloser. Recipient may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All such tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any information) will be destroyed and Recipient will provide Discloser with written certification stating that such Information has been destroyed.)
- Exceptions. Discloser's Information does not include: (a) any information publicly disclosed by Discloser; (b) any information Discloser in writing authorizes Recipient to disclose without restriction; (c) any information already lawfully known to Recipient at the time it is disclosed by the Discloser, without an obligation to keep confidential; or (d) any information Recipient lawfully obtains from any source other than Discloser, provided that such source lawfully disclosed and/or independently developed such information. If Recipient is required to provide Information to any court or government agency pursuant to written court order, subpoena, regulation or process of law, Recipient must first provide Discloser with prompt written notice of such requirement and cooperate with Discloser to appropriately protect against or limit the scope of such disclosure. To the fullest extent permitted by law, Recipient will continue to protect as confidential and proprietary all Information disclosed in response to a written court order, subpoena, regulation or process of law.
- Equitable Relief. Recipient acknowledges and agrees that any breach or threatened breach of this Section 10 is likely to cause Discloser irreparable harm for which money damages may not be an appropriate or sufficient remedy. Recipient therefore agrees that Discloser or its Affiliates, may be entitled to receive injunctive or other equitable relief to remedy or prevent any breach or threatened breach of this Section 10. Such remedy is not the exclusive remedy for any breach

or threatened breach of this Section 10, but is in addition to all other rights and remedies available at law or in equity.

10.6 <u>Survival of Confidentiality Obligations.</u> The parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the effective date thereof and, provided further, if the assignee is an assignee of Covad, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

#### 12. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 13. Taxes

13.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services

furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 13.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee; provided, however, that this provision shall not apply to any interest, penalties, or other charges or payable expenses (including reasonable attorney fees) attributable to the providing Party's failure to timely remit any taxes or fees collected from the purchasing Party.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the

existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 14. Force Majeure

14.1 In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. BellSouth understands that its obligation to

provide Covad with nondiscriminatory access to unbundled network elements is not altered by a work stoppage, strike or other labor problem.

#### 15. Adoption of Agreements

BellSouth shall make available without unreasonable delay to Covad any individual interconnection, service, or network element arrangement contained in any agreement to which it is a party that is approved by a state commission pursuant to section 252 of the Act, upon the same rates, terms and conditions as those provided in the agreement. If BellSouth believes that it is no longer reasonable to allow Covad to opt into a particular agreement because of changes in technology or pricing or for any other reason, BellSouth may petition the Commission requesting that Covad not be allowed to opt-in.

#### **Modification of Agreement**

- If Covad changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Covad to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Covad or BellSouth to perform any material terms of this Agreement, Covad or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

#### 17. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such

decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 18. Severability

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

#### 19. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 20. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

#### 21. Notices

21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### **BellSouth Telecommunications, Inc.**

Account Team 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375 Dhruv Khanna
Executive Vice President and General Counsel
Covad Communications Company
3420 Central Expressway
Santa Clara, CA 95054

and

Catherine F. Boone Senior Counsel Covad Communications Company 10 Glenlake Parkway, Suite 130 Atlanta, GA 30328

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide Covad notice via Internet posting of price changes, changes to the terms and conditions of services available for resale, changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Implementation of Agreement

If Covad is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

#### 25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Covad and BellSouth shall share those fees evenly. Covad shall be responsible for publishing the required notice. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Covad is duly certified as a local exchange carrier in such state.

#### **26.** Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except

insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Covad as a requesting carrier under the Act).

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 31. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

#### This Agreement may include the following attachments:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by Covad. Covad may elect to purchase said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.	DIECA Communications, Inc. d/b/a Covad
	<b>Communications Company</b>
Original Signature on File	Original Signature on File
Signature	Signature
Gregory R. Follensbee	Dhruv Khanna
Name	Name
Senior Director	<b>Executive Vice President- General Counsel</b>
Title	Title
December 19, 2001	<b>December 18, 2001</b>
Date	Date

### **Attachment 1**

Resale

### TABLE OF CONTENTS

1.	Discount Rates3
2.	Definition of Terms3
3.	General Provisions3
4.	Bellsouth's Provision of Services To Covad8
5.	Maintenance of Services8
6.	Establishment of Service9
7.	Payment and Billing Arrangements11
8.	Discontinuance of Service
9.	Line Information Database (LIDB)15
10.	RAO Hosting15
11.	Optional Daily Usage File (ODUF)15
12.	Enhanced Optional Daily Usage File (EODUF)15
Exhil	bit A – Applicable Discounts/OSS Rates16
Exhil	bit B – Resale Restrictions19
Exhil	bit C – Line Information Database (LIDB) Storage Agreement21
Exhil	bit D – CMDS/ROA Hosting27
Exhi	bit E – Optional Daily Usage File (ODUF)31
Exhi	bit F – Enhanced Option Daily Usage File (EODUF)34
Evhil	hit C ODUE/EODUE/CMDS Dates Date Table

#### RESALE

#### 1. Discount Rates

The discount rates applied to Covad purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit A. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the public service commissions of BellSouth's franchised area to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the telecommunications services.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Covad subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.
- 2.8 RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which a CLEC, such as Covad, may offer resold local exchange telecommunications service.

#### 3. General Provisions

- 3.1 Covad may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.
- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. BellSouth shall make available telecommunications services for resale at the discount rates set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement. BellSouth does not however waive its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. BellSouth reserves the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.
- 3.3 Covad may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Covad must resell services to other end users.
- 3.3.2 Covad must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.3.3 Covad cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.4 The provision of services by BellSouth to Covad does not constitute a joint undertaking for the furnishing of any service.
- 3.5 Covad will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from Covad for said services.
- 3.6 Covad will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the end user except to the extent provided for herein.
- 3.7 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth.

- 3.8 BellSouth maintains the right to serve directly any end user within the service area of Covad. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of Covad.
- 3.9 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.10 Current telephone numbers may normally be retained by the end user and are assigned to the service furnished. However, neither Party nor the end user has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.11 For the purpose of the resale of BellSouth's telecommunications services by Covad, BellSouth will provide Covad with an on line access to telephone numbers for reservation on a first come first serve basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that Covad cancel its reservations of numbers. Covad shall comply with such request.
- Further, upon Covad's request, and for the purpose of the resale of BellSouth's telecommunications services by Covad, BellSouth will reserve up to 100 telephone numbers per CLLIC, for Covad's sole use. Such telephone number reservations shall be valid for ninety (90) days from the reservation date. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of Covad's reasonable need in that particular CLLIC.
- 3.13 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.14 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.15 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.

- 3.16 BellSouth accepts no responsibility to any person for any unlawful act committed by Covad or its end users as part of providing service to Covad for purposes of resale or otherwise.
- 3.17 BellSouth will cooperate fully with law enforcement agencies with subpoenas and court orders for assistance with BellSouth's end users, pursuant to Section 7 of the General Terms and Conditions.
- 3.18 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
- 3.18.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service; or
- 3.18.2 Cause damage to BellSouth's plant;
- 3.18.3 Impair the privacy of any communications; or
- 3.18.4 Create hazards to any BellSouth employees or the public.
- 3.19 If Covad utilizes a BellSouth resold telecommunications service in a manner other than which the service was originally intended as described in BellSouth's retail tariffs, Covad has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Covad remain the property of BellSouth.
- 3.21 White page directory listings will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.22 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, Covad shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, upon request by BellSouth Covad shall provide paper copies of customer record information within a reasonable period of time by BellSouth. Customer Record Information is equivalent to but not limited to the type of customer specific information contained in CRIS and RSAG. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that Covad and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

- 3.23 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from Resellers who utilize the services. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this Attachment.
- 3.24 Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Simplified Message Desk Interface Enhanced ("SMDI-E")
  - Simplified Message Desk Interface ("SMDI")
  - Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
  - Call Forward on Busy ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.24.1 BellSouth shall provide branding for, or shall unbrand, voice mail services to Covad per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.
- 3.25 BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.26 If Covad requires a special assembly Covad agrees to pay the costs incurred by BellSouth for providing the requested special assembly. The costs will be provided to Covad prior to providing the service. Such costs could include both recurring and non-recurring charges and shall exclude any cost attributable to any marketing, billing collection or other costs that will be avoided by BellSouth in providing service to Covad.
- 3.27 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in FCC No. 1. This charge is not discounted.
- 3.28 BellSouth shall provide 911/E911 for Covad customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Covad customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Covad customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

Pursuant to 47 CFR Section 51.617, BellSouth will bill Covad end users common line charges identical to the end user common line charges BellSouth bills its end users.

#### 4. BellSouth's Provision of Services to Covad

- 4.1 Covad agrees that its resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Covad to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Covad shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.
- 4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month), shall not be aggregated across multiple resold services.
- 4.3 Covad may resell services only within the specific resale service area as defined in its certificate.
- 4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.

#### 5. Maintenance of Services

- 5.1 Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.
- 5.2 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.

- 5.3 Covad or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- 5.4 Covad accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.5 Covad will be BellSouth's single point of contact for all repair calls on behalf of Covad's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- Covad will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.7 For all repair requests, Covad accepts responsibility for adhering to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.8 BellSouth will bill Covad for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.9 BellSouth reserves the right to contact Covad's end users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Covad will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Covad's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 6.2 Service orders will be in a standard format designated by BellSouth.
- 6.3 When notification is received from Covad that a current end user of BellSouth will subscribe to Covad's service, standard service order intervals for the appropriate class of service will apply.
- 6.4 BellSouth will not require end user confirmation prior to establishing service for Covad's end user customer. Covad must, however, be able to demonstrate end user authorization upon request.

- 6.5 Covad will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the end user for conversion of the end user's service from Covad to BellSouth or will accept a request from another CLEC for conversion of the end user's service from Covad to the other LEC. BellSouth will notify Covad that such a request has been processed.
- 6.6 If BellSouth determines that an unauthorized change in local service to Covad has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Covad as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff, will also be assessed to Covad. These charges can be adjusted if Covad provides satisfactory proof of authorization.
- 6.7 In order to safeguard its interest, BellSouth reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.
- 6.7.1 Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
- 6.7.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
- 6.7.3 Such security deposit may not exceed two months' estimated billing.
- 6.7.4 The fact that a security deposit has been made in no way relieves Covad from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
- 6.7.5 BellSouth reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
- 6.7.6 In the event that Covad defaults on its account, service to Covad will be terminated and any security deposits held will be applied to its account.
- 6.7.7 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

#### 7. Payment And Billing Arrangements

- Prior to submitting orders to BellSouth for local service, a master account must be established for Covad. Covad is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 7.2 BellSouth shall bill Covad on a current basis all applicable charges and credits.
- Payment of all charges will be the responsibility of Covad. Covad shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Covad from Covad's end user. BellSouth will not become involved in billing disputes that may arise between Covad and its end user. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 7.4 BellSouth will render bills each month on established bill days for each of Covad's accounts.
- 7.5 BellSouth will bill Covad in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Covad, and Covad will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees.
- 7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in section 7.8 following, shall apply.
- 7.6.2 If Covad requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Covad.
- 7.6.3 Billing Disputes

- 7.6.3.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
- 7.6.3.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
- 7.6.3.3 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
- 7.6.3.4 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.
- 7.7 Upon proof of tax exempt certification from Covad, the total amount billed to Covad will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. Covad will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to Covad's end user.
- 7.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff. Covad will be charged a fee for all returned checks as set forth in Section to A2 of the General Subscriber Services Tariff or in applicable state law.

- 7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to Covad.
- 7.10 BellSouth will not perform billing and collection services for Covad as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.11 In general, BellSouth will not become involved in disputes between Covad and Covad's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, Covad shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with Covad to resolve the matter in as timely a manner as possible. Covad may be required to submit documentation to substantiate the claim.

#### 8. Discontinuance of Service

- 8.1 The procedures for discontinuing service to an end user are as follows:
- 8.1.1 Where possible, BellSouth will deny service to Covad's end user on behalf of, and at the request of, Covad. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of Covad.
- 8.1.2 At the request of Covad, BellSouth will disconnect a Covad end user customer.
- 8.1.3 All requests by Covad for denial or disconnection of an end user for nonpayment must be in writing.
- 8.1.4 Covad will be made solely responsible for notifying the end user of the proposed disconnection of the service.
- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Covad when it is determined that annoyance calls are originated from one of their end user's locations. BellSouth shall be indemnified, defended and held harmless by Covad and/or the end user against any claim, loss or damage arising from providing this information to Covad. It is the responsibility of Covad to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service.
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.
- 8.2 The procedures for discontinuing service to Covad are as follows:

- 8.2.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Covad of the rules and regulations of BellSouth's Tariffs.
- 8.2.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Covad, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by Covad to receive notices of noncompliance, and discontinue the provision of existing services to Covad at any time thereafter.
- 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Covad's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Covad without further notice.
- 8.2.5 If payment is not received or arrangements made for payment by the date given in the written notification, Covad's services will be discontinued. Upon discontinuance of service on a Covad's account, service to Covad's end users will be denied. BellSouth will also reestablish service at the request of the end user or Covad upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Covad is solely responsible for notifying the end user of the proposed disconnection of the service.
- 8.2.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

#### 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 9.2 BellSouth will provide LIDB Storage upon written request to Covad Account Manager stating requested activation date.

#### 10. RAO Hosting

10.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.

BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

#### 11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for ODUF are as set forth in Exhibit H of this Attachment.
- BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

#### 12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.
- BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

#### APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Covad for the purposes of resale to Covad end users shall be available at the following discount off of the retail rate. If Covad cancels an order for telecommunications services for the purpose of resale, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with the applicable sections of the GSST and the PLST.

#### **DISCOUNT\***

STATE	RESIDENCE	BUSINESS	CSAs***							
ALABAMA	16.3%	16.3%								
FLORIDA	21.83%	16.81%								
GEORGIA	20.3%	17.3%								
KENTUCKY	16.79%	15.54%								
LOUISIANA	20.72%	20.72%	9.05%							
MISSISSIPPI	15.75%	15.75%								
NORTH CAROLINA	21.5%	17.6%								
SOUTH CAROLINA	14.8%	14.8%	8.98%							
TENNESSEE**	16%	16%								

- \* When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- \*\* In Tennessee, if a CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- \*\*\* Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

#### **OPERATIONAL SUPPORT SYSTEMS (OSS) RATES**

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL	<b>Electronic</b>	<u>Manual</u>
SUPPORT	Per LSR received from the	Per LSR received from the
SYSTEMS (OSS)	CLEC by one of the OSS	CLEC by means other than one
RATES	interactive interfaces	of the OSS interactive
		interfaces
OSS LSR Charge	\$3.50	\$19.99
USOC	SOMEC	SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

#### Denial/Restoral OSS Charge

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

#### Cancellation OSS Charge

Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

#### Threshold Billing Plan

EXHIBIT A

The Parties agree that Covad will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

# **Exclusions and Limitations On Services Available for Resale**

Type of Service		AL		FL		GA	H	ΚΥ		L <b>A</b>	1	MS	1	NC	,	SC	,	ΓN
	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount								
-																		
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes								
2 Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes								
3 Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3								
4 Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No								
5 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
8 AdWatch <sup>SM</sup> Svc (See Note 6)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes								
9 MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No								
10 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No								
11 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No								
12 Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No								
13 End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No								
14 Public Telephone Access Service (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes								

## **Exclusions and Limitations On Services Available for Resale**

### Applicable Notes:

- 1. **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2. Where available for resale, **promotions** will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- 3. In Tennessee, long-term **promotions** (offered for more than ninety (90) days) may be obtained at one of the following rates:
  - (a) the stated tariff rate, less the wholesale discount;
  - (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)
- 4. **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services as set forth in Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.
- 5. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 6. AdWatch<sup>SM</sup> Service is tariffed as BellSouth<sup>®</sup> AIN Virtual Number Call Detail Service.

## LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

#### I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
  - 1. Billed Number Screening
  - 2. Calling Card Validation
  - 3. Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.
- (d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

#### II. TERM

This Agreement will be effective as of \_\_\_\_\_\_\_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

#### III. FEES FOR SERVICE AND TAXES

- A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

#### IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this

Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

#### V. LIMITATION OF LIABILITY

Neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

#### VI. MISCELLANEOUS

- A. It is understood and agreed to by the Parties that BellSouth may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.
- C. Covad agrees to submit to BellSouth all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BellSouth's corporate or trade names, logos, trademarks or service marks or those of BellSouth's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and Covad further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BellSouth's prior written approval.
- D. This Agreement constitutes the entire Agreement between Covad and BellSouth which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.
- E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

- F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.
- G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

# RESALE ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

	nis is a Resale Addendum to the Line Information Data Base Storage Agreement dated, 2000, between BellSouth Telecommunications, Inc.
("BellS	outh"), and Covad ("Covad"), effective the day of, 2000.
I.	GENERAL
	This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.
II.	DEFINITIONS
A.	Billing number - a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
В.	Line number - a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
C.	Special billing number - a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
D.	Calling Card number - a billing number plus PIN number assigned by BellSouth.
E.	PIN number - a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.
F.	Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Covad.
G.	Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
H.	Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by the Covad.

#### III. RESPONSIBILITIES OF PARTIES

- A. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Covad will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- B. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Covad. BellSouth will not issue line-based calling cards in the name of Covad's individual end users. In the event that Covad wants to include calling card numbers assigned by the Covad in the BellSouth LIDB, a separate agreement is required.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:
- 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.
- 2. Determine whether the Covad has identified the billing number as one which should not be billed for collect or third number calls, or both.

#### **RAO Hosting**

- 1. RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Covad by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 2. Covad shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3. Applicable compensation amounts will be billed by BellSouth to Covad on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4. Covad must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from Covad to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Covad and will coordinate all associated conversion activities.
- 5. BellSouth will receive messages from Covad that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6. BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Covad.
- 7. All data received from Covad that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 8. All data received from Covad that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9. BellSouth will receive messages from the CMDS network that are destined to be processed by Covad and will forward them to Covad on a daily basis.

- 10. Transmission of message data between BellSouth and Covad will be via CONNECT:Direct.
- 11. All messages and related data exchanged between BellSouth and Covad will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 12. Covad will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 13. Should it become necessary for Covad to send data to BellSouth more than sixty (60) days past the message date(s), Covad will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Covad to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Covad) identified and agreed to, the company responsible for creating the data (BellSouth or Covad) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 15. Should an error be detected by the EMI format edits performed by BellSouth on data received from Covad, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Covad of the error condition. Covad will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Covad will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 16. In association with message distribution service, BellSouth will provide Covad with associated intercompany settlements reports (CATS and NICS) as appropriate.

- 17. In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 18. RAO Compensation
- 18.1 Rates for message distribution service provided by BellSouth for Covad are as set forth in Exhibit A to this Attachment.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- Data circuits (private line or dial-up) will be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- All equipment, including modems and software, that is required on the Covad end for the purpose of data transmission will be the responsibility of Covad.
- 19. Intercompany Settlements Messages
- This Section addresses the settlement of revenues associated with traffic originated from or billed by Covad as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Covad and the involved company(ies), unless that company is participating in NICS.
- Both traffic that originates outside the BellSouth region by Covad and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Covad, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Covad, involves a company other than Covad, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 19.3 Once Covad is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.
- BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.
- 19.6 BellSouth will collect the revenue earned by Covad from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Covad. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by Covad within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Covad agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

#### **Optional Daily Usage File**

- 1. Upon written request from Covad, BellSouth will provide the Optional Daily Usage File (ODUF) service to Covad pursuant to the terms and conditions set forth in this section.
- 2. Covad shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Covad customer.

Charges for delivery of the Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 4. The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in Covad's billing system will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with the to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 <u>Usage To Be Transmitted</u>
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Covad:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll
  - WATS & 800 Service
  - N11

- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.
- 6.1.4 In the event that Covad detects a duplicate on Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).
- 6.2 <u>Physical File Characteristics</u>
- 6.2.1 The Optional Daily Usage File will be distributed to Covad via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties.

All equipment, including modems and software, that is required on Covad end for the purpose of data transmission will be the responsibility of Covad.

#### 6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

#### THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

#### 6.4 Pack Rejection

6.4.1 Covad will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Covad will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Covad by BellSouth.

#### 6.5 Control Data

Covad will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Covad received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Covad for reasons stated in the above section.

#### 6.6 Testing

One of the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Covad set up a production (LIVE) file. The live test may consist of Covad's employees making test calls for the types of services Covad requests on the Optional Daily Usage File. These test calls are logged by Covad, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### **Enhanced Optional Daily Usage File**

- 1. Upon written request from Covad, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Covad pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Covad shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Covad will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with Covad to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the Optional Daily Usage Feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Covad:

Customer usage data for flat rated local call originating from Covad's end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.
- 7.1.3 In the event that Covad detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).

#### 7.2 <u>Physical File Characteristics</u>

- 7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Covad over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Covad's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Covad's end for the purpose of data transmission will be the responsibility of Covad.

#### 7.3 <u>Packing Specifications</u>

- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

#### THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

#### RESALE DISCOUNTS AND RATES

								NORTH	SOUTH	
		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	CAROLINA	CAROLINA	TENNESSEE
APPLICABLE	E DISCOU	NTS								
RESIDENCE		16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in t	his row, the di	scount for Busin	ess will be the applicat	ole discount rate for	CSAs.					
OPERATION	AL SUPPO	ORT SYSTE	MS (OSS) RATES	\$						
<u>ELEMENT</u>	<u>USOC</u>									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
ODUF/EODU	F/CMDS R	ATES								
ENHANCED OP	TION DAILY	Y USAGE FILE	(EODUF)							
EODUF: Message per message	Processing,	\$0.004	0.22245100	\$0.0034555	\$0.004	\$0.250015	\$0.250424	\$0.004	\$0.004	\$0.004
OPTIONAL DAI	LY USAGE F	TILE (ODUF)								
ODUF: Recording	g, per message	\$0.0002	0.00000680	\$0.0001275	\$0.0008611	\$0.0000117	\$0.0000063	\$0.0003	\$0.0002862	\$0.0000044
ODUF: Message F per message	Processing,	\$0.0033	0.00661400	\$0.0082548	\$0.0032357	\$0.004641	\$0.004707	\$0.0032	\$0.0032344	\$0.0027366
ODUF: Message F per Magnetic Tape	_	\$55.19	48.77000000	\$28.85	\$55.68	\$48.45	\$49.04	\$54.61	\$54.72	\$52.75
ODUF: Data Tran (CONNECT:DIRE		\$0.00004	0.00010772	\$0.0000434	\$0.0000365	\$0.00010568	\$0.00010669	\$0.0004	\$0.0000357	\$0.0000339

Version 3Q01: 10/30/01

#### RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
CUSTOM BRANDING ANNOUNCEMENT (CBA)										
DIRECTORY A	DIRECTORY ASSISTANCE (DA) CBA via OLNS SOFTWARE									
Recording of DA	A CBA	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Loading of DA O DRAM Card/Sw		\$1, 700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00
DIRECTORY A	ASSISTANCE (	(DA) UNBRANI	OING via OLNS SOF	ΓWARE						
Loading of DA p (1 OCN per Ord		\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00
Loading of DA per Switch, per OCN		\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00
OPERATOR A	SSISTANCE (	OA) CBA via Ol	LNS SOFTWARE							
ELEMENT	USOC									
Recording of OA CBA	CBAOS	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
Loading of OA CBA per shelf/ NAV per OCN	CBAOL	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00
Loading of DA CBA per DRAM Card/Switch per OCN		\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00
OPERATOR A	SSISTANCE (	OA) UNBRAND	ING via OLNS SOFT	WARE						_
Loading of OA p Regional	oer OCN -	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00

Version 3Q01: 10/30/01

#### **Attachment 2**

**Network Elements and Other Services** 

#### **TABLE OF CONTENTS**

1.	INTRODUCTION	3
2.	UNBUNDLED LOOPS, INTEGRATED DIGITAL LOOP CARRIERS, NETWORK INTERFACES DEVICE, UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM, SUB LOOPS AND DARK FIBER	
3.	SWITCHING	. 32
4.	UNBUNDLED NETWORK ELEMENT COMBINATIONS	. 43
5.	PORT/LOOP COMBINATIONS	. 48
6.	TRANSPORT AND DARK FIBER	. 50
7.	BELLSOUTH SWA 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE	. 56
8.	LINE INFORMATION DATABASE (LIDB)	. 58
9	SIGNALING	. 61
10.	OPERATOR CALL PROCESSING, INWARD OPERATOR SERVICES AND DIRECTORY ASSISTANCE SERVICES	. 70
11.	CALLING NAME (CNAM) DATABASE SERVICE	. 77
12.	BASIC 911 AND E911	. 79
13.	TRUE-UP	. 80
LII	OB Storage AgreementExhibit A	L
CN	AM Database ServicesExhibit H	3
Rat	tes	C

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1. Introduction

- 1.1. This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.2.1. Except as otherwise required by law, BellSouth shall not impose limitation restrictions or requirements or requests for the use of the network elements or combinations that would impair the ability of Covad to offer telecommunications service in the manner Covad intends.
- 1.2.2 Except upon request by Covad, BellSouth shall not separate requested network elements that BellSouth currently combines.
- 1.3. BellSouth shall, upon request of Covad, and to the extent technically feasible, provide to Covad access to its network elements for the provision of Covad's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.
- 1.4. Covad may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Covad chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Covad for combining to the designated Covad collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.5. BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 unless BellSouth's actual performance or applicable industry

standards are greater than such technical reference, in which event BellSouth shall provide UNE's at such greater level. In the event the applicable industry standard exceeds the BellSouth technical reference, BellSouth shall provide UNE's consistent with the Industry Standard within ninety (90) days of notice from Covad that the industry standard exceeds the BellSouth technical reference.

- 1.6. In the event that any effective legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7. Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center BellSouth Operational Understanding Agreement regarding maintenance and installation of service.
- 1.8 If one or more of the requirements set forth in this Agreement are in conflict, the parties shall mutually agree on which requirement shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.
- 2. Unbundled Loops, Integrated Digital Loop Carriers, Network Interfaces Device, Unbundled Loop Concentration (ULC) System, Sub loops and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled loops.

#### 2.1 Unbundled Loops

#### 2.1.1 Definition

2.1.2 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

- 2.1.3 The provisioning of service to a CLEC collocation space will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment. These cross-connects are a separate component, that are not considered a part of the loop, and thus have a separate charge.
- 2.1.4 The Loop shall be provided to Covad in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references. Covad shall be provided with six months notice of any changes to the existing loop specifications proposed by BellSouth to TR73600 after execution of this Agreement. The 6 months notification will not apply if Industry Standards, or legal or regulatory mandates require a different timeframe, if an applicable regulatory authority or industry forum requires modifications within a shorter time frame, or if otherwise agreed to by Covad and BellSouth.

Covad may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such serves are consistent with industry standards and BellSouth's TR73600.

BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered. In those cases where Covad has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type, the resulting loop will be maintained as an Unbundled Copper Loop (UCL), and Covad shall pay the recurring and non-recurring charges for the resulting UCL.

- 2.1.5 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination Time Specific."
- 2.1.6 "Order Coordination" allows BellSouth and Covad to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Covad's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and Covad advised. OC shall be provided in accordance with the chart set forth below.
- 2.1.7 "Order Coordination Time Specific" refers to service order coordination in which Covad requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate Covad's specific conversion time request. However, BellSouth reserves the right to negotiate with Covad a conversion time based on load and appointment control when necessary. Loops on a single service

order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Covad may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Covad specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

2.1.8 If Covad cancels an order for network elements and other services, any reasonable costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4. If Covad cancels an order for network elements and other services prior to the DLR Date for provisioning of the loop, Covad shall not be required to pay the above referenced cancellation charge. Notwithstanding the foregoing, if Covad places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services ordered in accordance with the transmission characteristics of the network elements or services ordered, cancellation charges described in this Section shall not apply. Where Covad places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Covad may cancel its order as to those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Covad elect to cancel the entire LSR, cancellation charges as described in this Section shall apply as to those elements and services that were not the subject of inaccurate loop makeup information. In order to obtain the credit in those loop makeup instances described above where a credit would be due, Covad must provide (1) backup documentation to confirm cancellation of the service order, such documentation to include the purchase order number and the order status; and (2) a copy of the correlating loop makeup response output with the facility reservation number, such loop makeup response being the original catalyst for Covad's submission of the service order for the facility, which is the subject of the inaccurate loop makeup information; and (3) the Billing Adjustment Request (BAR) Form. Upon presentation of that information, BellSouth may investigate whether cancellation charges are appropriate. BellSouth shall issue the appropriate credit within 60 days of receiving the above referenced information from Covad, irrespective of whether it elected to perform an investigation. No other billing dispute process shall be required for Covad to obtain the necessary credit for these charges.

- 2.1.9 If a Covad order for a local loop is cancelled or modified by Covad or a Covad enduser, and the cancellation or modification is not caused by BellSouth, Covad will compensate BellSouth costs incurred by BellSouth for provisioning or accommodating the modification of the local loop, unless such costs are already being recovered through approved rates. Covad may charge BellSouth order modification or cancellation charges using the same rates and conditions as BellSouth utilizes for assessing such charges to Covad, if the modification or cancellation is caused by BellSouth.
- 2.1.10 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.1.11 Unbundled Voice Loops SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by Covad. Covad may also order OC-TS when a specificied conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop makeup information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users. If Covad requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.
- 2.1.12 Unbundled Voice Loop SL2 loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a design layout record provided to Covad. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Covad to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.1.13 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.1.14 As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCLs), BellSouth will offer Order Coordination Time Specific (OC-TS). This will allow Covad the ability to specify the time that the

- coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.1.15 Covad will be responsible for testing and isolating troubles on the loops. Once Covad has isolated a trouble to the BellSouth provided loop, Covad will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop on the first trouble ticket opened. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.1.16 If Covad reports a trouble and BellSouth appropriately tests its loop but finds no trouble, BellSouth will charge Covad for any dispatching and testing (inside and outside the CO for non-designed loops and outside the CO for designed loops) required by BellSouth in order to confirm the loop's working status. In the event BellSouth closes a Covad trouble ticket as "no trouble found," and Covad reports a subsequent trouble on the same loop within 30 days of the previous trouble ticket, Covad may provide to BellSouth in writing, using the Billing Adjustment Request (BAR) Form, the PON number of the order, the number of repeat trouble tickets and confirmation that the loop is currently operational. At that time, BellSouth shall investigate the trouble tickets to determine if the subsequent trouble was in fact the same trouble that had been previously reported and closed as "no trouble found." If the investigation reveals that the subsequent trouble was the same trouble reported by Covad within 30 days prior to the subsequent trouble, BellSouth shall credit Covad for all charges related to those trouble tickets within 60 days of Covad's providing the information specified above. No other formal billing dispute shall be required to obtain this credit. If the investigation reveals that the subsequent trouble was unrelated to the previous reported trouble, no credit will be due to Coyad where the trouble tickets were closed as "no trouble found."

#### 2.1.17 xDSL Capable Loops

BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Specifically, BellSouth shall make available the following:

- 2.1.17.1 ADSL: Asymmetrical Digital Subscriber Line (ADSL) Capable Loop: These copper loops are provisioned according to the Revised Resistance Design (RRD) industry standards which means they may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap which is included in of the loop length.
- 2.1.17.2 HDSL: High Big Rate Digital Subscriber Line (HDSL) Capable Loop: These copper loops are provisioned according to the Industry Standard Carrier Service Area ("CSA") guidelines. It will be 12,000 feet or less on 24 gauge wire and 9,000 feet or

less on 26 gauge wire, inclusive of up to 2,500 feet of bridged tap (with no one bridged tap exceeding 2000 feet).

2.1.17.3 xDSL: Subscriber Line ("DSL") technologies. The "x" in xDSL is a placeholder for the various types of digital subscriber line services. A loop is a dedicated transmission facility between a distribution frame, or its equivalent, in a BellSouth central office and the loop demarcation point at the customer premises.

An xDSL loop is a plain twisted pair of cooper loop of unlimited length without intervening devices, such as load coils, repeaters (unless so requested by the requesting carrier), or digital access main lines ("DAMLs"), and which may contain minimal bridge tap. A cooper loop used for such purposes will meet basic electrical standards such as metallic conductivity and capacitive and resistive balance.

- 2.1.17.4 UCL/short: an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.
- 2.1.17.5 UCL/long: Unbundled Copper Loop/long (UCL/long). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A long UCL (18 kft or more) will be provisioned with a maximum 2800 ohms resistence. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.

- 2.1.17.6 When attempting to provide cooper-based loops, BellSouth will attempt to use any available copper facility that serves the end users address. This includes performing Line and Station Transfers (LSTs) to free up copper facilities that may be currently in use but could be provisioned using a different spare media that will support the service currently in use.
- 2.1.17.7 Where facilities are available, BellSouth will install ADSL, HDSL, UCL and UCL-ND loops in no more than a 5 business day interval from receipt of Firm Order Confirmation ("FOC"). For orders of 14 or more loops at the same address, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Covad, expedite charges will apply for intervals less than 5 days. The charges outlined in BellSouth's FCC #1 Tariff, Section 5.1.1, will apply.

## 2.1.17.8 **ISDN/IDSL/UDC**

- 2.1.17.8.1 Due to technical limitations associated with certain DLC systems, certain ports on Digital Loop Carrier ("DLC") systems do not support ISDN Digital Subscriber Lines (IDSL).
- 2.1.17.8.2 BellSouth will offer the IDSL-Compatible Loop, known internally at BellSouth as the Universal Digital Channel (UDC), as a part of its Unbundled Digital Loop offerings as an xDSL capable loop. The IDSL-Compatible loop is compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. The technical specifications which govern this loop are those set forth in BellSouth's TR73600, which is in effect on the date of execution of this agreement.
- 2.1.17.8.3 Like the ISDN-capable loop, the IDSL-Compatible loop may be provisioned on copper or through a DLC system. When IDSL-Compatible loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.1.17.8.4 The Universal Digital Channel (UDC)/IDSL Compatible Loop shall be provisioned by BellSouth in no more than 10 business days from the date of the receipt of the Firm Order Confirmation.
- 2.1.17.8.5 The rates for the IDSL-Compatible shall be the same as the rates for ISDN loops, subject to true-up when and if BellSouth's proposed rates for the IDSL-Compatible are approved and accepted by a state commission.

2.1.17.8.6 Covad shall exclusively order the UDC for its IDSL service.

# 2.1.17.9 Acceptance Testing and Cooperative Testing

- 2.1.17.9.1 Cooperative Acceptance Testing is acknowledged by both BellSouth and Covad to assist in the timely and efficient provisioning of functioning loops. If both parties agree in writing that this testing is no longer necessary, it can be suspended at any time.
- 2.1.17.9.2 BellSouth will dispatch a technician to provide normal acceptance testing where BellSouth determines a dispatch is required to provision the loop. Normal acceptance testing includes: Placing a short on the tip and ring conductors, listening for tone, and placing a ground on tip and ring. BellSouth will call Covad with the technician on the line to perform the above mentioned tests and Covad will within 15 minutes begin testing with the technician. The BellSouth technician will test with Covad for a period not to exceed 15 minutes. Testing not considered to be normal acceptance testing as outlined above may be performed by BellSouth, if requested by Covad. BellSouth will charge and Covad will pay for additional acceptance testing, by paying additional acceptance charges as outlined in FCC No. 1 Tariff. BellSouth shall deliver loops which perform according to the characteristics of TR73600 for the particular loop ordered.
- 2.1.17.9.3 Where a technician is dispatched to provision a loop, the BellSouth technician shall tag a circuit for identification purposes. Where a technician is not dispatched by BellSouth, BellSouth will provide sufficient information to Covad to enable Covad to locate the circuit being provisioned. Upon delivery of the loop BellSouth will contact CLEC via a toll free number to provide notification of the completion of the loop and where required, provide acceptance testing as provided for in this agreement.
- 2.1.17.9.4 If Covad is not available to perform acceptance testing within 15 minutes of the time of loop turn up by BellSouth then CLEC may request and BellSouth, if mutually agreed to, will require the BellSouth technician to standby. CLEC would then be required to pay standby charges as provided for in FCC No. 1 Tariff.
- 2.1.17.9.5 If BellSouth is unable to contact a Covad employee to perform acceptance testing at the time of loop turn up (placed on hold for more than 15 minutes, reaches voice mail or other recording, no answer or repeated busy conditions), BellSouth will test the loop to ensure the loop is provisioned according to requirements of TR73600 for the type of loop requested by CLEC. BellSouth will complete the local service request without obtaining acceptance from Covad and will have no further obligation to perform normal acceptance testing of the provisioned loop. On any such orders where

BellSouth completes the local service request without obtaining acceptance from Covad, BellSouth must provide the reason for which it was unable to contact Covad.

If at any time Covad feels that the process described in this paragraph is not being appropriately executed by BellSouth, Covad may escalate to the appropriate BellSouth Manager for immediate resolution. Such resolution shall include but not be limited to: an immediate review of the processes described above by BellSouth personnel, joint meetings of the parties to mutually resolve issues and any other such action which both parties agree may need to be implemented to correct the process failure.

- 2.1.17.9.6 If the Acceptance Test fails loop Continuity Test parameters, as defined by TR73600 for the loop being provisioned, the BellSouth technician will take any or all reasonable steps, if possible, to immediately resolve the problem with CLEC on the line including, but not limited to, calling the central office to perform work or troubleshooting for physical faults. If the problem cannot be resolved in an expedient manner, the technician will release the CLEC representative, and perform the work necessary to correct the situation. Once the loop is correctly provisioned, BellSouth will re-contact the CLEC representative to repeat the Acceptance Test.
- 2.1.17.9.7 Both Parties declare they will work together, in good faith, to implement Acceptance Testing procedures that are efficient and effective. If the Parties mutually agree to additional testing, procedures and/or standards not covered by this Appendix or any Public Utilities Commission or FCC ordered tariff, the Parties will negotiate terms and conditions to implement such additional testing, procedures and/or standards.
- 2.1.17.9.8 BellSouth will not bill for loop repairs when the repair resulted from a BellSouth problem.

## 2.1.17.10 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.1.17.10.1 The UCL–ND will be provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog

- voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a design layout record or a test point.
- 2.1.17.10.2 The UCL-ND will be provisioned according to the specifications for the UCL-ND set forth in BellSouth's TR73600.
- 2.1.17.10.3 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, COVAD can request Loop Make Up for which additional charges would apply.
- 2.1.17.10.4 At Covad's option, Covad may request that BellSouth participate in Joint Acceptance Testing on the UCL-ND under the following terms, conditions, and rates. BellSouth shall take all steps necessary to complete an order for the UCL-ND. After BellSouth has confirmed that the UCL-ND loop meets the applicable technical specifications, BellSouth shall call Covad and participate in Joint Acceptance Testing. The charges for testing shall be assessed as follows: 1) At the time of testing, if the parties agree that the loop complies with technical specifications set forth in TR73600, Covad will pay for the Joint Acceptance Testing; 2) At the time of testing, if the parties agree that the loop does not comply with technical specifications set forth in TR73600, BellSouth shall not charge Covad for the Joint Acceptance Testing and any subsequent, technically feasible work and testing necessary to deliver a UCL-ND that meet the technical specifications; and 3) At the time of testing, if the Parties disagree as to whether the UCL-ND complies with applicable technical specifications, BellSouth and Covad will both dispatch a technician to the end user location at a mutually agreeable time. During this joint dispatch, the technicians will work cooperatively to isolate the trouble to the loop and will retest the loop to determine if the loop meets the applicable specifications. If the jointly dispatched test indicates that the UCL-ND meets applicable technical specifications, Covad will only be billed for the time associated with the first Joint Acceptance Test. If the jointly dispatched testing indicates a non-conforming loop, then BellSouth will take whatever technically feasible action necessary to bring the loop into specifications. In such case, BellSouth will be responsible for all charges associated with Joint Acceptance Testing as well as the cost of the Covad technician's participation in the joint testing on a time and materials basis (rates will be negotiated and agreed to in advance). If the loop cannot be brought into specifications, then Covad may cancel the order and will not be charged cancellation charges for that loop. In the event the Commission establishes Joint Acceptance Testing rates different from those set forth herein, the Parties will amend this Agreement to incorporate such rates.

- 2.1.17.10.5 BellSouth will perform continuity validation on UCL-ND loops which require a dispatch to provision prior to order completion.
- 2.1.17.10.6 UCL-ND loops are not intended to support any particular service and may be utilized by COVAD to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.1.17.10.7 The UCL-ND will be delivered to COVAD's collocation space via a cross-connect. This cross-connect element will be provisioned as a part of BellSouth's Collocation offering.
- 2.1.17.10.8 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth's facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.1.17.10.9 COVAD may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.1.17.10.10 The provisioning interval for the UCL-ND is as set forth in Section 2.1.8 of this Attachment.
- 2.1.17.10.11 When BellSouth provisions a UCL-ND, BellSouth will take necessary steps to identify the pair as an xDSL compatible loop. As such, when making modifications to its network, BellSouth will maintain the same specified physical characteristics of the UCL-ND in accordance with TR 73600 until the loop is disconnected by the CLEC or the end-user.

# 2.2 Loop Conditioning/Loop Modification

- 2.2.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Covad, whether or not BellSouth offers advanced services to the End User on that loop. BellSouth shall deliver a conditioned loop in no more than 14 business days from receipt of Firm Order Confirmation.
- 2.2.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline

- telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.
- 2.2.3 Charges for conditioning a loop, if any, will be determined by each state public service commission.
- 2.2.4 The unbundled Loop Modifications (ULM) offering provides the following elements:
  1) removal of equipment on loops less than 18kft, 2) removal of equipment of loops longer than (18kft), 3) removal of bridged-taps on loops of any length.

# 2.3 Integrated Digital Loop Carriers

2.3.1 In the event that BellSouth has chosen to deploy Integrated Digital Loop Carrier (IDLC) systems to provide the local loop that do no permit unbundling of that local loop, BellSouth will provide a suitable alternative facility (such as a contiguous local copper loop which is in existence at that location and which is not currently being utilized by BellSouth or any other customer) without additional cost. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities.

## 2.4 Network Interface Device

# 2.4.1 <u>Definition</u>

The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the point of demarcation at the end users premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's onpremises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.4.2. BellSouth shall permit Covad to connect Covad's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.4.3 Access to Network Interface Device (NID)
- 2.4.3.1. Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Covad may access the on-premises wiring by any of the following means: BellSouth shall allow Covad to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are

- not used by BellSouth or any other telecommunications carriers to provide service to the premise. It is the responsibility of Covad to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID.
- 2.4.3.2. Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or
- 2.4.3.3. Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.4.3.4. Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Covad, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.
- 2.4.3.5. In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately capping off and guarding the other Party's loop. In such cases, it shall be the responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.
- 2.4.3.6. In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.4.3.7. In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.4.3.8. Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with Covad to develop specific procedures to establish the most effective means of implementing this Section, 2.4.3.
- 2.4.4 Technical Requirements
- 2.4.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.4.4.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Covad's NID, consistent with the NID's function at the Effective Date of this Agreement.

- 2.4.4.3 Where a BellSouth NID exists, it is provided in its "as is" condition. Covad may request BellSouth do additional work to the NID in accordance with Section 2.4.3.8.
- 2.4.4.4 When Covad deploys its own local loops with respect to multiple-line termination devices, Covad shall specify the quantity of NIDs connections that it requires within such device.
- 2.4.5 <u>Interface Requirements</u>
- 2.4.5.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

# 2.5 Unbundled Loop Concentration (ULC) System

- 2.5.1 BellSouth will provide to Covad Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and may connect to Covad at Covad's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

# 2.6 Sub-loop Elements

- 2.6.1 BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Subloop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251(c) (3) of the Act, to the subloop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment.
- 2.6.2 Subloop components include but are not limited to the following:
- 2.6.2.1 Unbundled Sub-Loop Distribution;

- 2.6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
- 2.6.2.3 Unbundled Network Terminating Wire; and
- 2.6.2.4 Unbundled Sub-Loop Feeder.

# 2.6.3 Unbundled Sub-Loop (distribution facilities)

- 2.6.3.1 Definition
- 2.6.3.2 The unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):
- 2.6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.
- 2.6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to and including the point of demarcation.
- 2.6.4. Requirements for Unbundled Sub-Loop Distribution Facilities
- 2.6.4.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.6.4.2 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, Covad would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to Covad's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. Covad's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building

- equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.
- 2.6.4.3 BellSouth will provide Unbundled Sub-Loops where possible. Through the firm order Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where Covad has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section 2.6.4.4. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 2.6.4.4) to accommodate Covad's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to provision the Unbundled Sub-Loops. Covad will then have the option of paying the one-time SC charge to modify the facilities to meet Covad's request.
- 2.6.4.4 During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross-connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested subloop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.
- 2.6.5 Interface Requirements
- 2.6.5.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.
- 2.6.6 **Unbundled Sub-Loop Concentration System (USLC)**
- 2.6.6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to Covad with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Covad's collocation space. TR-008 and TR303 interface standards are available.
- 2.6.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Covad's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Covad's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of

two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.

2.6.6.3 In these scenarios Covad would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Covad's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

# 2.6.7 Unbundled Network Terminating Wire (UNTW)

2.6.7.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Covad pursuant to the following terms and conditions at rates as set forth in this Attachment.

#### 2.6.7.2 Definition

2.6.7.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

## 2.6.7.3 Requirements

- 2.6.7.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Covad. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Covad's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Covad. If after BellSouth has relinquished the first pair to Covad and the end user decides to change local service providers to BellSouth, Covad will relinquish the first pair back to BellSouth.
- 2.6.7.3.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Covad agrees to surrender its spare pair(s) upon request by BellSouth.
- 2.6.7.3.3 If an end user of Covad desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end

- user, then Covad agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- 2.6.7.3.4 If Covad has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Covad's NTW to provide local exchange service to the end user, then Covad agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.
- 2.6.7.3.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the CLEC.
- 2.6.8 <u>Technical Requirements</u>
- 2.6.8.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for CLEC access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. Covad will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. Covad will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

#### 2.7 Dark Fiber

## 2.7.1 Defintion

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

## 2.7.2 Requirements

- 2.7.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two –year planning period, there is no requirement to provide said fiber to Covad.
- 2.7.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Covad's request subject to time and materials charges.
- 2.7.2.3 Covad may test the quality of the Dark Fiber to confirm its usability and performance specifications.

- 2.7.2.4 BellSouth shall use its best efforts to provide to Covad information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from Covad ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to forty-five (45) days after Confirmation, BellSouth shall hold such requested Dark Fiber for Covad's use and may not allow any other party to use such media, including BellSouth.
- 2.7.2.5 BellSouth shall use its best efforts to make Dark Fiber available to Covad within thirty (30) business days after it receives written confirmation from Covad that the Dark Fiber previously deemed available by BellSouth is wanted for use by Covad. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Covad to connect or splice Covad provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.
- 2.7.2.6 Dark Fiber shall meet the manufacturer's design specifications.
- 2.7.2.7 Covad may splice and test Dark Fiber obtained from BellSouth using Covad or Covad designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

#### 2.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 2.9 Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

2.9.1 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted

by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

AL, GA, MS, NC, SC, TN	KY	FL	LA
\$3.50	\$3.50	\$3.50	\$3.50
SOMEC	SOMEC	SOMEC	SOMEC
See applicable	\$19.99	\$10.73	\$15.20
rate element –			
applied on a per	applied on a per	applied on a per	applied on a per
element basis	LSR basis	LSR basis	LSR basis
SOMAN	SOMAN	SOMAN	SOMAN
	\$3.50  SOMEC  See applicable rate element – applied on a per element basis	\$3.50 \$3.50  SOMEC SOMEC  See applicable rate element – applied on a per element basis  SOMEC SOMEC  Somec \$19.99  applied on a per LSR basis	\$3.50 \$3.50 \$3.50  SOMEC SOMEC SOMEC  See applicable rate element – applied on a per element basis  SOMAN SOMEC SOMEC  SOMEC SOMEC SOMEC  some applicable applied on a per LSR basis  LSR basis

For network elements and service for which BellSouth makes available an electronic ordering mechanism, Covad shall pay the manual ordering charge when it submits a manual order, unless Covad submitted the manual order when the electronic systems were non functional for any reason other than scheduled maintenance and downtime. For network elements and services for which BellSouth does not make available a electronic ordering mechanism, Covad shall pay the manual ordering rate for manually submitted orders. Notwithstanding the foregoing, if BellSouth's retail operations have electronic ordering capabilities for services analogous to those provided by BellSouth to Covad and BellSouth does not make electronic ordering available to Covad, Covad shall pay the electronic ordering rate for those services, irrespective of whether the orders are placed manually or electronically.

## 2.9.2 Denial/Restoral OSS Charge

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

2.9.3 Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad, except when BellSouth does not deliver the loop within seven (7) days of the standard loop delivery interval for each particular loop.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

# 2.9.4 Network Elements and Other Services Manual Additive

2.9.4.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means

other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit A.

# 2. 10 Loop Makeup (LMU)

# 2.10.1 <u>Description of Service</u>

- 2.10.1.1 BellSouth shall make available to Covad loop makeup information so that Covad can make an independent judgment about whether the loop is capable of supporting the advanced services equipment Covad intends to install and the services Covad wishes to provide. This section addresses LMU as a *preordering* transaction, distinct from Covad ordering any other service(s). Loop Makeup *Service Inquiries (LMUSI) for preordering loop makeup* are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.10.1.2 BellSouth will provide Covad LMU information consistent with the effective FCC Rules, Orders and Regulations including the composition of the loop material (copper/fiber); the existence, location and type of equipment on the loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.10.1.3 BellSouth's LMU information is provided to Covad as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.10.1.4 Covad may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth loop. The determination shall be made solely by Covad and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said loop. The specific loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop requested taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Covad's ability to provide advanced data services over the ordered loop type. Further, if Covad orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Covad is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

# 2.10.2 Submitting Loop Makeup Service Inquiries

- 2.10.2.1 Covad may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the loop from the mechanized LMUSI process, if Covad needs further loop information in order to determine loop service capability, Covad may initiate a separate Manual LMUSI for a separate nonrecurring charge as set forth in the rate exhibit for Attachment 2.
- 2.10.2.2 Manual LMUSIs shall be submitted by electronic-mail to BellSouth's Complex Resale Support Group (CRSG/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

# 2.10.3 <u>Loop Reservations</u>

- 2.10.3.1 Covad may reserve facilities for up to four (4) calendar days for each facility requested on a LMUSI from the time the LMU information is returned to Covad. During and prior to Covad placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Covad does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released. For a Mechanized LMUSI, Covad may reserve up to 10 loop facilities. For a Manual LMUSI, Covad may reserve up to 3 loop facilities.
- 2.10.3.2 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

# 2.10.4 <u>Ordering of Other UNE Services</u>

- 2.10.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Covad will not be billed any additional LMU charges for the loop ordered on such LSR. If however, Covad does not reserve facilities upon an initial LMUSI, Covad's placement of an order for an advanced data service type facility shall be deemed placed for such a facility rate element that "includes manual service inquiry and reservation" per the rate matrix of this Attachment.
- 2.10.4.2 Where Covad has reserved multiple loop facilities on a single reservation, Covad may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Covad, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type loop as ordered by Covad. If the ordered loop type is not available, Covad may utilize the Unbundled Loop

Modification process or the Special Construction process, as applicable, to obtain the loop type ordered.

# 2.11 High Frequency Spectrum Network Element

- 2.11.1 BellSouth shall provide Covad access to the high frequency portion of the local loop as an unbundled network element ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Covad with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.
- 2.11.1.1 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Covad the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 C.F.R. Section 51.230, including, but not limited to, ADSL, RADSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Covad shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Covad shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.
- 2.11.1.2 The following loop requirements are necessary for Covad to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. The process of removing such devices is called "conditioning." BellSouth shall charge and Covad shall pay as interim rates, the same rates that BellSouth charges for conditioning stand-alone loops as provided in this Interconnection Agreement (e.g., unbundled copper loops, ADSL loops, and HDSL loops) until permanent pricing for loop conditioning are established either by mutual agreement or by a state public utilities commission. The interim costs for conditioning are subject to true up as provided in this agreement. BellSouth will condition loops to enable Coyad to provide xDSL-based services on the same loops the incumbent is providing analog voice service, regardless of loop length. BellSouth is not required to condition a loop in connection with Covad's access to the High Frequency Spectrum if conditioning of that loop impairs service from the end users perspective. If Covad requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly

- degrades the voice services on the loop, Covad shall pay for the loop to be restored to its original state.
- 2.11.1.3 Covad's termination point is the point of termination for Covad's on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect Covad's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to the Covad's xDSL equipment in the Covad's collocation space.
- 2.11.1.4 For the purposes of testing line shared loops, Covad shall have access to the test access point associated with the splitter and the demarcation point between BellSouth's network and Covad's network.

# 2.11.2 PROVISIONING OF HIGH FREQUENCY SPECTRUM AND SPLITTER SPACE

- 2.11.2.1 BellSouth will provide Covad with access to the High Frequency Spectrum as follows:
- 2.11.2.2 BellSouth will install splitters within thirty-six (36) calendar days of Covad's submission of such order to the BellSouth Complex Resale Support Group.
- 2.11.2.3 BellSouth shall provide Covad the status of manually submitted LSRs for end user line sharing orders through the PON Report on the CLEC Operations Website at <a href="https://clec.bellsouth.com">https://clec.bellsouth.com</a>.

Status shall include FOC Sent, Pending, Cancelled, In Clarification, Jeopardies or Rejected. A description of these statuses can be found on this website. This is a secure website. Passwords can be obtained from your account team.

For LSRs submitted through an electronic interface (EDI, TAG, LENS, RoboTAG), the following responses will be returned to Covad electronically: FOCs, Completion Notices, Errors/Clarifications, Pending Order Status, Jeopardies, e.g. missed appointments. Covad may view CSRs through LENs.

Covad may determine the status of its line sharing end user service orders through CSOTS (CLEC Service Order Tracking System). The service order statuses are described in the Pending Order Status Job Aid located on the web at <a href="http://www.interconnection.bellsouth.com/markets/lec/oss">http://www.interconnection.bellsouth.com/markets/lec/oss</a> info.html. Passwords for CSOTS can be obtained from the account team.

Covad may determine the status of its COSMOS/SWITCH work order for its line sharing end user orders through the COSMOS/SWITCH Line Sharing Report. These reports will provide the telephone number, CLLI code, cable and pair, splitter

assignment, status and in COSMOS service order number if pending. The reports also provide a summary including working pairs, pairs pending disconnect, pairs pending connect. The COSMOS/SWITCH report will be in a form that enables Covad to download it into an excel-type spreadsheet format. When Covad has received a Firm Order Confirmation ("FOC") on an order and the CSOTS system also shows that order as complete, but the order appears on the COSMOS/SWITCH report in the pending connect or pending disconnect status, Covad shall enter a trouble report through DLEC Tafi or report troubles to the BellSouth CWINS center. When Covad has received a FOC on an order and the order in pending in CSOTS beyond the due date of the order, then Covad shall check to see if BellSouth has provided a jeopardy or clarification notification via the PON Status Report. If there are no outstanding clarifications or jeopardies, Covad will contact the LCSC. The COSMOS/SWITCH report will be updated by 8:00 p.m., daily, Monday thru Sunday.

- 2.11.2.4 Covad shall be entitled to order the High Frequency Spectrum on lines served out of any central office where Covad has a splitter available for its use pursuant to Section 2.11.2.
- 2.11.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Covad access to data ports on the splitter. In the event that BellSouth elects to use a brand of splitter other than Siecor, the Parties shall renegotiate the recurring and non-recurring rates associated with the splitter. In the event the Parties cannot agree upon such rates, the then current rates (final or interim) for the Siecor splitter shall be the interim rates for the new splitter. BellSouth will provide Covad with a carrier notification letter at least 30 days before such change and shall work collaboratively with Covad to select a mutually agreeable brand of splitter for use by BellSouth. Covad shall thereafter purchase ports on the splitter as set forth more fully below.
- 2.11.2.6 BellSouth will install the splitter in (i) a common area close to the Covad collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Covad DSO termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. Nothing in this section shall be construed as Covad's agreement that such placement is the most efficient network configuration. Moreover, nothing in this section shall be construed as Covad's agreement that such placement is consistent with TELRIC pricing rules or otherwise is a network configuration that would be used by an efficient forward looking provider of unbundled network elements. Notwithstanding the foregoing, neither Party waives any rights to take a position contrary to the provisions of this Section before any regulatory body regarding line sharing processes or rates. BellSouth will cross-connect the splitter data ports to a specified Covad DS0 at such time that a Covad end user's service is established.

- 2.11.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Covad desires to continue providing xDSL service on such loop, Covad shall be required to purchase the full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Covad desires to continue providing xDSL service on such loop, Covad shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. BellSouth shall give Covad notice in a reasonable time prior to disconnect, which notice shall give Covad an adequate opportunity to notify BellSouth of its intent to purchase such loop. The Parties shall work collaboratively towards the method of notification and the time periods for notice. In those cases in which BellSouth no longer provides voice service to the end user and Covad purchases the full stand-alone loop, Covad may elect the type of loop it will purchase. Covad will pay the appropriate recurring and non-recurring rates for such loop as set forth in Attachment 2 of the Agreement, including a voice grade loop.
- 2.11.2.8 Covad and BellSouth shall continue to work together collaboratively to develop systems and processes for provisioning the High Frequency Spectrum in various real life scenarios. BellSouth and Covad agree that Covad is entitled to purchase the High Frequency Spectrum on a loop that is provisioned over fiber-fed digital loop carrier. BellSouth will provide Covad with access to feeder sub-loops at UNE prices. BellSouth and Covad will work together to establish methods and procedures for providing Covad access to the High Frequency Spectrum over fiber fed digital loop carriers.
- 2.11.2.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 2.11.2.10 To order High Frequency Spectrum on a particular loop, Covad must have a DSLAM collocated in the central office that serves the end-user of such loop. BellSouth shall allow Covad to order splitters in central offices where Covad is in the process of obtaining collocation space. BellSouth shall install such splitters before the end of Covad's collocation provisioning interval.
- 2.11.2.11 BellSouth will devise a splitter order form that allows Covad to order splitter ports in increments of 8, 24 or 96 ports.
- 2.11.2.12 BellSouth will provide Covad the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 2.11.2.13 BellSouth will provide Covad with access to the High Frequency Spectrum of the unbundled loop as follows:

For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at the same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

For manual orders, BellSouth will return a Firm Order Confirmation (FOC) in no more than twenty-four (24) business hours. For electronic orders, BellSouth will return a FOC in one (1) hour ninety-five percent (95%) of the time for orders that flow-through. For orders that do not flow-through, BellSouth will return a FOC in twenty-four (24) business hours.

- 2.11.2.14 BellSouth shall perform testing to confirm that all in place splitters are correctly installed to the BellSouth frame. In the event any splitters are not correctly cabled or installed shall be corrected before February 28, 2001. BellSouth shall include testing to ensure splitters are correctly installed and cabled to the BellSouth frame as a part of the splitter installation process. If BellSouth informs Covad that a splitter has been installed for Covad's use, and that splitter is later found to have been incorrectly installed, BellSouth shall waive the nonrecurring charge for that splitter installation.
- 2.11.2.15 BellSouth shall test the data portion of the loop to insure the continuity of the wiring for Covad's data using the LSVT test-set for both the provisioning and maintenance of a loop. This test shall be performed from the Covad designated tie cable pair (which is connected to Covad's DSLAM) to the Main Distribution Frame (MDF) where the customer's cable pair leaves the BellSouth central office. This process will be implemented unless, and until, Covad and BellSouth mutually agree on another process. If BellSouth delivers a line shared loop that is not properly wired by BellSouth, BellSouth shall adjust the monthly recurring charge to reflect the day that the line shared loop was placed in service.

# 2.11.3 MAINTENANCE AND REPAIR

- 2.11.3.1 Covad shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Covad may access the loop at the point where the combined voice and data signal exits the central office splitter.
- 2.11.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer premise and the Termination Point of demarcation in the central office. Covad will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 2.11.3.3 If the problem encountered appears to impact primarily the xDSL service, the end user should call Covad. If the problem impacts primarily the voice service, the end user should call BellSouth. If both services are impaired, the end user should contact BellSouth and Covad.
- 2.11.3.4 BellSouth and Covad will work together to diagnose and resolve any troubles reported by the end-user and to develop a process for repair of lines as to which Covad has access to the High Frequency Spectrum. The Parties will continue to work together to address customer initiated repair requests and other customer impacting maintenance issues to better support unbundling of High Frequency Spectrum.
- 2.11.3.4.1 The Parties will be responsible for testing and isolating troubles on its respective portion of the loop. Once a Party ("Reporting Party") has isolated a trouble to the other Party's ("Repairing Party") portion of the loop, the Reporting Party will notify the end user to report the trouble to the other service provider. The Repairing Party will take the actions necessary to repair the loop if it determines a trouble exists in its portion of the loop.
- 2.11.3.4.2 If a trouble is reported on either Party's portion of the loop and no trouble actually exists, the Repairing Party may charge the Reporting Party for any dispatching and testing (both inside and outside the central office) required by the Repairing Party in order to confirm the loop's working status.
- 2.11.3.5 In the event Covad's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Covad and allow twenty-four (24) hours to cure the trouble. If Covad fails to resolve the trouble, BellSouth may discontinue Covad's access to the High Frequency Spectrum on such loop.

## **2.11.4 PRICING**

2.11.4.1 BellSouth and Covad agree to the negotiated, interim rates for the High Frequency Spectrum. All interim prices will be subject to true up based on either mutually agreed to permanent pricing or permanent pricing established in a line sharing cost proceeding conducted by state public utility commissions. In the event interim prices are established by state public utility commissions before permanent prices are established, either through arbitration or some other mechanism, the interim prices established in this Agreement will be changed to reflect the interim prices mandated by the state public utility commissions; however, no true up will be performed until mutually agreed to permanent prices are established or permanent prices are established by state public utility commissions.

2.11.4.2 BellSouth and Covad enter into this Agreement without waiving current or future relevant legal rights and without prejudicing any position BellSouth or Covad may take on relevant issues before state or federal regulatory or legislative bodies or courts of competent jurisdiction. This clause specifically contemplates but is not limited to:

(a) the positions BellSouth or Covad may take in any cost docket related to the terms and conditions associated with access to the High Frequency Spectrum; and (b) the positions that BellSouth or Covad might take before the FCC or any state public utility commission related to the terms and conditions under which BellSouth must provide Covad with access to the High Frequency Spectrum. The interim rates set forth in Exhibit C were adopted as a result of a compromise between the parties and do not reflect either party's position as to final rates for access to the High Frequency Spectrum.

Any element necessary for interconnection that is not identified above is priced as currently set forth in the Agreement.

# 3. Switching

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of local and tandem switching.

# 3.1 **Local Switching**

BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 3.1.3 to Covad for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Covad for the provision of a telecommunications service only in the limited circumstance described below in Section 3.3.4.6.

- 3.1.1. Except as otherwise provided herein, BellSouth shall not impose any restrictions on Covad regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other telecommunication carrier.
- 3.1.2. Local Circuit Switching Capability, including Tandem Switching Capability

# 3.1.2.1 Definition

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the

switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- 3.1.2.2 When utilizing BellSouth's local circuit switching capability, local traffic shall be defined as set forth in Part B of the General Terms and Conditions.
- 3.1.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Covad when Covad serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 3.1.4 In the event that Covad orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office listed on Exhibit A, BellSouth's sole recourse shall be to charge Covad a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Covad the local services resale rate for use of all Combinations used to provide the affected facilities to Covad.
- 3.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Covad. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 3.1.6 BellSouth will provide to Covad customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 10 of Attachment 2; (iii) for Covad's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Covad. Covad customers may use the same dialing arrangements as BellSouth customers.
- 3.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.

- 3.1.8 Switching Capability will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g. call forwarding) and Centrex capabilities.
- 3.1.9 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad customers may use the same dialing arrangements as BellSouth customers, but obtain a Covad branded service.

# 3.2 <u>Technical Requirements</u>

- 3.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 3.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in the applicable industry standard technical references.
- 3.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 3.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Covad will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 3.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 3.2.1.5 BellSouth shall activate service for a Covad customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Covad's services without loss of switch feature functionality as defined in this Agreement.
- 3.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 3.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.

- 3.2.1.8 BellSouth shall control congestion points such as those caused by radio station callins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 3.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 3.2.1.10 Special Services provided by BellSouth will include the following:
- 3.2.1.10.1 Telephone Service Prioritization;
- 3.2.1.10.2 Related services for handicapped;
- 3.2.1.10.3 Soft dial tone where required by law; and
- 3.2.1.10.4 Any other service required by law.
- 3.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 3.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 3.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Covad, upon a reasonable request from Covad. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 3.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
- 3.2.1.14.1 Basic and primary rate ISDN;
- 3.2.1.14.2 Residential features;
- 3.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 3.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 3.2.1.14.5 Advanced intelligent network triggers supporting Covad and BellSouth service applications.

3.2.2 BellSouth shall offer to Covad all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are: 3.2.2.1 Off-Hook Immediate 3.2.2.2 Off-Hook Delay 3.2.2.3 **Termination Attempt** 3.2.2.4 6/10 Public Office Dialing Plan 3.2.2.5 Feature Code Dialing 3.2.2.6 Customer Dialing Plan 3.2.3 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Covad: 3.2.3.1 Private EAMF Trunk 3.2.3.2 Shared Interoffice Trunk (EAMF, SS7) 3.2.3.3 N11 3.2.3.4 **Automatic Route Selection** 3.2.4 Where capacity exists, BellSouth shall assign each Covad customer line the class of service designated by Covad (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Covad customers to Covad directory assistance operators at Covad's option. 3.2.5 Where capacity exists, BellSouth shall assign each Covad customer line the class of services designated by Covad (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Covad customers to Covad operators at Covad's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to a Covad Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged. 3.2.6 Local Switching shall be offered in accordance with the technical specifications set forth in the applicable industry standard references.

Version 1000:3/6/00

**Interface Requirements** 

3.2.7

3.2.7.1

BellSouth shall provide the following interfaces to loops:

- 3.2.7.1.1 Standard Tip/Ring interface including loop start or ground start, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 3.2.7.1.2 Coin phone signaling;
- 3.2.7.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.4 Two-wire analog interface to PBX;
- 3.2.7.1.5 Four-wire analog interface to PBX;
- 3.2.7.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 3.2.7.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N=1 to 24); and
- 3.2.7.1.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 3.2.7.2 BellSouth shall provide access to the following but not limited to:
- 3.2.7.2.1 SS7 Signaling Network or Multi-Frequency trunking if requested by Covad;
- 3.2.7.2.2 Interface to Covad operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 3.2.7.2.3 Interface to Covad Directory Assistance Services through the Covad switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Covad required access to interexchange carriers as requested through appropriate trunk interfaces.

# 3.3 Tandem Switching

## 3.3.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

## 3.3.2 Technical Requirements

- 3.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 3.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 3.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Covad and BellSouth;
- 3.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 3.3.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by Covad;
- 3.3.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 3.3.2.1.5.1 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 3.3.2.1.5.2 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 3.3.2.1.6 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
- 3.3.2.1.7 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 3.3.2.1.8 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 3.3.2.1.9 Tandem Switching shall record billable events and send them to the area billing centers designated by Covad. Tandem Switching will provide recording of all billable events as jointly agreed to by Covad and BellSouth.
- 3.3.2.1.10 Upon a reasonable request from Covad, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to Covad.

- 3.3.2.1.11 BellSouth shall maintain Covad's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 3.3.2.1.12 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 3.3.2.1.13 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth's switching network shall be mutually agreed to by Covad and BellSouth.
- 3.3.2.1.14 Tandem Switching shall process originating toll-free traffic received from Covad's local switch.
- 3.3.2.1.15 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 3.3.2.2 Interface Requirements
- 3.3.2.2.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 3.3.2.2.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 3.3.2.2.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 3.3.2.2.4 Tandem Switching shall interconnect with Covad's switch, using two-way trunks, for traffic that is transiting via BellSouth's network to interLATA or intraLATA carriers. At Covad's request, Tandem Switching shall record and keep records of traffic for billing.
- 3.3.2.2.5 Tandem Switching shall provide an alternate final routing pattern for Covad's traffic overflowing from direct end office high usage trunk groups.
- 3.3.2.2.6 Tandem Switching shall be equal or better than the requirements for Tandem Switching set forth in the applicable technical references.
- 3.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

- 3.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Covad. AIN Selective Carrier Routing will provide Covad with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 3.4.2 Covad shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 3.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 3.4.4 Where AIN Selective Carrier Routing is utilized by Covad, the routing of Covad's end user calls shall be pursuant to information provided by Covad and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 3.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Covad shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit A of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit A of this Attachment. For each Covad end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit A of this Attachment, payable to BellSouth pursuant to the terms of the General Terms and Conditions, incorporated herein by this reference. Covad shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit A of this Attachment.
- 3.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 coming up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to the client's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to the client, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 3.4.7 The non-recurring End Office Establishment Charge will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.8 End-User Establishment Orders will not be turned-up until the 2<sup>nd</sup> payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to the client following the normal billing cycle for per query charges.
- 3.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed according per contracted rates.

# 3.5 Packet Switching Capability

#### 3.5.1 Definition

Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Mulitplexers, including but not limited to:

- 3.5.2 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 3.5.3 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 3.5.4 The ability to extract data units from the data channels on the loops, and
- 3.5.5 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 3.5.6 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 3.5.6.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

- 3.5.6.2 There are no spare copper loops capable of supporting the xDSL services Covad seeks to offer;
- 3.5.6.3 BellSouth has not permitted Covad to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point as defined in Section 2 of the Remote Site Collocation Attachment, nor has the Covad obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 C.F.R. § 51.319 (b); and
- 3.5.6.4 BellSouth has deployed packet switching capability for its own use.
- 3.5.7 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

#### 3.6 Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Covad for the provision of a telecommunications service.

#### 3.7 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 3.8 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

#### 4. Unbundled Network Element Combinations

- 4.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs) 2) Other Non-Switched Transport Combinations 3) UNE Loop/Special Access Combinations and 4) UNE Loop/Port Combinations.
- 4.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

## 4.3 Enhanced Extended Links (EELs)

- 4.3.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 4.3.2 below.
- 4.3.2 Subject to Section 4.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 4.3.5 following. Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in Sections 4.3.8.1.1, 4.3.8.1.2, 4.3.8.1.3 or 4.3.8.2) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Covad's POP serving wire center. The circuit must be connected to Covad's switch for the purpose of provisioning telephone exchange service to Covad's end-user customers. The EEL will be connected to Covad's facilities in Covad's collocation space at the POP SWC, or Covad may purchase BellSouth's access facilities between Covad's POP and Covad's collocation space at the POP SWC.
- 4.3.3 When ordering EEL combinations, Covad shall provide to BellSouth a letter certifying that Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4.3.6 below, and shall indicated under what local usage option Covad seeks to qualify. Covad shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 4.3.8.1.1 through 4.3.8.1.3 is met. BellSouth shall have the right to audit Covad's records to verify that Covad is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 4.3.8.3 of this Attachment.
- 4.3.4 BellSouth shall provide EEL combinations to Covad in Georgia, Kentucky, Louisiana, Mississippi and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Covad those EEL combinations described in Section 4.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available EEL combinations to Covad in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs regardless of whether or not such EELs are Currently Combined. Except as stated above, EELs will be provided to Covad only to the extent such network elements are Currently Combined.
- 4.3.5 EEL Combinations
- 4.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 4.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

- 4.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 4.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 4.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 4.3.5.6 DS1 Interoffice Channel + DS1 Local Loop
- 4.3.5.7 DS3 Interoffice Channel + DS3 Local Loop
- 4.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 4.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 4.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 4.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 4.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 4.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 4.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 4.3.6 To order EELs Covad must meet the requirements in Section 4.3.8.1.1 or 4.3.8.1.2.
- 4.3.7 Special Access Service Conversions
- 4.3.7.1 Covad may not convert special access services to combinations of loop and transport network elements, whether or not Covad self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Covad uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Covad requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Covad seeks to qualify for conversion of special access circuits. Covad shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 4.3.7.1.1 Covad certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option,

Covad is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Covad can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

- 4.3.7.1.2 Covad certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. The loop-transport combination must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 4.3.7.1.3 Covad certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Covad does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 4.3.7.2 In addition, there may be extraordinary circumstances where Covad is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 4.3.8. In such case, Covad may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Covad's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 4.3.7.3 BellSouth may at its sole discretion audit Covad records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Covad shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Covad shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Covad is not providing a significant amount of

local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Covad.

- 4.3.7.4 Covad may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.
- 4.3.8 Rates
- 4.3.8.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee
- 4.3.8.2 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 4.3.4 whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.
- 4.3.8.3 For combinations of loop and transport network elements not set forth in Section 4.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.
- 4.3.8.4 To the extent that Covad seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Covad, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.
- 4.3.8.5 All Other States
- 4.3.8.5.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 4.3.5 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit C of this Attachment.
- 4.3.8.6 Multiplexing
- 4.3.8.6.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

#### 4.4 Other Non-Switched Combinations

- 4.4.1 In the state of Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall make available to Covad, in accordance with Section 4.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Covad, in accordance with Section 4.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.
- 4.4.2 Rates
- 4.4.2.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee
- 4.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.
- 4.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination.
- 4.4.2.1.3 To the extent that Covad seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Covad, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.
- 4.4.2.2 All Other States
- 4.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit C of this Attachment.

#### 4.5 **UNE Loop/Special Access Combinations**

4.5.1 Additionally, BellSouth shall make available to Covad a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Covad will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access

interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 4.3.8.

#### 4.5.2 Rates

4.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit C and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.

#### 5. Port/Loop Combinations

- 5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.2.1 Except as set forth in section 5.3 below, in Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit C.
- 5.2.2 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit C.
- 5.2.3 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit C.
- 5.3 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New

- Orleans, LA, MSAs to Covad if Covad's customer has 4 or more DS0 equivalent lines.
- 5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C.
- 5.6.3 Combination Offerings
- 5.6.3.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.4 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

## 6. Transport and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled transport and dark fiber.

## 6.1. **Transport**

## 6.1.1 <u>Definition of Common (Shared) Transport</u>

Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport. Common (Shared) Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

- 6.1.2 Technical Requirements of Common (Shared) Transport
- 6.1.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 6.1.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 6.1.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standard technical references.
- 6.2 Interoffice transmission facility network elements include:
- 6.2.1 Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Covad.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;

- 6.2.3 Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.
- 6.2.4 BellSouth shall:
- 6.2.4.1 Provide Covad exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.2.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that Covad could use to provide telecommunications services;
- 6.2.4.3 Permit, to the extent technically feasible, Covad to connect such interoffice facilities to equipment designated by Covad, including but not limited to, Covad's collocated facilities; and
- 6.2.4.4 Permit, to the extent technically feasible, Covad to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 6.2.5 Provided that the facility is used to transport a significant amount of local exchange services Covad shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

## **6.3** Dedicated Transport

- 6.3.1 Definitions
- 6.3.2 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.
- 6.3.3 Unbundled Local Channel
- 6.3.4 Unbundled Local Channel is the dedicated transmission path between Covad's Point of Presence and the BellSouth Serving Wire Center's collocation.
- 6.3.5 Unbundled Interoffice Channel.
- 6.3.6 Unbundled Interoffice Channel is the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.3.7 BellSouth shall offer Dedicated Transport in each of the following ways:

- 6.3.7.1 As capacity on a shared UNE facility.
- 6.3.7.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Covad. This circuit shall consist of an Unbundled Local Channel or an Unbundled Interoffice Channel or both.
- 6.3.8 When Dedicated Transport is provided it shall include:
- 6.3.8.1 Transmission equipment such as, line terminating equipment, amplifiers, and regenerators;
- 6.3.8.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- Rates for Dedicated Transport are listed in this Attachment. For those states that do not contain rates in this Attachment the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true up, and the Parties will amend the Agreement to reflect the new rates.
- 6.3.10 <u>Technical Requirements</u>
- 6.3.10.1 This Section sets forth technical requirements for all Dedicated Transport.
- 6.3.10.2 When BellSouth provides Dedicated Transport, the entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Covad designated traffic.
- 6.3.10.3 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, (1) DS0, DS1 and DS3 transport services, and (2) SONET at available transmission bit rates.
- 6.3.10.4 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 6.3.10.5 Where applicable, for DS3, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 6.3.10.6 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.3.10.6.1 DS0 Equivalent;
- 6.3.10.6.2 DS1 (Extended SuperFrame ESF);

- 6.3.10.6.3 DS3 (signal must be framed);
- 6.3.10.6.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.3.10.6.5 When Dedicated Transport is provided, BellSouth shall design it according to BellSouth's network infrastructure to allow for the termination points specified by Covad.
- 6.3.11 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.3.11.1 BellSouth Technical References:
- 6.3.11.2 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.3.11.3 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
- 6.3.11.4 TR 73525 MegaLink® Service, MegaLink Channel Service & MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

#### 6.4 Unbundled Channelization

- 6.4.1 BellSouth agrees to offer access to Unbundled Channelization when available pursuant to following terms and conditions and at the rates set forth in the Attachment.
- 6.4.2 Definition
- Ost (1.544 Mbps) or Ds3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. This can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Covad can have channels activated on an as-needed basis by having BellSouth connect lower level UNEs via Central Office Channel Interfaces (COCIs).
- 6.4.3 Channelization capabilities will be as follows:
- 6.4.3.1 DS3 Channelization System: An element that channelizes a DS3 signal into 28 DS1s/STS-1s.

- 6.4.3.2 DS1 Channelization System: An element that channelizes a DS1 signal into 24 DS0s.
- 6.4.3.3 Central Office Channel Interfaces (COCI): Elements that can be activated on a channelization system.
- 6.4.4 DS1 Central Office Channel Interface elements can be activated on a DS3 Channelization System.
- Voice Grade and Digital Data Central Office Channel Interfaces can be activated on a DS1 Channelization System.
- 6.4.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.4.7 COCI will be billed on the lower level UNE order that is interfacing with the UC arrangement and will have to be compatible with those UNEs.
- 6.4.8 Channelization may be incorporated within dedicated transport or ordered as a standalone capability, which requires either the high or low speed side to be connected to collocation.
- 6.4.9 Technical Requirements
- 6.4.9.1 In order to assure proper operation with BST provided central office multiplexing functionality, the customer's channelization equipment must adhere strictly to form and protocol standards. Separate standards exist for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for subrate digital access.
- 6.4.9.2 DS0 to DS1 Channelization
- 6.4.9.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions. DS0 to DS1 Channelization requirements are essential the same as defined in BellSouth Technical Reference 73525, MegaLink® Service, MegaLink® Channel Service, MegaLink® Plus Service, and MegaLink® Light Service Interface and Performance Specification.
- 6.4.9.3 DS1 to DS3 Channelization
- 6.4.9.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. DS1 to DS3 Channelization requirements are essentially the same as defined in BellSouth Technical Reference 73501,

LightGate<sup>®</sup> Service Interface and Performance Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

#### 6.4.9.4 DS1 to STS Channelization

6.4.9.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings. DS1 to STS Channelization requirements are essentially the same as defined in BellSouth Technical Reference TR 73501, LightGate® Service Interface and Performance Specifications.

#### 6.5 Dark Fiber

The terms, conditions and rates for Dark Fiber are as set forth in Section 2.7 of this Attachment.

## **6.6** Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

# 7. BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of 8XX Access Ten Digit Screening Services.

- 7.1 BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database
- 7.1.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (herein known as 8XX SCP) is a SCP that contains customer record information and functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (herein know as 8XX TFD), utilizes the 8XX SCP to provide identification and routing of the 8XX calls, based on the ten digits dialed. 8XX TFD is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Covad. BellSouth shall provide 8XX TFD in accordance with the following:

## 7.1.2 Technical Requirements

- 7.1.2.1 BellSouth shall provide Covad with access to the 8XX record information located in the 8XX SCP. The 8XX SCP contains current records as received from the national SMS and will provide for routing 8XX originating calls based on the dialed ten-digit 8XX number.
- 7.1.2.2 The 8XX SCP is designated to receive and respond to queries using the American National Standard Specification of Signaling System Seven (SS7) protocol. The 8XX SCP shall determine the carrier identification based on all ten digits of the dialed number and route calls to the carrier, POTS number, dialing number and/or other optional feature selected by Covad.
- 7.1.2.3 The SCP shall also provide, at Covad's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 7.1.2.3.1 Network Management;
- 7.1.2.3.2 Customer Sample Collection; and
- 7.1.2.3.3 Service Maintenance.
- 7.2 Automatic Location Identification/Data Management System (ALI/DMS)

7.2.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

## **7.3** Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 8 Line Information Database (LIDB)

- 8.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of LIDB.
- 8.2 BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

#### 8.2.1 Definition

8.2.2 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 8.2.3 <u>Technical Requirements</u>

- 8.2.4 BellSouth will offer to Covad any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.4.1 BellSouth shall process Covad's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Covad what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.4.2 Within two (2) weeks after a request by Covad, BellSouth shall provide Covad with a list of the customer data items, which Covad would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.4.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.4.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.4.6 All additions, updates and deletions of Covad data to the LIDB shall be solely at the direction of Covad. Such direction from Covad will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.4.7 BellSouth shall provide priority updates to LIDB for Covad data upon Covad's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.4.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Covad customer records will be missing from LIDB, as measured by Covad audits. BellSouth will audit Covad records in LIDB against DBAS to identify record mismatches and provide this data to a designated Covad contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Covad within one business day of audit. Once reconciled records are received back from Covad, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Covad to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.4.9 BellSouth shall perform backup and recovery of all of Covad's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.4.10 BellSouth shall provide Covad with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Covad and BellSouth.
- 8.2.4.11 BellSouth shall prevent any access to or use of Covad data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Covad in writing.
- 8.2.4.12 BellSouth shall provide Covad performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Covad at least at parity with BellSouth Customer Data. BellSouth shall obtain from Covad the screening

information associated with LIDB Data Screening of Covad data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Covad under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

- 8.2.4.13 BellSouth shall accept queries to LIDB associated with Covad customer records, and shall return responses in accordance with industry standards.
- 8.2.4.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.4.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.2.5 <u>Interface Requirements</u>
- 8.2.6 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.2.6.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.2.6.2 The CCS interface to LIDB shall be the standard interface described herein.
- 8.2.6.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

#### 8.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 9 Signaling

- 9.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Signaling Transport Services.
- 9.2 BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

# 9.3 Signaling Link Transport

- 9.3.1 Definition Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.
- 9.3.2 <u>Technical Requirements</u>
- 9.3.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 9.3.3 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 9.3.3.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 9.3.3.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 9.3.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.3.4.1 An A-link layer shall consist of two links.
- 9.3.4.2 A B-link layer shall consist of four links.
- 9.3.5 A signaling link layer shall satisfy a performance objective such that:
- 9.3.5.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 9.3.5.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.

- 9.3.5.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.3.5.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.3.5.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.3.5.4 <u>Interface Requirements</u>
- 9.3.5.4.1 There shall be a DS1 (1.544 Mbps) interface at the Covad designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

## 9.4 Signaling Transfer Points (STPs)

- 9.4.1 <u>Definition</u> Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.4.2 <u>Technical Requirements</u>
- 9.4.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 9.4.2.1.1 BellSouth Local Switching or Tandem Switching;
- 9.4.2.1.2 BellSouth Service Control Points/DataBases;
- 9.4.2.1.3 Third-party local or tandem switching;
- 9.4.2.1.4 Third-party-provided STPs.
- 9.4.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This explicitly includes the use of the BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transient messages). When the BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.4.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between a Covad local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Covad local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.4.2.4 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Covad or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Covad database, then Covad agrees to provide BellSouth with the Destination Point Code for the Covad database.
- 9.4.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 9.4.2.6.1 MTP Routing Verification Test (MRVT); and
- 9.4.2.6.2 SCCP Routing Verification Test (SRVT).
- 9.4.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Covad or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by Covad and BellSouth.
- 9.4.2.8 STPs shall be on parity with BellSouth.

# 9.4.2.9 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.2.9.1 When technically feasible and upon request by Covad, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the Covad SS7 network to exchange TCAP queries and responses with a Covad SCP.
- 9.4.2.9.2 SS7 AIN Access shall provide Covad SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and Covad SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Covad SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 9.4.3 <u>Interface Requirements</u>
- 9.4.3.1 BellSouth shall provide the following STPs options to connect Covad or Covad-designated local switching systems or STPs to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Covad local switching systems; and,
- 9.4.3.1.2 A B-link interface from Covad local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.3.6 Message Screening

- 9.4.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Covad local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Covad local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Covad from any signaling point or network interconnected through BellSouth's SS7 network where the Covad SCP has a legitimate signaling relation.
- 9.4.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the applicable industry standard technical references.

#### 9.5 Service Control Points/Databases

#### 9.5.1 Definition

- 9.5.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Covad in accordance with the following requirements.

- 9.5.3.2 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.3 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.4 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

# 9.5.4 <u>Database Availability</u>

- 9.5.4.1 Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers, which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.
- 9.5.4.2 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Covad customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

## 9.6 Local Number Portability Database

#### 9.6.1 Definition

9.6.2 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

#### 9.7 SS7 Network Interconnection

## 9.7.1 <u>Definition.</u>

9.7.2 SS7 Network Interconnection is the interconnection of Covad local Signaling Transfer Point Switches (STP) and Covad local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Covad local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

## 9.7.3 <u>Technical Requirements</u>

- 9.7.3.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 9.7.3.1.1 BellSouth local or tandem switching systems;
- 9.7.3.1.2 BellSouth DBs; and
- 9.7.3.1.3 Other third-party local or tandem switching systems.
- 9.7.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Covad or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.5 If traffic is routed based on dialed or translated digits between a Covad local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Covad local STPs and BellSouth or other third-party local switch.
- 9.7.6 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 9.7.7 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 9.7.7.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.7.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.7.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.8 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Covad local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of

- messages to a gateway pair of Covad local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.9 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 9.7.10 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.11 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 9.7.12 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 9.7.12.1 MTP Performance, as specified in ANSI T1.111.6;
- 9.7.12.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 9.7.12.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 9.7.13 Interface Requirements
- 9.7.13.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Covad or Covad-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 9.7.13.1.1 A-link interface from Covad local or tandem switching systems; and
- 9.7.13.1.2 B-link interface from Covad STPs.
- 9.7.13.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the

- failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.13.5 BellSouth shall set message screening parameters to accept messages from Covad local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Covad switching system has a legitimate signaling relation.
- 9.7.13.6 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the applicable industry standard technical references.

#### 9.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 10. Operator Call Processing, Inward Operator Services and Directory Assistance Services

10.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Operator Call Processing, Inward Operator Services and Directory Assistance Services.

# 10.2 Operator Systems

10.2.1 <u>Definition.</u> Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

## 10.3 Operator Service

10.3.1 <u>Definition</u>. Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

#### 10.3.2 Requirements

- 10.3.2.1 When Covad requests BellSouth to provide Operator Services, the following requirements apply:
- 10.3.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 10.3.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 10.3.2.1.3 BellSouth shall process calls that are billed to Covad end user's calling card that can be validated by BellSouth.
- 10.3.2.1.4 BellSouth shall complete person-to-person calls.
- 10.3.2.1.5 BellSouth shall complete collect calls.
- 10.3.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 10.3.2.1.7 BellSouth shall complete station-to-station calls.

- 10.3.2.1.8 BellSouth shall process emergency calls.
- 10.3.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 10.3.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
- 10.3.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 10.3.2.1.12 BellSouth shall adhere to equal access requirements, providing Covad local end users the same IXC access as provided to BellSouth end users.
- 10.3.2.1.13 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Covad that BellSouth provides for its own operator service.
- 10.3.2.1.14 BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
- 10.3.2.1.15 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Covad.
- 10.3.2.1.16 BellSouth shall provide a feed of customer call records in "EMI" format to Covad in accordance with CLEC ODUF standards specified in Attachment 7.

# 10.3.3 <u>Interface Requirements</u>

10.3.3.1 With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Covad, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

#### 10.4 Directory Assistance Service

10.4.1 <u>Definition.</u> Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

## 10.4.2 <u>Requirements</u>

- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Covad's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, Covad may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 10.4.4 <u>Directory Assistance Service Updates</u>

- 10.4.4.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.4.4.1.1 New end user connections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.2 End user disconnections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users; and
- 10.4.4.1.3 End user address changes: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 10.4.5 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 10.4.5.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to Covad end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows Covad to have its calls custom branded with Covad's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.5.2 BellSouth offers four service levels of branding to Covad when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.5.2.1 Service Level 1 BellSouth Branding
- 10.4.5.2.2 Service Level 2 Unbranded
- 10.4.5.2.3 Service Level 3 Custom Branding
- 10.4.5.2.4 Service Level 4 Self Branding (applicable only to Covad for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 10.4.6 For Resellers and Use with an Unbundled Port
- 10.4.6.1 BellSouth Branding is the Default Service Level.
- 10.4.6.2 Unbranding, Custom Branding, and Self Branding require Covad to order selective routing for each originating BellSouth end office identified by Covad. Rates for Selective Routing are set forth in this Attachment.

- 10.4.6.3 Customer Branding and Self Branding require Covad to order dedicated trunking from each BellSouth end office identified by Covad, to either the BellSouth Traffic Operator Position System (TOPS) or Covad Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Covad to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.7 For Facilities Based Carriers
- 10.4.7.1 All Service Levels require Covad to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which Covad requires service.
- 10.4.8 Directory Assistance customized branding uses:
- 10.4.8.1 the recording of the name;
- 10.4.8.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.9 Operator Call Processing customized branding uses:
- 10.4.9.1 the recording of the name;
- 10.4.9.2 the front-end loading of the DRAM in the TOPS Switch;
- 10.4.9.3 the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- 10.4.9.4 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.9.5 BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad end users may use the same dialing arrangements as BellSouth end users, but obtain a Covad branded service.

# 10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to Covad end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). Covad agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Covad agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Covad authorizes the inclusion of Covad Directory Assistance listings in the BellSouth Directory Assistance products.
- 10.5.2 BellSouth shall provide Covad initially with a base file of subscriber listings which reflect all listing change activity occurring since Covad's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Covad and BellSouth. Covad agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Covad on a Business, Residence, or combined Business and Residence basis. Covad agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Covad receives the Base File.
- 10.5.4 BellSouth is authorized to include Covad Directory Assistance Listing Information in its Directory Assistance Database Service (DADS). Any other use by BellSouth of Covad Directory Assistance Listing Information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to Covad.
- 10.5.5 Rates for DADS are as set forth in this Attachment.

# 10.6 Direct Access to Directory Assistance Service

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Covad's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Covad to utilize its own switch, operator workstations and optional audio subsystems.

- 10.6.2 BellSouth will provide DADAS from its DA location. Covad will access the DADAS system via a telephone company provided point of availability. Covad has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- A specified interface to each Covad subsystem will be provided by BellSouth.

  Interconnection between Covad's system and a specified BellSouth location will be pursuant to the use of Covad owned or Covad leased facilities and shall be appropriate sized based upon the volume of queries being generated by Covad.
- 10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification;
- 10.6.4.2 DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification;
- 10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification.
- 10.6.5 Rates for DADAS are as set forth in this Attachment.

## 10.7 Automatic Location Identification/Data Management System (ALI/DMS)

- 10.7.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:
- 10.7.2 Technical Requirements
- 10.7.2.1 BellSouth shall offer Covad a data link to the ALI/DMS database or permit Covad to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Covad immediately after Covad inputs information into the ALI/DMS database. Alternately, Covad may utilize BellSouth, to

enter end user information into the data base on a demand basis, and validate end user information on a demand basis.

- 10.7.2.2 The ALI/DMS database shall contain the following end user information:
- 10.7.2.2.1 Name;
- 10.7.2.2.2 Address;
- 10.7.2.2.3 Telephone number; and
- 10.7.2.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 10.7.2.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Covad requests otherwise and shall be updated if Covad requests, provided Covad supplies BellSouth with the updates.
- 10.7.2.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 10.7.2.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 10.7.3 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Covad end users shall meet industry standards.

#### **10.8 Rates**

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 11. Calling Name (CNAM) Database Service

- All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of CNAM.
- The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Covad must provide to its account manager a written request with a requested activation date to activate this service. If Covad is interested in requesting CNAM with volume and term pricing, Covad must contact its account manager to request a separate CNAM volume and term Agreement.
- 11.3 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the applicable industry standard technical references.
- 11.4 Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- 11.4.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Covad the capability that will allow Covad and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Covad. Scheduling procedures shall provide Covad equivalent priority to these resources.
- BellSouth SCP shall partition and protect Covad service logic and data from unauthorized access, execution or other types of compromise.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Covad to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Covad access will be provided via remote data connection (e.g., dial-in, ISDN).

When Covad selects SCE/SMS AIN Access, BellSouth shall allow Covad to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

## **11.5** Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

#### 12. Basic 911 and E911

- All of the negotiated terms and conditions set forth in this Section pertain to the provision of Basic 911 and E911.
- 12.2 If Covad orders network elements and other services, then Covad is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

#### 12.3 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

# 12.5 <u>Requirements</u>

- 12.5.1 <u>Basic 911 Service Provisioning.</u> For Basic 911 service, BellSouth will provide to Covad a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Covad will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Covad will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Covad will be required to discontinue the Basic 911 procedures and begin using E911 procedures.
- 12.5.2 <u>E911 Service Provisioning.</u> For E911 service, Covad will be required to install a minimum of two dedicated trunks originating from the Covad serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Covad will be required to provide BellSouth daily updates to the E911 database. Covad will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Covad will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's

- interoffice network and will not carry the ANI of the calling party. Covad shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 12.5.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Covad beyond applicable charges for BellSouth trunking arrangements.
- 12.5.4 Basic 911 and E911 functions provided to Covad shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Covad to follow in providing 911/E911 services.

## 13. True-Up

This section applies only to other rates that are interim or expressly subject to true-up under this attachment.

- 13.1 The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the

Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

- 13.4 A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and Covad are entitled to be a full Party to the proceeding;
  - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and.
  - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

### **EXHIBIT A**

# LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

### I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
  - 1. Billed Number Screening
  - 2. Calling Card Validation
  - 3. Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its

supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.
- (d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

### II. TERM

This Agreement will be effective as of \_\_\_\_\_\_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

# III. FEES FOR SERVICE AND TAXES

- A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

# IV. MISCELLANEOUS

A. This LIDB Storage Agreement shall be subject to the terms and conditions of the Interconnection Agreement between Covad and BellSouth.

# FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

This is a Facilities Based Addendum to the Line Information Data Base Storage

Agreen	nent dated, between BellSouth
Telecon	mmunications, Inc. ("BellSouth"), and("Covad"),
effectiv	e the,
I.	GENERAL
	This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.
II.	DEFINITIONS
A.	Billing number - a number that Covad creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
В.	Line number - a ten digit number that identifies a telephone line administered by Covad.
C.	Special billing number - a ten digit number that identifies a billing account established by Covad.
D.	Calling Card number - a billing number plus PIN number.
E.	PIN number - a four digit security code assigned by Covad which is added to a billing number to compose a fourteen digit calling card number.
F.	Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Covad.
G.	Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Covad.

# III. RESPONSIBILITIES OF PARTIES

- A. Covad will provide its billing number information to BellSouth's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BellSouth will store in its LIDB the billing number information provided by Covad. Under normal operating conditions, BellSouth shall include Covad's billing number information in its LIDB no later than two business days following BellSouth's receipt of such billing number information, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of Covad's working telephone numbers.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information provided by Covad to perform the following functions for authorized users on an on-line basis:
  - 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by Covad, and where the last four digits (PIN) are a security code assigned by Covad.
  - 2. Determine whether Covad or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.
- E. Covad will provide its own billing number information to BellSouth for storage and to be used for Billed Number Screening and Calling Card Validation. Covad will arrange and pay for transport of updates to BellSouth.

# IV. COMPLIANCE

Unless expressly authorized in writing by Covad, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

### **EXHIBIT B**

## CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

### 1. **Definitions**

For the purpose of this Attachment, the following terms shall be defined as:

**CALLING NAME DELIVERY DATABASE SERVICE (CNAM)** - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Covad the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

**CALLING PARTY NUMBER (CPN)** - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

**COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) -** A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

**SERVICE CONTROL POINTs (SCPs)** - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

**SERVICE MANAGEMENT SYSTEM (SMS)** - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

**SERVICE SWITCHING POINTs (SSPs)** - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

**SUBSYSTEM NUMBER (SSN)** - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

# 2. Attachment

2.1 This Attachment contains the terms and conditions where BellSouth will provide to the Covad access to the BellSouth CNAM SCP for query or record storage purposes.

2.2 Covad shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to Covad's access to BellSouth's CNAM Database Services and shall be addressed to Covad's Account Manager.

# 3. Physical Connection and Compensation

- 3.1 BellSouth's provision of CNAM Database Services to Covad requires interconnection from Covad to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.2 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Covad shall provide its own CNAM SSP. Covad's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.3 If Covad elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Covad desires to query.

# 3.4 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

# 4. CNAM Record Initial Load and Updates

4.1 The mechanism to be used by Covad for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be

- provided by Covad in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Covad to provide accurate information to BellSouth on a current basis.
- 4.2 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.3 Covad CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

							F	RATES (\$)					OSS RA	TES (\$)		
CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zo	one .	BCS	usoc		Nonrec	urring	Nonrecurring	, Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	shown in the sections for stand-alone loops or loops as part of a combination rel nterconnection.bellsouth.com/become_a_clec/html/interconnection.htm	fers to Geog	graph	hically Deavera	aged UNE Zones.	To view Geogra	phically Dea	veraged UN	E Zone Desig	nations by C	entral Office	e, refer to In	ternet Websit	e:		
DLED EXCHANG	GE ACCESS LOOP															
2-WIRE AN	IALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		2	UEANL UEANL	UEAL2 UEAL2	15.24 24.75	59.03	43.14	15.21 15.21	3.22			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03 59.03	43.14 43.14	15.21	3.22 3.22			23.97	12.97	17.77	17.77
	Loop Testing - Basic 1st Half Hour	<b>—</b>		UEANL	URET1	44.00	78.92	78.92	10.21	0.22			20.01	12.57	17.77	17.77
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
			_	UEPSR,	UEALO	45.04	50.00	10.11	45.04	0.00			07.07	40.07	47.77	47.77
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		2	UEPSB UEPSR,	UEALS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2			UEPSB UEPSR,		24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	+ + + 3	3	UEPSB	UEALS	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
	Engineering Information Document (EI)		-	UEANL UEANL	UEAMC		28.75 51.29	28.75 51.29								
	Manual Order Coordination for UVL-SL1s (per loop)*  Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *		-+	UEANL	OCOSL		45.99	45.99								
				02/11/2	00002		.0.55	.0.55								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	l I.		UEA	UEAR2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Signaling - Zone 2   2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery   Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	32.04	45.99	100.40	40.31	20.01			21.31	12.97	17.77	17.77
4-WIRE AN	IALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	70.67	293.70 45.99	241.76	108.96	57.01			27.37	12.97	17.77	17.77
2-WIRE ISE	DN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1	<del>                                     </del>	1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87 255.87	108.95	57.01			27.37	12.97	17.77	17.77
	Order Coordination For Specified Conversion Time (per LSR)		-	UDN	OCOSL		45.99									
2-WIRE Un	iversal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	1 3	3	UDC	UDC2X	30.92	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
2-WIRE AS	YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP   2 Wire Unbundled ADSL Loop including manual service inquiry & facility															
	reservation - Zone 1		1	UAL	UAL2X	11.23	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	2	UAL	UAL2X	12.97	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.62	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry & facility		$\dashv$	UAL	OCOSL		45.99									
	reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility		1	UAL	UAL2W	11.23	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	reservaton - Zone 2	1 2	2	UAL	UAL2W	12.97	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	20.62	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
	1										i					

							1	RATES (\$)					OSS RA	TES (\$)		
ATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zo	one	BCS	USOC		Nonrec		Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	/ire Unbundled HDSL Loop including manual service inquiry & facility ervation - Zone 1		,	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
2 W	Vire Unbundled HDSL Loop including manual service inquiry & facility			OFF	OTILZX	5.41	314.21	404.30	100.03	30.30			21.51	12.31	17.77	17.77
	ervation - Zone 2		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
2 VV	/ire Unbundled HDSL Loop including manual service inquiry & facility ervation - Zone 3	١.	3	UHL	UHL2X	27.70	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	ler Coordination for Specified Conversion Time (per LSR) //ire Unbundled HDSL Loop without manual service inquiry and facility			UHL	OCOSL		45.99									
	Vire Unbundled HDSL Loop without manual service inquiry and facility ervation - Zone 1		,	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	Vire Unbundled HDSL Loop without manual service inquiry and facility		_			3.41		140.40	100.32	13.02			21.51	12.31	17.77	17.77
	ervation - Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	/ire Unbundled HDSL Loop without manual service inquiry and facility ervation - Zone 3		3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	der Coordination for Specified Conversion Time (per LSR)	·		UHL	OCOSL	270	45.99	1 10.10	100.02	10.02			27.07	12.01		
4 WIDE HIGH D	IT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		_													
	Vire Unbundled HDSL Loop including manual service inquiry and facility															
rese	ervation - Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Vire Unbundled HDSL Loop including manual service inquiry and facility ervation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Vire Unbundled HDSL Loop including manual service inquiry and facility															
rese	ervation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
Ordi 4-W	ler Coordination for Specified Conversion Time (per LSR) Vire Unbundled HDSL Loop without manual service inquiry and facility			UHL	OCOSL		45.99									
rese	ervation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	Vire Unbundled HDSL Loop without manual service inquiry and facility	١.	2		1 11 11 4147	40.74	270.20	202 50	400.00	20.70			07.07	40.07	47.77	17.77
	ervation - Zone 2 Vire Unbundled HDSL Loop without manual service inquiry and facility		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
rese	ervation - Zone 3		3	UHL	UHL4W	33.90	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
Ord	der Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99									
4-WIRE DS1 DIG	GITAL LOOP															
4-W	Vire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
4-W	Vire DS1 Digital Loop - Zone 2 Vire DS1 Digital Loop - Zone 3		3	USL	USLXX	84.05 152.29	610.13 610.13	380.26 380.26	134.77 134.77	55.97 55.97			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
Ord	ler Coordination for Specified Conversion Time (per LSR)		0	USL	OCOSL	102.23	49.18	500.20	104.77	00.01			21.01	12.01	17.77	17.77
4 WIDE 10 2 E6	6 OR 64 KBPS DIGITAL GRADE LOOP		_													
	/ire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	/ire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
4 W	/ire Unbundled Digital 19.2 Kbps		3	UDL	UDL19 UDL56	80.45	498.05 498.05	343.70 343.70	129.62 129.62	64.25 64.25			27.37	12.97	17.77 17.77	17.77 17.77
1 4 W	/ire Unbundled Digital Loop 56 Kbps - Zone 1 /ire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL UDL	UDL56	27.33 44.40	498.05	343.70	129.62	64.25			27.37 27.37	12.97 12.97	17.77	17.77
4 W	/ire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	ler Coordination for Specified Conversion Time (per LSR) /ire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL UDL	OCOSL UDL64	27.33	45.99 498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	/ire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37 27.37	12.97	17.77	17.77
4 W	/ire Unbundled Digital Loop 64 Kbps - Zone 3 ler Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	80.45	498.05 45.99	343.70	129.62	64.25		<u> </u>	27.37	12.97	17.77	17.77
Ord	occommandition openined conversion time (per Lon)		$\pm$	UDL	OCOSE		40.88									
2 WIDE Unb	dled COPPER LOOP		-													
	Vire Unbundled Copper Loop/Short including manual service inquiry & facility		+													
rese	ervation - Zone 1		1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		
	Vire Unbundled Copper Loop/Short including manual service inquiry & facility ervation - Zone 2		2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37			18.94	8.42		
	/ire Unbundled Copper Loop/Short including manual service inquiry & facility															
rese	ervation - Zone 3		3	UCL	UCLPB UCLMC	21.83	283.37 51.29	163.68 51.29	120.15	22.37			18.94	8.42		
2-W	ler Coordination for Unbundled Copper Loops (per loop) Vire Unbundled Copper Loop/Short without manual service inquiry and		_	UCL	UCLIVIC		51.29	31.29								
faci	ility reservation - Zone 1	1 '	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		
	Vire Unbundled Copper Loop/Short without manual service inquiry and ility reservation - Zone 2	, J.	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
2-W	Vire Unbundled Copper Loop/Short without manual service inquiry and		_													
facil	ility reservation - Zone 3	1 ;	3	UCL	UCLPW	21.83	104.17	78.10					18.94	8.42		
Ord	ler Coordination for Unbundled Copper Loops (per loop) Vire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility		-	UCL	UCLMC		51.29	51.29								
rese	ervation - Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42		
	Vire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility ervation - Zone 2	Γ.	2	UCL	UCL2L	40.91	270.28	150.50	120.15	22.27			18.94	0.40		
	ervation - Zone 2 Vire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility		_	UCL	UCLZL	40.91	210.28	150.59	120.15	22.37			16.94	8.42		
	ervation - Zone 3		3	UCL	UCL2L	65.02	270.28	150.59	120.15	22.37			18.94	8.42		

								ı	RATES (\$)					OSS RA	TES (\$)			
CATEG	GORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	curring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I	
							Rec	First	Add'I	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51.29	51.29									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and																
		facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and		1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42			
		facility reservation - Zone 2	- 1	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42			
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL2W	65.02	104.17	78.10					18.94	8.42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51.29	51.29									_
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	44.69	22.40		7.06			27.37	12.97			_
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ UEQ	UEQ2X UEQ2X	12.67 20.22	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06			27.37 27.37	12.97 12.97			
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		51.29	51.29									
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		28.75 78.92	28.75 78.92									
		Loop Testing - Basic Tst Hall Hour  Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33									
		PPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		$\lfloor 1 \rfloor$	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42			
		4-Wire Copper Loop/Short - including manual service inquiry and facility																
		reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry and facility		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42			
		reservation - Zone 3		3	UCL	UCL4S	30.55	331.78	212.09		27.60			18.94	8.42			
		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and facility			UCL	UCLMC		36.46	36.46									
		reservation - Zone 1	1	1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42			
		4-Wire Copper Loop/Short - without manual service inquiry and facility		2														
		reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and facility	-	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42			
		reservation - Zone 3		3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42			
		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility			UCL	UCLMC		36.46	36.46									
		reservation - Zone 1		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42			
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42			
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility																_
		reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4L UCLMC	87.30	318.70 36.46	199.00 36.46	130.69	27.60			18.94	8.42			
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility						30.40	30.40									
		reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility		1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42			
		reservation - Zone 2	- 1	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42			
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility		_	UCL		07.00							40.04	0.40			
		reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4O UCLMC	87.30	104.17 36.46	78.10 36.46					18.94	8.42			
																		_
																		_
LOOP MODI	IFICATION	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or		$\vdash \exists$	UAL. UHL.	1												
		equal to 18k ft	_		UCL, UEQ,	ULM2L		67.39	67.39									
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k			1101 1110	LILMOC		227.50	227.50									
		tt Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal	- 1		UCL, ULS	ULM2G		337.50	337.50					<del>                                     </del>				—
		to 18K ft			UHL, UCL	ULM4L		67.39	67.39									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	1		UCL	ULM4G		337.50	337.50									
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled			UAL, UHL, UCL, UEQ,													
		loop	- 1		UEF, ULS	ULMBT		78.10	78.10									
SUB-LOOPS	S					-								-				—
		Naturb retain																_
	Sub-Loop E	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	$\vdash$	UEANL	USBSA		421.08	421.08					18.94	8.42			—
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		67.10	67.10					18.94	8.42			
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		394.74	394.74					18.94	8.42			
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	- 1	$\vdash$	UEANL	USBSD		154.57	154.57					18.94	8.42			
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9.12	207.01	171.32	1				18.94	8.42			

								RATES (\$)					OSS RA	ATES (\$)		
CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Z	Zone	BCS	usoc		Nonrec	urring	Nonrecurring	g Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide	s	sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99							1	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99							1	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99							1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Statewide	8	sw l		UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99							1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Statewide	8	sw l		UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
															1	
Sub-Loop F	Feeder														1	
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		ı	UEA, UDN,UCL,UDL, UDC	USBFW		421.08									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL, UDC	USBFX		67.10	67.10								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade-						2.2.30									
	Statewide	5	sw	UEA	USBFA	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	1	45.99									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide	5	sw	UEA	USBFB	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade															
	Loop - Statewide	5	sw	UEA	USBFC	8.58	206.44	170.05	119.95	27.04			18.94	8.42	1	
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade -															
	Statewide	8	sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide	8	sw	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide	8	sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	5	sw	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	5	sw	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide	5	sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42	1	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide	5	SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99								1	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	5	SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide	8	sw	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.99									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide	5	SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.99									
															<b></b>	
-	Sub Loop Feeder - DS3 - Per Mile Per Month	$\vdash$	-	UE3 UE3	1L5SL	13.55	3,384.00	407.00	160.47	90.97		-	31.31	31.31	3.93	3.93
	Sub Loop Feeder - DS3 - Facility Termination Per Month				USBF1	332.40	3,364.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
+	Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month	-	-+	UDLSX UDLSX	1L5SL USBF7	13.55	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
+	Sub Loop Feeder - S15-1 - Facility Termination Per Month  Sub Loop Feeder - OC-3 - Per Mile Per Month		-+	UDLO3	1L5SL	357.36 10.28	3,384.00	407.00	160.47	90.97			31.31	31.37	3.93	3.93
	Sub Loop Feeder - OC-3 - Fer Mile Fer Month  Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month		-	UDLO3	USBF5	54.89									<del> </del>	
	Sub Loop Feeder - OC-3 - Facility Termination Protection Fer Month		_	UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 - Per Mile Per Month		-	UDL12	1L5SL	12.66	3,304.00	407.00	100.47	30.31			31.31	31.31	3.33	3.33
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month		-	UDL12	USBF6	620.18									$\overline{}$	
	Sub Loop Feeder - OC-12 - Facility Termination Protection Fer Month		_	UDL12	USBF3	1.729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51	0,00000									
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	310.30										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	350.09	788.09	407.00	160.47	90.97			31.31	31.31	3.93	3.93
Unbundled	Sub-Loop Modification		$\Box$								1					
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal			İ												
	per 2-W PR			UEF	ULM2X		355.71	12.26	1				18.94	8.42		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal			-												
1	per 4-W PR			UEF	ULM4X		355.71	12.26	1				18.94	8.42		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal,												12.01	2.12		
	per PR unloaded			UEF	ULM4T		560.55	14.30	1				18.94	8.42		
									<b> </b>		-			V L		
	por in amounted		- 1	Į.												
Unbundled	Network Terminating Wire (UNTW)														<u> </u>	

									RATES (\$)					OSS R	ATES (\$)		
CATEGO	SORY UNBUNDLED NETWORK E	ELEMENT	Interim	Zone	BCS	usoc		Nonrec	curring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
							Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines				UENTW	UND12		86.46	56.75					18.94	8.42		
	Network Interface Device (NID) - 1-6 lines				UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 V	N			UENTW	UNDC2		11.73	11.73					18.94	8.42		
	Network Interface Device Cross Connect - 4W	V			UENTW	UNDC4		11.73	11.73					18.94	8.42		
INDUNDUED	D LOOP CONCENTRATION																
INDUNDLED	Unbundled Loop Concentration - System A (TR	R008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR	R008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR	R303)			ULC	UCT3A	478.93	650.81	650.81								
	Unbundled Loop Concentration - System B (TR	(303)	<b></b>		ULC	UCT3B	89.26	271.17	271.17	22 57	9.40			19.99 19.99	19.99	19.99 19.99	19.99 19.99
-+	Unbundled Loop Concentration - DS1 Loop Into Unbundled Loop Concentration - ISDN Loop In	terface (Brite Card)	1	$\vdash$	ULC	UCTCO ULCC1	5.04 8.00	126.57 21.07	92.14 20.96	33.57 10.78	10.71			19.99	19.99 19.99		19.99
	Unbundled Loop Concentration - ISBN Loop Int				UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99			
	Unbundled Loop Concentration2 Wire Voice	e-Loop Start or Ground Start															
	Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice	- Reverse Battery Loop		$\vdash$	UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
	Interface (SPOTS Card)	rievelee Ballery Eeep			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration - 4 Wire Voice	Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration - TEST CIRCU				ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99		19.99
	Unbundled Loop Concentration - Digital 19.2 K Unbundled Loop Concentration - Digital 56 Kbp	Ops Data Loop Interface	-		UDL UDL	ULCC7 ULCC5	10.51 10.51	21.07 21.07	20.96 20.96	10.78 10.78	10.71 10.71			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Unbundled Loop Concentration - Digital 56 Kbp Unbundled Loop Concentration - Digital 64 Kbp				UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Chibanalos 2009 Condentitation Digital 04 Nul				55L	32300	10.01	21.07	20.50	.0.70	70.71			13.33	10.00	75.55	. 5.55
	Habitatal and Consentration 1 and 1 and 1	For Digital 40.0 Khoa Data		$\Box$					<u> </u>								
	Unbundled Loop Concentration - Loop Interfac	e For Digital 19.2 Kbps Data															
NE OTHER	, PROVISIONING ONLY - NO RATE			$\vdash$					<del>                                     </del>								
	NID - Dispatch and Service Order for NID insta	allation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning C				UENTW	UENCE											
	•				UEANL,UEF,U												
	Unbundled Contract Name, Provisioning Only -	- No Kate		<del>   </del>	EQ,UENTW JAL,UCL,UDC,	UNECN											
					JDL,UDN,UEA,												
	Unbundled Contact Name, Provisioning Only -	no rate			UHL,ULC	UNECN	0.00	0.00									
				1	JEA,UDN,UCL,												
	Unbundled Sub-Loop Feeder-2 Wire Cross Bo	x Jumper - no rate			UDC	USBFQ	0.00	0.00									
	·	•		L	JEA,USL,UCL,												
	Unbundled Sub-Loop Feeder-4 Wire Cross Bo				UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Opi Unbundled DS1 Loop - Expanded Superframe I	tion - no rate Format ontion - no rate			USL	CCOSF CCOEF	0.00	0.00									
		i omat option - no rate			UUL	CCOLI	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP	·															
l l	NOTE: 4 month minimum billing period High Capacity Unbundled Local Loop - DS3 - F	Per Mile per month		$\vdash$	UE3	1L5ND	10.16		+								
	pringir Capacity Oribunided Local Loop - D33 - F		-		UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - DS3 - F	Facility Termination per month												201	501	2.30	5.50
	High Capacity Unbundled Local Loop - DS3 - F High Capacity Unbundled Local Loop - STS-1 -	Facility Termination per month - Per Mile per month			UDLSX	1L5ND	10.16						_			1	3.93
	High Capacity Unbundled Local Loop - STS-1 -	- Per Mile per month			UDLSX			000.00	507.0-	200.07	407.60			04.01	04.01	0.00	
	High Capacity Unbundled Local Loop - DS3 - F High Capacity Unbundled Local Loop - STS-1 - High Capacity Unbundled Local Loop - STS-1 -	- Per Mile per month			UDLSX	1L5ND UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 -	- Per Mile per month			UDLSX			903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
OOP MAKE	High Capacity Unbundled Local Loop - STS-1 - High Capacity Unbundled Local Loop - STS-1 -  E-UP	- Per Mile per month  - Facility Termination per month			UDLSX			903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
OOP MAKE	High Capacity Unbundled Local Loop - STS-1 -	- Per Mile per month  - Facility Termination per month			UDLSX			903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
OOP MAKE	High Capacity Unbundled Local Loop - STS-1 - High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservati	- Per Mile per month  - Facility Termination per month ion, per working or spare facility	ı		UDLSX  UDLSX  UMK	UDLS1  UMKLW		47.97		238.97	167.16			31.31	31.31	3.93	3.93
OOP MAKE	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservation, (Manual).  Loop Makeup - Preordering With Reservation, (Manual).	Per Mile per month     Facility Termination per month     ion, per working or spare facility     per spare facility queried	ı		UDLSX	UDLS1				238.97	167.16			31.31	31.31	3.93	3.93
OP MAKE	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservation, (Manual).  Loop Makeup - Preordering With Reservation, (Manual).	Per Mile per month     Facility Termination per month     ion, per working or spare facility     per spare facility queried	1		UDLSX  UDLSX  UMK  UMK	UMKLW UMKLP		47.97 50.86	47.97 50.86	238.97	167.16			31.31	31.31	3.93	3.93
OP MAKE	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservation, (Manual).  Loop Makeup - Preordering With Reservation, (Manual).	Per Mile per month     Facility Termination per month     ion, per working or spare facility     per spare facility queried	1		UDLSX  UDLSX  UMK	UDLS1  UMKLW		47.97	47.97 50.86	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  Loop Makeup - Preordering Without Reservati queried (Manual).  Loop Makeup - Preordering With Reservation, (Manual).  Loop MakeupWith or Without Reservation, p queried (Mechanized)	Per Mile per month     Facility Termination per month     ion, per working or spare facility     per spare facility queried	1		UDLSX  UDLSX  UMK  UMK	UMKLW UMKLP		47.97 50.86	47.97 50.86	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservati queried (Manual).  Loop Makeup - Preordering With Reservation, (Manual).  Loop MakeupWith or Without Reservation, p queried (Mechanized)	Per Mile per month     Facility Termination per month	1		UDLSX  UDLSX  UMK  UMK  UMK	UDLS1  UMKLW  UMKLP  PSUMK	387.67	47.97 50.86 0.6758000	47.97 50.86 0.6758000				0.00	31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  Loop Makeup - Preordering Without Reservation, (Manual).  Loop Makeup - Preordering With Reservation, (Manual).  Loop MakeupWith or Without Reservation, p queried (Mechanized)  NG  Line Sharing Splitter, per System 96 Line Capa	- Per Mile per month  - Facility Termination per month  ion, per working or spare facility  per spare facility queried  per working or spare facility  acity	1 1		UDLSX  UDLSX  UMK  UMK  UMK  UMK	UMKLW UMKLP PSUMK		47.97 50.86 0.6758000	47.97 50.86 0.6758000	0.00	0.00 0.00		0.00	31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  E-UP  Loop Makeup - Preordering Without Reservati queried (Manual).  Loop Makeup - Preordering With Reservation, (Manual).  Loop MakeupWith or Without Reservation, p queried (Mechanized)	Per Mile per month     Facility Termination per month	1 1 1 1 1 1 1 1 1		UDLSX  UDLSX  UMK  UMK  UMK  UMK  UMK  UMK	UMKLW UMKLP PSUMK  ULSDA ULSDB ULSDB	387.67 100.00 25.00 12.73	47.97 50.86 0.6758000 300.00 300.00 300.00	47.97 50.86 0.6758000 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00		0.00				
OOP MAKE	High Capacity Unbundled Local Loop - STS-1 -  High Capacity Unbundled Local Loop - STS-1 -  Loop Makeup - Preordering Without Reservati queried (Manual).  Loop Makeup - Preordering With Reservation, (Manual).  Loop MakeupWith or Without Reservation, p queried (Mechanized)  NG  Line Sharing Splitter, per System 96 Line Capa Line Sharing Splitter, per System 24 Line Capa	Per Mile per month     Facility Termination per month			UDLSX  UDLSX  UMK  UMK  UMK  UMK  UNK	UMKLW UMKLP PSUMK  ULSDA ULSDA	387.67 100.00 25.00	47.97 50.86 0.6758000 300.00 300.00	47.97 50.86 0.6758000	0.00	0.00		0.00	31.31 19.99 19.99	31.31 12.97 12.97	3.93	19.99

							ı	RATES (\$)					OSS RA	ATES (\$)			
CATEGOI	RY UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC		Nonrec	urring	Nonrecurrin	ı Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I	
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per I.SOD)			ULS	ULSDG		57.70		11.39								ì
		·		020	02000		01.10		11.00								
UNBUNDLED .	TRANSPORT																
NO	DTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below	v DS3 = 0	one m	onth, DS3 and a	bove four months	3											
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per																
	month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility			U1TVX	1L5XX	0.0101											
	Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93	
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0101											i
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility			UTIVA	ILSAA	0.0101											
	Termination per month			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101											i
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility																
	Termination per month			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0101											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per						04.07	54.00	00.47	40.70			04.04	04.04	0.00	0.00	
	month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX U1TDX	U1TD5 1L5XX	17.28 0.0101	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per																
	month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93	
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067	.=										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93	
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
-	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per			U1TD3 U1TD3	1L5XX U1TF3	4.67 804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93	
				01100	01110	004.02	337.43	020.01	120.00	110.51			01.01	01.01	0.50	0.00	
IN	TEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1			U1TS1	1L5XX	4.67											
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per			01151	1L5XX	4.67											
	month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93	
	DCAL CHANNEL - DEDICATED TRANSPORT																
NO	DTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=c  Local Channel - Dedicated - 2-Wire Voice Grade Per Month	ne month	n, DS3	3 and above=fou ULDVX	r months ULDV2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93	
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31 31.31	3.93	3.93	
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93	
$\vdash$	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93	
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93	
<del></del>	Local Channel - Dedicated - DS3 - Per Mile per month  Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3 ULDD3	1L5NC ULDF3	7.91 476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93	
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.91											
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93	
MULTIPLEXE	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93	
<del>                                     </del>	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.36	13.15	9.43	21.07	19.08			31.31	31.31	3.83	3.93	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.92	13.15	9.43									
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.64	13.15	9.43									_
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93	
<b>—</b>	STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			UXTS1 USL	MQ3 UC1D1	201.37 15.39	356.28 13.15	187.94 9.43	66.51	63.65			31.31	31.31	3.93	3.93	
	255 Internace of the (2501 0001) asea with Euop per month			JUL	55151	10.00	10.10	3.43									
DARK FIBER	Dark Eiber, Four Eiber Strande, Der Pouto Mile er Freetien Thorses																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	68.84											i.
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.04	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month -			LIDE	41.555	05.50											
	Interoffice Channel			UDF	1L5DF	25.53			L				1				

							F	RATES (\$)					OSS RA	ATES (\$)		
CATEG	GORY UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC		Nonrec	urring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel		+-+	UDF	UDF14		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month -			UDF	1L5DL	68.84							Į l			
	Local Loop NRC Dark Fiber - Local Loop	+	+-+	UDF	UDFL4	00.04	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
TRANSPOR				OD.	05. 2.		1,270.17	210.10	00	000.02			01.01	01.01	0.00	0.00
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		$\perp \perp$	UNC1X	CCOEF		184.85	23.81	1.99	0.77			29.23	3.93		
OVV ACCES	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel SS TEN DIGIT SCREENING	+	+	UNC1X	CCOSF		184.85	23.81	1.99	0.77			29.23	3.93		
BAA ACCES		+	+	OHD		0.0005										
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number			0.10		0.0000										
	Reserved			OHD	N8R1X		7.13	0.97					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS												ll			
$\vdash$	Translations  Pay Access Top Digit Sergering Per SYY No. Established With POTS	<b>├</b>	+	OHD			15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS	1	1 1	OHD	N8FTX		15.88	1.97	10.04	0.07			27.37	27.37	17.75	17.75
	Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number	+	++	OHD	N8FCX		15.88 5.69	2.85	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR	<del>                                     </del>		OHD	1401 070		3.03	2.00					27.07	27.07	17.70	17.70
	Requested Per 8XX No.	<u> </u>	<u> </u>	OHD	N8FMX	<u> </u>	6.66	3.81					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Call Handling and Destination Features		$\perp \perp$	OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query	₩		OHD OHD												
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query	-	-	OHD												
LINE INFOR	MATION DATA BASE ACCESS (LIDB)	<del>                                     </del>	-													
1	LIDB Common Transport Per Query			OQT		0.00004										
	LIDB Validation Per Query			OQU		0.0142										
	LIDB Originating Point Code Establishment or Change		$\perp \perp$	OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
OLONIAL INIO	(0007)		+-+													
SIGNALING		+	+-+	UDB	PT8SX	148.72							25.93	25.93	16 21	16 21
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	-	-	UDB	FIOON	0.0001							25.93	20.93	16.31	16.31
	CCS7 Signaling Osage, Per TCAP Wessage CCS7 Signaling Connection, Per link (A link)	+	+-+	UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	376.12							25.93	25.93	16.31	16.31
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															
	Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or	+	+-+	UDB	CCAPO		40.00	40.00					25.93	25.93	16.31	16.31
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16.31
	Onlinge, i ei olip i incoled	<b>†</b>		ODD	00/11 D		0.00	0.00					20.00	20.00		10.01
E911 SERVI	ICE	+											1 1			
	Local Channel - Dedicated - 2-wr Voice Grade					13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		Ħ			0.0222	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					0.0222 17.07										
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1					0.0222 17.07 38.36	382.95 356.15	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DST Interoffice Transport - Dedicated - DST Per Mile					0.0222 17.07 38.36 0.4523										
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination					0.0222 17.07 38.36										
CALLING NA	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE  AME (CNAM) SERVICE					0.0222 17.07 38.36 0.4523 78.47										
CALLING N	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query			oqv		0.0222 17.07 38.36 0.4523 78.47										
CALLING NA	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE  AME (CNAM) SERVICE			OQV OQV		0.0222 17.07 38.36 0.4523 78.47										
CALLING NA	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query					0.0222 17.07 38.36 0.4523 78.47										
CALLING No	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character Based			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)				CDDCH	0.0222 17.07 38.36 0.4523 78.47									17.75	17.75
CALLING N	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE  CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	СДДСН	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query			OQV	СДДСН	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query LNP Service Establishment Manual			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query			OQV	СДДСН	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - Desta Interoffice Transport - Dedicated - Desta Interoffice Transport - Dedicated - Desta Per Mile Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  FERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE  CNAM for DB Owners, Per Query CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47 0.016	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  SERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE  CALL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB			OQV	СДДСН	0.0222 17.07 38.36 0.4523 78.47 0.016 0.01	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM For DB Owners, Per Query CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE  CALL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  **SERVICE**  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE  CCALL PROCESSING  Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47 0.016 0.01	356.15	312.89					18.94	8.42		17.75
LNP QUERY	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination  AME (CNAM) SERVICE CNAM For DB Owners, Per Query CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query  CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)  / SERVICE  LNP Charge Per query LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment  OPERATOR SERVICES AND DIRECTORY ASSISTANCE  CALL PROCESSING Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB			OQV	CDDCH	0.0222 17.07 38.36 0.4523 78.47	356.15	312.89					18.94	8.42		17.75

									RATES (\$)					OSS R/	ATES (\$)	-	
CATE	EGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonre	curring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
							Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward Operator Services - Verification, Per Minute					1.15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15								$\vdash$	$\vdash$	
BRANDING	- OPERATO	R CALL PROCESSING															
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
		via OLNS for UNEP CLEC													<u></u> '		
		Loading of OA per OCN (Regional)						1,200.00	1,200.00							$\vdash$	
DIRECTOR	Y ASSISTAN	CE SERVICES															
D		ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0.30										
	DIDECTOR	( A 00/07 A NOT 0 A L L 00 MP) FT(0 N A 00 F00 0 FP) (10 F (0 A 00)														$\vdash$	
		Y ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10								$\vdash$	$\vdash \vdash \vdash$	
		Directory Pasistance Can Completion Access Service (DACC), Fer Can Attempt					0.10										+
		/ TRANSPORT													$\vdash$	ldot	
		SWA Common transport per Directory Assistance Access Service Call					0.0003									$\vdash$	
		SWA Common Transport per Directory Assistance Access Service Call Mile Access Tandem Switching per Directory Assistance Access Service Call					0.00004							<del>                                     </del>			+
		Directory Assistance Interconnection per Directory Assistance Access Service					0.00000										
		Call					0.00										
		DS3 to DS1 Multiplexer per DA Access Service Call					0.00018								<u>'</u>	$\vdash$	
	DIRECTORY	/ ASSISTANCE DATA BASE SERVICE (DADS)												-			
		Directory Assistance Data Base Service Charge Per Listing					0.04										
		Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING		RY ASSISTANCE													<u></u> '		
	Facility Base	ed CLEC			****	00404		0.000.00	0.000.00						<u>'</u>	$\vdash$	
		Recording and Provisioning of DA Custom Branded Announcement Loading of Custom Branded Announcement per DRAM Card/Switch			AMT AMT	CBADA CBADC		6,000.00 1,170.00									
	UNEP CLEC				AIVII	CBADC		1,170.00	1,170.00								
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per															
		OCN						1,170.00	1,170.00						<u></u> '		
	Unbranding v	via OLNS for UNEP CLEC						100.00	400.00							$\vdash$	
		Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						420.00 16.00	420.00 16.00						$\vdash$	$\vdash \vdash \vdash$	
		Educing of Dr. per owner per dore						10.00	10.00						·		
																	-
SELECTIVI	E ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		230.60	230.60					40.71	9.58	$\vdash$	
VIRTUAL	COLLOCATIO	N															+
VIKTOAL		Virtual Collocation - Application Cost		С	LO	EAF		2.848.30	2,848.30								
		Virtual Collocation - Cable Installation Cost, per cable			LO	ESPCX		2,750.00									
		Virtual Collocation - Floor Space, per sq. ft.		C	LO	ESPVX	3.20										
		Virtual Collocation - Power, per breaker amp			LO	ESPAX	3.48									┉	
<b></b>		Virtual Collocation - Cable Support Structure, per entrance cable			LO eanl,uea,udn,	ESPSX	13.35							<u> </u>	<u> </u>		+
					dc,ual,uhl,ucl,									1			
		Virtual Collocation - 2-wire Cross Connects (loop)			ac,uai,uiii,uci, eq	UEAC2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
		Virtual Collocation - 4-wire Cross Connects (loop)		ue	ea,uhl,ucl,udl	UEAC4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99
		Virtual Collocation - 2-Fiber Cross Connects			LO	CNC2F	12.10	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99
		Virtual Collocation - 4-Fiber Cross Connects			LO	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99
-		Virtual Collocatin - DS1 Cross Connects Virtual Collocatin - DS3 Cross Connects			SL,ULC,CLO SL,ULC,CLO		7.50 56.25	155.00 151.90	14.00 11.83					<b> </b>	$\vdash$	$\vdash$	$\longrightarrow$
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support		U	SL,ULC,CLO	CND3X	56.25	151.90	11.63					-			
		Structure, per linear foot		IA.	MTFS	PE1ES	0.0026							1			
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support															
		Structure, per linear ft		IA A	MTFS	PE1DS	0.0038							<u> </u>	ļ	$\vdash$	
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support			MTEC			E0E 07									
-		Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support		AI	MTFS			535.37						-			
		Structure, per cable		ΙA	MTFS			535.37									
		Virtual Collocatin - Security Escort - Basic, per half hour			LO	SPTBX		41.00	25.00								
		Virtual Collocatin - Security Escort - Overtime, per half hour			LO	SPTOX		48.00	30.00								
		Virtual Collocatin - Security Escort - Premium, per half hour  Virtual Collocatin - Maintenance in CO - Basic, per half hour		C	LO LO	SPTPX CTRLX		55.00 30.64	35.00 30.64						l	!	

					T			RATES (\$)					OSS RA	ATES (\$)		
CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC		Nonrec	surring	Nonrecurring	a Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour		C	CLO	SPTPM		40.90	40.90								
RTUAL COLLOCAT											1					
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res		U	JEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade		l I.							'	1	,				
	Res		U	JEPRX	PE1R2	0.28	30.76	29.40	12.75	11.38	<b>├</b>		19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus		1	JEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38	1	,	19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade		H-0	EFSF	VETRZ	0.20	30.76	29.40	12.75	11.30	l +		19.99	19.99	19.99	19.99
	PBX Trunk - Res		l le	JEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38	ı l		19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			JEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			JEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			JEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			JEPDD	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			JEPEX	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
TUAL COLLOCAT				-												
				JEPSR,	i -											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		U	JEPSB	VE1LS	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
CEL ECT. (E. C. : -	DIED DOUTING	-	-+		+					<sup> </sup>	<del></del>					
SELECTIVE CAR			-	CDC	CDCEC		202 407 22		47 404 00	<sup> </sup>	$\vdash$		07.07	07.07	07.07	27.27
	Regional Service Establishment End Office Establishment	1	++	SRC SRC	SRCEC SRCEO		202,197.82 339.75	339.75	17,181.39	2 20	<del></del>		27.37 27.37	27.37 27.37	27.37 27.37	27.37 27.37
	Query NRC, per query	+	-+	SRC	SKUEU	0.0031412	339.75	339.75	3.39	3.39			21.31	21.31	21.31	21.31
	Query Nico, per query	-	+		+	0.0031412					<del></del>					
- BELLSOUTH AI	IN SMS ACCESS SERVICE				+											+
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		$\vdash$	-	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - User Identification Codes - Per User ID Code		oxdot		CAMAU		141.84	141.84	70.05	70.05	<b>─</b> ───		27.37	27.37	17.75	17.75
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or				CANADO		440.40	440.40	05.00	05.00	ı İ		07.0-	07.0-	47.75	47.75
	Replacement  AIN SMS Access Service Storage Par Unit (400 Kilebytes)	1	-		CAMRC	0.0000	142.13	142.13	35.26	35.26	$\vdash$		27.37	27.37	17.75	17.75
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute	1	$\vdash$		+	0.0026 0.0892										$\rightarrow$
	AIN SMS Access Service - Company Performed Session, Per Minute		$\vdash$		+	2.08										
- BELLSOUTH AI	IN TOOLKIT SERVICE													ı		
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		₩Ţ.		BAPSC		192.69	192.69	114.22	114.22	$\vdash$		27.37	27.37	17.75	
	AIN Toolkit Service - Training Session, Per Customer		$\vdash$		BAPVX		8,363.00	8,363.00		<u> </u>	<b></b>		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term.				DADTT		40.04	40.04	07.04	07.04	ı İ		07.07	07.07	17.75	17.75
	Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook	-	++		BAPTT		49.64	49.64	27.04	27.04	<del></del>		27.37	27.37	17.75	17.75
	Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook		$\vdash$		DALID		43.04	43.04	21.04	21.04			21.31	21.01	11.13	11.13
	Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit															
	PODP		$\sqcup \! \! \perp$		BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP		oxdot		BAPTC		117.98	117.98	37.90	37.90	<b>─</b> ───		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature				DARTE		447.00	447.00	07.00	07.00			27.2-	07.0-	47.75	47.75
	Code AIN Toolkit Service - Query Charge, Per Query		++		BAPTF	0.024	117.98	117.98	37.90	37.90	<del></del>		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per	-	$\vdash$		+	0.024										$\longrightarrow$
	Node, Per Query					0.006				· '					, !	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100				1	2.300										
	Kilobytes					1.63									l	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription		oxdot		BAPMS	16.00	44.56	44.56	31.84	31.84	ldot		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		$\vdash$		BAPLS	0.10	47.74	47.74	15.90	15.90	<del></del>		27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service	1	-		BAPDS	15.90	44.56	44.56	31.84	31.84	$\vdash$		27.37	27.37	17.75	17.75
	Subscription				BAPES	0.003	47.74	47.74		1			27.37	27.37	17.75	17.75
	Subscription 1				DAFLO	0.003	41.14	41.14					21.31	21.01	11.13	11.13
F/EDOUF/ADUF/	CMDS				1											
					1											
ACCESS	DAILY USAGE FILE (ADUF)								-							
	ADUF: Message Processing, per message		$oldsymbol{oldsymbol{oldsymbol{eta}}}$			0.004					oxdot					,
	ADUF: Data Transmission (CONNECT:DIRECT), per message		$\vdash$			0.001				<u> </u>	<b></b>					
ENHANCE	ED ORTIONAL DAILY LICAGE FILE (FORUE)	1	-		+					<sup> </sup>	<del></del>					
ENHANC	ED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message		++		+	0.004					<b></b>					
ı	LODOI . IVIESSAYE FIUCESSITY, PET TIESSAYE		$\vdash$		+	0.004					$\vdash$					<del>,</del>
			$\leftarrow \leftarrow$		+	<del>                                     </del>					$\overline{}$					
OPTIONA	AL DAILY USAGE FILE (ODUF)		1 1													
OPTIONA	AL DAILY USAGE FILE (ODUF) ODUF: Recording, per message		$\vdash$			0.0002				Η	+			<u> </u>		-

						F	RATES (\$)					OSS RA	TES (\$)		
CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	usoc		Nonrec	urring	Nonrecurrin	ı Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message				55.19 0.00004										
	ODOF: Data Transmission (CONNECT:DIRECT), per message				0.00004										
HANCED EXTENDED	D LINK (EELs)														
NOTE: Char	r EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, Fl rlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all re	ates below e	except Switch As	s Is Charge.		·									
	Il states, EEL network elements shown below also apply to currently combined facil				tch As Is Charge	applies to c	urrently comb	bined facilitie	s converted t	o UNEs.(No	n-recurring i	rates do not a	pply.)		
NOTE: In G	A, TN, KY, & LA, the EEL network elements apply to ordinarily combined network	elements.(N	o Switch As Is C	harge.)											
2 WIDE VO	 DICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSF	OPT /EE' \	-		+										
Z-WIRE VO	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone	OKT (EEL)			<del>                                     </del>										
	1	1	UNCVX	UEAL2	17.95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination -														
	Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination -	2	UNCVX	UEAL2	29.16										
	Zone 3	3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per		UNC1X	1L5XX	0.2067										
	month		UNC1X	U1TF1	68.75										
	DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNC1X UNCVX	MQ1 1D1VG	122.50 0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport		UNCVA	IDIVG	0.04										
	Combination - Zone 1	1	UNCVX	UEAL2	17.95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport	2	1110101	UEAL2	00.40										
	Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport	2	UNCVX	UEAL2	29.16										
	Combination - Zone 3	3	UNCVX	UEAL2	52.84										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE VO	INCE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSF First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport	ORT (EEL)													
	Combination - Zone 1	1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39.00										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport	_													
	Combination - Zone 3	3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X UNC1X	1L5XX U1TF1	0.2067 68.75										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0.64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		UNCVX	UEAL4	24.01										
<del>-  </del>	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport	1	UNCVX	UEAL4	24.01										
	Combination - Zone 2	2	UNCVX	UEAL4	39.00										
1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport														
	Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month	3	UNCVX	UEAL4 1D1VG	70.67 0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC	0.04	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
													7		
4-WIRE 56	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRAI	NSPORT (E	EL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	4	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport														
	Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	2	UNCDX	UDL56	44.40										
	Combination - Zone 3	3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per		LINGAV	114754	60.75							24.24	24.24	2.00	2.02
1	Month		UNC1X UNC1X	U1TF1 MQ1	68.75 122.50							31.31	31.31	3.93	3.93
	(Channelization - Channel System US1 to US0 combination Per Month	1	UNION	1D1DD	1.36										
	Channelization - Channel System DS1 to DS0 combination Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)		UNCDX												
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport		UNCDX												
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27.33							31.31	31.31	3.93	3.93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport	1 2										31.31 31.31	31.31 31.31	3.93 3.93	3.93

								RATES (\$)					OSS RA	TES (\$)		
FEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	urring	Nonrecurring	Diagonal	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRA	NSPOR	T (EEI	L)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	27.33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	UNCDA	UDL04	21.33										
	Combination - Zone 2		2	UNCDX	UDL64	44.40										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	ONODA	ODEO.	11110										
	Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per															
	Month Bott Bott Bott Bott Bott Bott Bott Bo			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month			LINCDY	10100	1 20	0.00	0.00								
+	(2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			UNCDX	1D1DD	1.36	0.00	0.00								
	Combination - Zone 1		1	UNCDX	UDL64	27.33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport			J. 1,557	33207	27.00										
	Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	80.45										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month			LINGS	10100											
1	(2.4-64kbs)		-	UNCDX	1D1DD	1.36	11 10	11 10	12.00	12.00			24.24	24.24	0.00	2.00
1	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	-		UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIDE DS1	DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSI	OPT (E	ΕII													
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		1	UNC1X	USLXX	51.74										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		2	UNC1X	USLXX	84.05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per		I													
	Month			UNC1X	U1TF1	68.75	41.10	,,,,	40.00	40.00			0101	01.02	2.20	0.00
-	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE DS1	I DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSI	ORT (=	FI)													
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	J (L	1	UNC1X	USLXX	51.74										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.67										
1	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	804.02										
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X UNC1X	UC1D1 USLXX	15.39 51.74										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
1	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
0 14/15 = 1/-	OF OR ARE EVERYDED LOOP OF WHITE VOICE ARE ARE WELL AS A SECOND OF THE PROPERTY OF THE PROPERT															
2-WIRE VOI	CE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANS	PORT (	EEL)	UNCVX	UEAL2	17.95										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		2	UNCVX	UEAL2	29.16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		-	UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility															
	Termination per month	L		UNCVX	U1TV2	24.15							31.31	31.31	3.93	3.93
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4 M/DE 1/2:	OF ORARE EVERIPED LOOP (A WIDE VOICE ORARE INTERPORTED TO	DODT "														
	CE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANS	PORT (	EEL)	LINOVA	LIEALA	04.04										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone	-	2	UNCVX	UEAL4 UEAL4	24.01 39.00										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility															
	Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
		L.,														
	L EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (E	EL)		LINIOOV	41 5ND	10.10										
+	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month High Capacity Unbundled Local Loop - DS3 combination - Facility Termination			UNC3X	1L5ND	10.16										
	nigh Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374.52										
					UESEA			l .	1	i e			1		1	

						ı	RATES (\$)					OSS RA	ATES (\$)		
CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	usoc		Nonrec	urring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
				ļ	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per			I										1	
	per month		UNC3X	U1TF3	804.02										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC	-	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
STS1 DIGIT	│ 「AL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT	(FEL)													
0.0.0.	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month	(/	UNCSX	1L5ND	10.16								i	i	
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination														
	per month		UNCSX	UDLS1	387.67										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month Interoffice Transport - Dedicated - STS1 combination - Facility Termination per		UNCSX	1L5XX	4.67								<sup> </sup>		
	month		UNCSX	U1TFS	801.57								l '	i	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC	001.07	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
													ı		
2-WIRE ISE	ON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1 2	UNCNX	U1L2X U1L2X	23.23 37.74										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X U1L2X	68.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per													 I	
	month	-	UNC1X	U1TF1	68.75										
_	Channelization - Channel System DS1 to DS0 combination - per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per	-	UNC1X	MQ1	122.50										
	month		UNCNX	UC1CA	2.92								 	İ.	
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination -		0110101	00.071	2.02									i	
	Zone 1	1	UNCNX	U1L2X	23.23										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination -	2	LINON	LMLOV	07.77								 	İ	
	Zone 2 Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination -	2	UNCNX	U1L2X	37.74										
	Zone 3	3	UNCNX	U1L2X	68.38								l '	i	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per	- ŭ	O. CO. D.	O I EE A	00.00									<u> </u>	
	month		UNCNX	UC1CA	2.92									L	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE DS	LET DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT (FEL)													
4 WIRE DO	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1 1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	1L5XX U1TFS	4.67 801.57										
	STS1 to DS1 Channel System conbination per month		UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	3	UNC1X UNC1X	USLXX	84.05										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	3	UNC1X	USLXX UC1D1	152.29 15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
				1	$\perp = \perp$				_						
4-WIRE 56	KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPOR		LINIODY	LIBLES	07.55										
_	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		UNCDX	UDL56 UDL56	27.33 44.40					-					
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		LINODY	LUTDS	17.00								 	l	
	Termination  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	-	UNCDX	U1TD5 UNCCC	17.28	11.18	11.18	13.96	13.96	-		31.31	31.31	3.93	3.93
	Nonrecurring Currently Combined Network Elements Switch -AS-IS Charge		OINCDA	UNCCC		11.18	11.18	13.90	13.90			31.31	31.31	3.93	3.93
4-WIRE 64	KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPOR	T (EEL)													
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		UNCDX	UDL64	27.33				_						
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		UNCDX	UDL64	44.40										
1	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile	3	UNCDX	UDL64 1L5XX	80.45 0.0101					-					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Fer Mile  Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		GIAODA	ILUAA	5.0101										
	Termination		UNCDX	U1TD6	17.28								ļ	<b></b>	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
NAL NETWOR	K EI EMENTS	-		ļ	++										
NAL NEIWOR	K ELEMENTS	<del>                                     </del>			+										
140	│ d as a part of a currently combined facility, the non-recurrng charges do n	ot apply, but a	Switch As Is	charge does apr	ρly.										
wnen used	d as ordinarilty combined network elements in Georgia, the non-recurring of	harges apply a	and the Switch	As Is Charge de	oes not.										
When used	a as oralizating combined network cicinents in ocorgia, the non-recurring c										· —	1 -	. ——		1
When used	a as oralinarity combined network elements in seorgia, the non-recurring e														
When used															

							RATES (\$)	ı				OSS RA	ATES (\$)		
EGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone BCS	usoc		Nonrec	urring	Nonrecurrin	ı Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrecurrir	ng Currently Combined Network Elements "Switch As Is" Charge (One appl	ies to ea	ch combination)												
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is"														
	Conversion Charge DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion		UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	Charge		UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is"		UNCSA	UNCCC		11.10	11.10	13.90	13.90			31.31	31.31	3.93	3.93
	Conversion Charge		UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
NOTE: Loca	 al Channel - Dedicated Transport - minimum billing period - Below DS3=one	month.	DS3 and above:	four months											
	RT SYSTEMS	are the ct	ate enecific old	poio convico orde-i-	a charges as see	arod by the	State Com	ecione							
NOTE: (1) E	Electronic Service Order: CLEC-1 should contact its contract negotiator if it preferentiations. The electronic service ordering charge currently contained in this rate	exhibit is	the BellSouth re	ional electronic sen	y charges as orde vice ordering cha	rge rge	otate COTIMI	SOLUTIO							
NOTE: (1) C	Concluded: CLEC-1 may elect either the state specific Commission ordered rates	s for the e	electronic service				nal electroni	c service orde	ering charge.						
NOTE: (2) N	Manual Service Order charge: disconnect, in the state of Florida, to be billed on	a per LSI	R basis												
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				+										
	interfaces (Regional)			SOMEC		3.50									
	shown in the sections for stand-alone loops or loops as part of a combination ref nterconnection.bellsouth.com/become_a_clec/html/interconnection.htm	ers to Ge	ograpnically Dea	eraged UNE Zones.	. To view Geogra	ipriically Dea	averaged UN	IE Zone Desi	gnations by C	entrai Onice	e, reier to ir	itemet websit	le:		
ED LOCAL E	XCHANGE SWITCHING(PORTS)														
LD LOUAL LA															
	Ports														
Exchange F	│ Ports ough the Port Rate includes all available features in GA, KY, LA & TN, the c	desired fe	eatures will need	to be ordered usin	ng retail USOCs										
Exchange F	ough the Port Rate includes all available features in GA, KY, LA & TN, the o	desired fe	eatures will need	to be ordered usin	g retail USOCs										
Exchange F	ough the Port Rate includes all available features in GA, KY, LA & TN, the c ICE GRADE LINE PORT RATES (RES)	lesired fe													
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.	desired fo	UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	lesired fo	UEPSR UEPSR	UEPRL UEPRC	2.07 2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port	lesired fo	UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO	2.07 2.07 2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.	desired fo	UEPSR UEPSR	UEPRL UEPRC	2.07 2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port	desired fo	UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO	2.07 2.07 2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID	desired fo	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR	2.07 2.07 2.07 2.07	21.93 21.93 21.93	21.93 21.93 21.93	6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37	12.97 12.97 12.97	17.77 17.77 17.77	1.44 1.44 1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Vire Vire Vire Vire Vire Vire Vire V	desired fo	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAR	2.07 2.07 2.07 2.07 2.07	21.93 21.93 21.93 21.93	21.93 21.93 21.93 21.93	6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37	12.97 12.97 12.97	17.77 17.77 17.77	1.44 1.44 1.44
Exchange F NOTE: Altho	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Vire Vire Vire Vire Vire Vire Vire V	lesired for	UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAR	2.07 2.07 2.07 2.07 2.07	21.93 21.93 21.93 21.93	21.93 21.93 21.93 21.93	6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37	12.97 12.97 12.97	17.77 17.77 17.77	1.44 1.44 1.44
Exchange F NOTE: Although The Note: ugh the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port - Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features	lesired fu	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC	2.07 2.07 2.07 2.07 2.07 2.07 0.00	21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00	6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37 27.37	12.97 12.97 12.97	17.77 17.77 17.77 17.77	1.44 1.44 1.44	
Exchange F NOTE: Although The Note: ugh the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)	lesired fo	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAR UEPAP USASC UEPVF	2.07 2.07 2.07 2.07 2.07 2.07 0.00	21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00	6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44	
Exchange F NOTE: Although The Note: ugh the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port - Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features	desired fo	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC	2.07 2.07 2.07 2.07 2.07 2.07 0.00	21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00	6.21 6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37 27.37	12.97 12.97 12.97	17.77 17.77 17.77 17.77	1.44 1.44 1.44	
Exchange F NOTE: Althe 2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Nailog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port with unbundled port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus	desired fo	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC UEPVF UEPBL UEPBL	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93	21.93 21.93 21.93 21.93 0.00 0.00	6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Althe 2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with out Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L9 - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L9 - Bus  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	desired for	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRO UEPAR UEPAR UEPAP USASC  UEPVF	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55	21.93 21.93 21.93 21.93 0.00 0.00	21.93 21.93 21.93 21.93 0.00 0.00	6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Althe 2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res. Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port	Jesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC UEPVF UEPBL UEPBL	2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93	21.93 21.93 21.93 21.93 0.00 0.00	6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Althe 2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with out Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L9 - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L9 - Bus  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	Jesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAR UEPAP USASC UEPVF  UEPBL UEPBC UEPBO UEPAW UEPB1	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93	6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth  2-WIRE VOI  FEATURES  2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res. Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus. Exchange Forts - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity	lesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPAW	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire Analog Line Port without Dundled port with Caller Line Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	lesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO USASC	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93 0.00	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  FEATURES	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-L484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  All Available Vertical Features	Jesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAR UEPAP USASC UEPVF  UEPBL UEPBC UEPBO UEPAW UEPB1	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93 21.93	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93 21.93	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth 2-WIRE VOI  FEATURES  EXCHANGE  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res. Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus. Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  All Available Vertical Features  PORT RATES (DID & PBX)	Jesired f	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBL UEPBC UEPBO UEPAW UEPBI UEPSU	2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07 2.07 2.07 2.07 0.00	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 20.00	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-L484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  All Available Vertical Features	lesired fr	UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO UEPAW UEPBSO USASC	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 0.00	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93 0.00	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	Jesired f	UEPSR UEPSR	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPDD	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 0.00 0.00	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 0.00 0.00 37.48 191.38	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire WG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire WG unbundled Line Port with unbundled port with Caller L484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire WG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Port Wire Mallable Vertical Features  PORT RATES (DID & PBX)  Exchange Ports - 2-Wire DID Port	Jesired f	UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPAW UEPB1 USASC	2.07 2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 0.00 0.00	21.93 21.93 21.93 21.93 0.00 0.00 21.93 21.93 21.93 21.93 0.00 0.00	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port-Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	Jesired (	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPBO UEPDD	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 0.00 0.00	21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 0.00 0.00 37.48 191.38	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21			27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled Res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L484 ID - Bus  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire IDI Port  Exchange Ports - 2-Wire IDI Port  Exchange Ports - 2-Wire IDI Port (See Notes below.)  All Features Offered		UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPBO UEPBO UEPAW UEPBI UEPAW UEPBI UEPBI UEPAW UEPBI UEPAW UEPBI UEPAW UEPBI UEPDD UEPPZ UEPPD	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 21,93 41,93 0.00 0.00 238,61 404.04 145.54 0.00	21.93 21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	N norte		27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth- 2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller 1D - Bus  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  All Available Vertical Features  FORT RATES (DID - POX)  Exchange Ports - 2-Wire DID Port  Exchange Ports - 2-Wire IDD Port  Exchange Ports - 2-Wire IDD Port (See Notes below.)		UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPBO UEPBO UEPAW UEPBI UEPAW UEPBI UEPBI UEPAW UEPBI UEPAW UEPBI UEPAW UEPBI UEPDD UEPPZ UEPPD	2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 21,93 41,93 0.00 0.00 238,61 404.04 145.54 0.00	21.93 21.93 21.93 21.93 21.93 0.00 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93 21.93	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	N ports.		27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44
Exchange F NOTE: Alth  2-WIRE VOI  FEATURES  2-WIRE VOI  FEATURES  EXCHANGE	ough the Port Rate includes all available features in GA, KY, LA & TN, the of CE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port Res.  Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire WG unbundled AL extended local dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled Res, low usage line port with Caller ID (LUM)  Subsequent Activity  All Available Vertical Features  CE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller L484 ID - Bus  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Exchange Ports - 2-Wire IDI Port  Exchange Ports - 2-Wire IDI Port  Exchange Ports - 2-Wire IDI Port (See Notes below.)  All Features Offered	apply to o	UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPRL UEPRC UEPRO UEPAR UEPAP USASC  UEPVF  UEPBL UEPBC UEPBO UEPBO UEPBO UEPBO UEPDI UEPTI UEPBO UEPDI UEPTI UEPTI USASC	2.07 2.07 2.07 2.07 2.07 0.00 5.55 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07	21,93 21,93 21,93 0.00 21,93 21,93 21,93 21,93 21,93 21,93 21,93 40,00 0.00 0.00 140,04 145,54 0.00 mission by E	21.93 21.93 21.93 21.93 0.00 21.93 2	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21	6.21 6.21 6.21 6.21 6.21 6.21 6.21 6.21		siness Req	27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 19.99 19.99	12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97 12.97	17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77 17.77	1.44 1.44 1.44 1.44 1.44 1.44 1.44 1.44

								F	RATES (\$)					OSS RA	ATES (\$)		
CATEG	GORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	urring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
1		Funkana Parta A Wire ICDN DCA Part			UEPEX	UEPEX	Rec	First 407.62	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 4-Wire ISDN DS1 Port					96.37		203.11	158.35	40.11			54.75	54.75	11.53	11.53
		2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44 0.48
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP UEPSP	UEPA2 UEPLD	2.07	21.93	21.93	6.21	6.21			27.37	12.97 12.97	17.77	1.44
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPLD	2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97	17.77 17.77	1.44 1.44
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		Calling Port			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
		Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPSP	UEPXO	2.07	21.02	21.93	6.04	6.04			27.27	12.07	17 77	1 14
		Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<b> </b>	$\vdash$	UEPSP	UEPXO	2.07	21.93 21.93	21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97	17.77 17.77	1.44
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	0.21	0.21			27.07	12.01		
	FEATURES	Subsequent / Otterty			OLI OI	JUAGU	0.00	0.00	0.00								
		All Available Vertical Features			UEPSE	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
		PORT RATES (COIN)			UEFOE	UEFVF	0.05	0.00	0.00					21.31	12.97	17.77	1.44
	LACHANGE	Exchange Ports - Coin Port	<b> </b>				2.34	21.93	21.93	5.21	5.21			25.93	12.97	16.33	0.48
											· - ·						
		nsmission/usage charges associated with POTS circuit switched usage will also ess to B Channel or D Channel Packet capabilities will be available only through											siness Req	uest Process.			
JNBUNDLE	NOTE: Acce												siness Req	uest Process.			
	NOTE: Acce	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE											siness Req	uest Process.			
	NOTE: Acce D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage)					or the packet cap						siness Req	uest Process.			
	NOTE: Acce D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU					or the packet cap						isiness Req	uest Process.			
	NOTE: Acce D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage)					or the packet cap						siness Req	uest Process.			
	D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU  Attching (Port Usage) (Local or Access Tandem)					0.0018 0.0002						siness Req	uest Process.			
	D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Tunk Port - Shared, Per MOU strching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU					0.0018 0.0002						isiness Req	uest Process.			
	D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU  Attching (Port Usage) (Local or Access Tandem)					0.0018 0.0002						isiness Req	uest Process.			
	NOTE: Acce D LOCAL SI End Office :	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU  Attching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU  Tandem Trunk Port - Shared, Per MOU					0.0018 0.0002						isiness Req	uest Process.			
	D LOCAL SV End Office S	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU  Atching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU  Tandem Trunk Port - Shared, Per MOU  Tansport  Common Transport - Per Mile, Per MOU					0.0018 0.0002 0.00063 0.00033						isiness Req	uest Process.			
	NOTE: Acce D LOCAL SI End Office :	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU sitching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU					0.0018 0.0002 0.00063 0.00033						siness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU intching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.0018 0.0002 0.00063 0.00033						isiness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage)  End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU  Atching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU  Tandem Trunk Port - Shared, Per MOU  Tansport  Common Transport - Per Mile, Per MOU					0.0018 0.0002 0.00063 0.00033						isiness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU intching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU					0.0018 0.0002 0.00063 0.00033						siness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU intching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	BFR/Ne	w Busi	iness Request F	Process. Rates for	0.0018 0.0008 0.0002 0.00063 0.00003 0.00001 0.000045						isiness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES	BFR/Ne	w Busi	iness Request F	Process. Rates for some states	0.0018 0.0002 0.00063 0.00003 0.00001 0.00045	abilities will	be determine	ed via the Bor			siness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU intching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES	BFR/Ne	w Busi	iness Request F	Process. Rates for some states	0.0018 0.0002 0.00063 0.00003 0.00001 0.00045	abilities will	be determine	ed via the Bor			siness Req	uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  ransport Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES	BFR/Ne	w Busi	e Unbundled Loc	Process. Rates for several sev	0.0018 0.0008 0.0002 0.00063 0.0003 0.00001 0.00045	abilities will	be determine	ed via the Bor	na Fide Requ	est/New Bu		uest Process.			
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through  WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU  Atching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU  Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in t	BFR/Ne	w Busi	e Unbundled Loc er as they are a	Process. Rates for a second of the second of the second of the star pply to all combins to the star pply to all combins.	0.0018 0.0002 0.00063 0.0003 0.00001 0.00045 witch Ports.	abilities will	be determined by the determine	ate Exhibit.	na Fide Requ	p Combinat	ions.		mbined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU  Itandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU OPP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to und Tandem Switching Usage and Common Transport Usage rates in the Port sec , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 uwitch Ports. ad-Alone Unbundle	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tommon Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to and Tandem Switching Usage and Common Transport Usage rates in the Port set or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonce	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 uwitch Ports. ad-Alone Unbundle	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		mbined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU  Itandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU OPP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to und Tandem Switching Usage and Common Transport Usage rates in the Port sec , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 uwitch Ports. ad-Alone Unbundle	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU Attching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to and Tandem Switching Usage and Common Transport Usage rates in the Port sec , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 uwitch Ports. ad-Alone Unbundle	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU Attching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to and Tandem Switching Usage and Common Transport Usage rates in the Port see , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) DOD Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 uwitch Ports. ad-Alone Unbundle	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU  Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU  Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in t und Tandem Switching Usage and Common Transport Usage rates in the Port sec or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  DOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0002 0.00063 0.0003 0.00033 0.00001 0.00045 witch Ports. nd-Alone Unbundle attions of loop/por rently Combined Nonrecurring - Cu	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU Attching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to and Tandem Switching Usage and Common Transport Usage rates in the Port see , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES) DOD Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0008 0.0008 0.0008 0.0008 0.0008 0.0009 0.0009 0.00045 0.00045 witch Ports. ad-Alone Unbundle attions of loop/por rently Combined Vonrecurring - Cu	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Switching Usage and Common Transport Usage rates in the Port set of Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecommendation of the Combos of GA, KY, LA, TN and all other states, the nonrecommendation Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	n rule to phe same	w Busi	e Unbundled Loc er as they are a e exhibit shall a	Process. Rates for a second of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinations of the star poly to all combinat	0.0018 0.0002 0.00063 0.0003 0.00033 0.00001 0.00045 witch Ports. nd-Alone Unbundle attions of loop/por rently Combined Nonrecurring - Cu	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tansport Common Transport - Per Mile, Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to und Tandem Switching Usage and Common Transport Usage rates in the Port set or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  DOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	n rule to phe same	porovide a mannihis rati	e Unbundled Locer as they are a e exhibit shall a Currently Combs shall be those	cal Switching or S applied to the Star poly to all combin- bined and Not Cut identified in the I	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Switching Function, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in t and Tandem Switching Usage and Common Transport Usage rates in the Port sec r, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Doop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	n rule to phe same	provide mann 1 2 3 3 1 2 2	e Unbundled Loc er as they are a e exhibit shall a Currently Comb s shall be those	cal Switching or S applied to the Star poly to all combined and Not Cur identified in the I	0.0018 0.0002 0.00063 0.0003 0.00033 0.00001 0.00045 0	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		mbined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tansport Common Transport - Per Mile, Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to und Tandem Switching Usage and Common Transport Usage rates in the Port set or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  DOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	n rule to phe same	porovide a mannihis rati	e Unbundled Locer as they are a e exhibit shall a Currently Combs shall be those	cal Switching or S applied to the Star poly to all combin- bined and Not Cut identified in the I	0.0018 0.0008 0.00063 0.00003 0.000045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU  Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU  Common Transport - Per Mile, Per MOU Common Transport - Per Mile, Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in t und Tandem Switching Usage and Common Transport Usage rates in the Port ser or Currently Combined Combos in GA, KY, LA, TN and all other states, the norre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  DOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  States 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	n rule to phe same	provide mann 1 2 3 3 1 2 2	e Unbundled Loc er as they are a e exhibit shall a Currently Comb s shall be those	cal Switching or S applied to the Star poly to all combined and Not Cur identified in the I	0.0018 0.0002 0.00063 0.0003 0.00033 0.00001 0.00045 0	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Switching Function, Per MOU Tandem Switching Function Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in t and Tandem Switching Usage and Common Transport Usage rates in the Port sec r, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or Currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Doop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	n rule to phe same	provide mann 1 2 3 3 1 2 2	e Unbundled Loc er as they are a e exhibit shall a Currently Comb s shall be those	cal Switching or S applied to the Star poly to all combined and Not Cur identified in the I	0.0018 0.0002 0.00063 0.0003 0.00033 0.00033 0.00045 0	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.		ombined		
	NOTE: According to the control of th	ess to B Channel or D Channel Packet capabilities will be available only through WITCHING, PORT USAGE  Switching (Port Usage) End Office Switching Function, Per MOU End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU Tandem Trunk Port - Shared, Per MOU  Common Transport - Per Mile, Per MOU OP COMBINATIONS - COST BASED RATES  Rates are applied where BellSouth is required by FCC and/or State Commission all apply to the Unbundled Port/Loop Combination - Cost Based Rate section in to and Tandem Switching Usage and Common Transport Usage rates in the Port set , Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges or currently Combined Combos in GA, KY, LA, TN and all other states, the nonre CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	n rule to phe same	provide mann 1 2 3 3 1 2 2	e Unbundled Loder as they are as exhibit shall a Currently Comb s shall be those	cal Switching or S applied to the Star pply to all combin- bined and Not Cur identified in the I  UEPLX UEPLX UEPLX	0.0018 0.0008 0.00063 0.00003 0.000045 0.000045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00045 0.00044 0.00045 0.0004	abilities will  add Port sect t network el  Combos ana	ion of this R ements exce	ate Exhibit.	na Fide Requ	p Combinat	ions.	ot Currently Co			

					,	l	RATES (\$)				ı	OSS RA	TES (\$)		
GORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	usoc	_	Nonrec	urring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire voice Grade unbundled Alabama extended local dialing parity port with		HEDDY	LIEDAD	0.00							10.71			
Ca	aller ID - res Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX UEPRX	UEPAR UEPAP	2.20 2.20							40.71 40.71	9.58 9.58		
2-1	vine voice unbundles res, low usage line port with Caller ID (LOW)		OLFIX	OLI AI	2.20							40.71	9.36		
FEATURES	I Frank and Officer I		HEDDY	LIED) (E		0.00	0.00					10.71			
All	Features Offered		UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LOCAL NUMB	ER PORTABILITY														
Lo	ocal Number Portability (1 per port)		UEPRX	LNPCX	0.35										
NONDECLIDA	ING CHARGES (NRCs) - CURRENTLY COMBINED														
NONKECOKKI 2-1	Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		2.80	0.41					40.71	9.58		
2-1	Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with														
ch	nange	$\vdash$	UEPRX	USACC		2.80	0.41					40.71	9.58		
	Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent atabase Update					1.44						8.25			
Da	arabase opudio					1.44						0.25			
ADDITIONAL N	NRCs														
2-1	Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
2-WIRE VOICE	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	+													
Z TVINE VOICE	- ONADE EGGI WITH E-WINE EINE FORT (DOG)														1
UNE Port/Loop	p Combination Rates														
2-1	Wire VG Loop/Port Combo - Zone 1	1			16.55										
	Wire VG Loop/Port Combo - Zone 2 Wire VG Loop/Port Combo - Zone 3	3			25.51 44.44										
2-1	THIC TO LOOP TO CONIDO - ZONE O	3			77.74										1
UNE Loop Rat															
2-1	Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14.35										
	Wire Voice Grade Loop (SL1) - Zone 2 Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX UEPBX	UEPLX UEPLX	23.31 42.24										
			52. DA	52. EX	72.27										
	Grade Line Port (Bus)	$\sqcup \sqcup \sqcup$	LIEBBY (											-	
	Wire voice unbundled port without Caller ID - bus Wire voice unbundled port with Caller + E484 ID - bus	+	UEPBX UEPBX	UEPBL UEPBC	2.20 2.20							40.71 40.71	9.58 9.58		
2-1	Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2.20							40.71	9.58		
2-1	Wire voice Grade unbundled Alabama extended local dialing parity port with														
	aller ID - bus Wire voice unbundled incoming only port with Caller ID - Bus	+	UEPBX UEPBX	UEPAW UPEB1	2.20 2.20							40.71 40.71	9.58 9.58		
2-1	THE VOICE UNDURAGED INCOMING ONLY POR WITH CARET ID - DUS		OLFDA	OF LD I	2.20							40.71	9.00		1
	ER PORTABILITY														
Lo	ocal Number Portability (1 per port)	$\Box$	UEPBX	LNPCX	0.35										
FEATURES		+										<del>                                     </del>			
	Features Offered		UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
			•												
	ING CHARGES (NRCs) - CURRENTLY COMBINED Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	+	UEPBX	USAC2		2.80	0.41					40.71	9.58		
2-1	Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with		OLI'DA	UUAUZ		2.00	0.41					40.71	9.08		
ch	nange		UEPBX	USACC		2.80	0.41								
2-1	Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent	1   1			I	1.44						8.25			
Da	atabase Update	+				1.44						8.25			
ADDITIONAL N															
2-1	Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2								40.71	9.58		
2-WIRE VOICE	E GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	$\vdash$													
Z-VVIINE VOICE	- OUNDE FOOL MILLISAMUE FINE LOLI (VEG - LDV)														
UNE Port/Loop	p Combination Rates														<u> </u>
2-1	Wire VG Loop/Port Combo - Zone 1	1			16.55				-						
	Wire VG Loop/Port Combo - Zone 2 Wire VG Loop/Port Combo - Zone 3	3			25.51 44.44										
2-1	WHE VO LOOP/F OR COINDO - ZONE 3	3			44.44										1
UNE Loop Rat	tes														
	Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	14.35										
	Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	23.31										
	• • • •	3	UEPRG	UEPLX	42.24										
2-1	Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLA	42.24										
2-Wire Voice 0	Grade Line Port Rates (RES - PBX)														
	Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2.20							40.71	9.58		1

NONRECURRING CHA  2-Wire Vo As-Is 2-Wire Vo As-Is 2-Wire Vo Mith Chang 2-Wire Vo Database I  ADDITIONAL NRCs 2-Wire Vo PBX Subse  2-Wire Vo PBX Subse  2-Wire Vo 3-Wire  Jumber Portability (1 per port)  Lures Offered  LHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3		Zone	UEPRG UEPRG UEPRG UEPRG	USAC2 USAC2 USAC2 USAS2	3.50 5.55	Nonrec First  0.00  2.80  2.80  1.44  0.00  14.64	0.00 0.41 0.41	Nonrecurring First	Disconnect Add'i	Svc Order Submitted Else per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	40.71 40.71	Incremental Charge - Manual Svc Order vs. Electronic-Addition SOMAN  9.58  9.58	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Sve Order vs. Electronic-Disc Add'I SOMAN	
Local Numl  FEATURES  All Feature  NONRECURRING CHA 2-Wire Vo As-Is 2-Wire Vo Mith Chang 2-Wire Vo Database I  ADDITIONAL NRCS 2-Wire Vo PBX Subse  2-Wire Vo 3-Wire V	Jumber Portability (1 per port)  Lures Offered  LHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG UEPRG UEPRG	UEPVF USAC2 USACC	3.50	0.00 2.80 2.80 1.44	0.00			SOMEC	SOMAN	40.71	9.58	SOMAN	SOMAN
Local Numl  FEATURES  All Feature  NONRECURRING CHA 2-Wire Vo As-Is 2-Wire Vo Mith Chang 2-Wire Vo Database I  ADDITIONAL NRCS 2-Wire Vo PBX Subse  2-Wire Vo 3-Wire V	Jumber Portability (1 per port)  Lures Offered  LHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG UEPRG UEPRG	UEPVF USAC2 USACC	5.55	2.80 2.80 1.44	0.41					40.71	9.58		
Local Numl  FEATURES  All Feature  NONRECURRING CHA 2-Wire Vo As-Is 2-Wire Vo Mith Chang 2-Wire Vo Database I  ADDITIONAL NRCS 2-Wire Vo PBX Subse  2-Wire Vo 3-Wire V	Jumber Portability (1 per port)  Lures Offered  LHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Switch-  voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG UEPRG UEPRG	UEPVF USAC2 USACC	5.55	2.80 2.80 1.44	0.41					40.71	9.58		
NONRECURRING CHA  2-Wire Vo As-Is 2-Wire Vo As-Is 2-Wire Vo Mith Chang 2-Wire Vo Database I  ADDITIONAL NRCs 2-Wire Vo PBX Subse  2-Wire Vo PBX Subse  2-Wire Vo 3-Wire  ures Offered  CHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  ange  Voice Grade Loop / Line Port Combination - Conversion - Subsequent  se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity  besquent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG UEPRG UEPRG	UEPVF USAC2 USACC	5.55	2.80 2.80 1.44	0.41					40.71	9.58			
All Feature  NONRECURRING CHA  2-Wire Vo As-Is 2-Wire Vo With Chang 2-Wire Voi Database I  ADDITIONAL NRCs 2-Wire Voi PBX Subse  2-Wire Voi PBX Subse  2-Wire Voi 2-W	CHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Ange  Voice Grade Loop / Line Port Combination - Conversion - Subsequent  Set Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity  Absequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG UEPRG	USAC2 USACC		2.80 2.80 1.44	0.41					40.71	9.58		
All Feature  NONRECURRING CHA  2-Wire Vo As-Is 2-Wire Vo With Chang 2-Wire Voi Database I  ADDITIONAL NRCs 2-Wire Voi PBX Subse  2-Wire Voi PBX Subse  2-Wire Voi 2-W	CHARGES (NRCs) - CURRENTLY COMBINED  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-  Ange  Voice Grade Loop / Line Port Combination - Conversion - Subsequent  Set Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity  Absequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG UEPRG	USAC2 USACC		2.80 2.80 1.44	0.41					40.71	9.58		
2-Wire Vo As-Is 2-Wire Vo With Chang 2-Wire Voi Database I  ADDITIONAL NRCs 2-Wire Voi PBX Subse 2-WIRE VOICE GRADE 2-Wire Voi 2-Wir	Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch- Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch ange Voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity absequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG	USACC		2.80 2.80 1.44	0.41					40.71			
2-Wire Vo As-Is 2-Wire Vo With Chang 2-Wire Voi Database I  ADDITIONAL NRCs 2-Wire Voi PBX Subse 2-WIRE VOICE GRADE 2-Wire Voi 2-Wir	Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch- Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch ange Voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity absequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG	USACC	0.00	2.80	0.41					40.71			
As-Is 2-Wire Voi Database I 2-Wire Voi Database I 2-Wire Voi Database I 2-Wire Voi PBX Subse  2-Wire Voi	Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch ange Voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity - Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3			UEPRG	USACC	0.00	2.80	0.41					40.71			
with Chang 2-Wire Voi Database I  ADDITIONAL NRCs  2-Wire Voi PBX Subse  2-WIRE VOICE GRADE  2-Wire Voi 2-Wire	ange Voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1					0.00	0.00	0.00						9.58		
2-Wire Voi Database I Database I Database I ADDITIONAL NRCs 2-Wire Vo PBX Subse  2-Wire Voi	Voice Grade Loop / Line Port Combination - Conversion - Subsequent se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1					0.00	0.00	0.00						9.58	'	
Database I  ADDITIONAL NRCs  2-Wire Vo PBX Subse  PBX Subse  PBX Subse  2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voi	se Update  Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity basequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG	USAS2	0.00	0.00									
2-Wire Vo PBX Subse PBX Subse  2-WIRE VOICE GRADE 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voice Grade Li Line Side L Line Side L Line Side L Line Side V 2-Wire Voi	Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG	USAS2	0.00							8.25		ı	
2-Wire Vo PBX Subse PBX Subse  2-WIRE VOICE GRADE 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voice Grade Li Line Side L Line Side L Line Side L Line Side V 2-Wire Voi	Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity ubsequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			UEPRG	USAS2	0.00										
PBX Subse  2-WIRE VOICE GRADE  UNE POrt/Loop Combi 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voi	absequent Activity - Change/Rearrange Multiline Hunt Group  ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  Imbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1			JLI NO	00/102	0.00							40.71	9.58		
2-WIRE VOICE GRADE  UNE PORT/Loop Combi 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voi Calling Por	ADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)  mbination Rates  VG Loop/Port Combo - Zone 1  VG Loop/Port Combo - Zone 2  VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1							14.64					19.99	19.99	19.99	19.99
UNE Port/Loop Combi 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voice Grade Li Line Side t Line Side t Line Side t 2-Wire Voi	mbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 Voice Grade Loop (SL 1) - Zone 1					L										
UNE Port/Loop Combi 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voice Grade Li Line Side t Line Side t Line Side t 2-Wire Voi	mbination Rates VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 Voice Grade Loop (SL 1) - Zone 1															
2-Wire VG 2-Wire VG 2-Wire VG 2-Wire VG 2-Wire Voi	VG Loop/Port Combo - Zone 1 VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3 Voice Grade Loop (SL 1) - Zone 1				Ì											
2-Wire VG 2-Wire VG 2-Wire Voi	VG Loop/Port Combo - Zone 2 VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1															
2-Wire VG  UNE Loop Rates  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  Line Side t  Line Side t  Line Side t  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  2-Wire Voi  Calling Por  Calling Por	VG Loop/Port Combo - Zone 3  Voice Grade Loop (SL 1) - Zone 1					16.55 25.51										
2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voice Grade Li Line Side L Line Side L Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por			3			44.44										
2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voice Grade Li Line Side L Line Side L Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por																
2-Wire Voi 2-Wire Voi 2-Wire Voice Grade Li Line Side L Line Side L Line Side L Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por				UEPPX	LIEDLY	1105										
2-Wire Voi 2-Wire Voice Grade Li Line Side L Line Side L Line Side L Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi C-Wire Voi C-Wire Voi C-Wire Voi	Voice Crade Lean (SL 1) Zone 2		2	UEPPX	UEPLX UEPLX	14.35 23.31										
2-Wire Voice Grade Li Line Side t Line Side t Line Side t 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	Voice Grade Loop (SL 1) - Zone 2 Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42.24										
Line Side t Line Side t Line Side t Line Side t 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por																
Line Side L Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	e Line Port Rates (BUS - PBX)			UEPPX	UEPPC	2.20							40.74	0.50		
Line Side L 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	de Unbundled Combination 2-Way PBX Trunk Port - Bus de Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20							40.71 40.71	9.58 9.58		
2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	de Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20							40.71	9.58		
2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	Voice Unbundled 2-Way Combination PBX Alabama Calling Port Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPA2 UEPLD	2.20							40.71 27.37	9.58 9.58		
2-Wire Voi 2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.20							40.71	9.58		
2-Wire Voi 2-Wire Voi 2-Wire Voi Calling Por	Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.20							40.71	9.58		
2-Wire Voi 2-Wire Voi Calling Por	Voice Unbundled PBX LD DDD Terminals Port Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX UEPPX	UEPXC UEPXD	2.20 2.20							40.71 40.71	9.58 9.58		
Calling Por	Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.20							40.71	9.58		
	Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative														ı	
2-Wire Voi	Port Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPPX	UEPXL	2.20							40.71	9.58		
Port		<u> </u>		UEPPX	UEPXM	2.20							40.71	9.58	l	
	Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room	1 7	1 1	UEPPX	UEPXO	2.22							40.74		, 7	<u></u>
Calling Por 2-Wire Voi	Port Voice Unbundled 1-Way Outgoing PBX Measured Port	+	$\vdash$	UEPPX	UEPXO	2.20							40.71 40.71	9.58 9.58		
				-												
LOCAL NUMBER POR	ORTABILITY  lumber Portability (1 per port)	1		UEPPX	LNPCP	3.15										
Local Num	iumber Fortability (1 per port)	1	1	UEPPA	LINPUP	3.15										
FEATURES																
All Feature	rures Offered		$\vdash \vdash$	UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONRECURRING CHA	HARGES (NRCs) - CURRENTLY COMBINED	1	$\vdash$			+										-
2-Wire Vo	Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-	1 1														
As-Is	Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch	1 1		UEPPX	USAC2		2.80	0.41					40.71	9.58	$\longrightarrow$	
with Chang		1 1		UEPPX	USACC		2.80	0.41					40.71	9.58		
2-Wire Voi	Voice Grade Loop / Line Port Combination - Conversion - Subsequent				22.100			0.11						5.50		
Database I	and the date						1.44						8.25			
ADDITIONAL NRCs	se upaate	+ +	$\vdash$													
2-Wire Vo	•	1		UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		1 7			$\vdash$	14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE VOICE GRADE			$\vdash$		ı	1										

						F	RATES (\$)					OSS RA	ATES (\$)		
EGORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	USOC		Nonrec	urring	N	Diagonal	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
					Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Lo	oop Combination Rates														
	2-Wire VG Coin Port/Loop Combo – Zone 1				16.88										
	2-Wire VG Coin Port/Loop Combo – Zone 2				25.84										
	2-Wire VG Coin Port/Loop Combo – Zone 3				44.77										
UNE Loop F	Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	42.24										
	e Grade Line Ports (COIN)														
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY,														
	LA, MS)		UEPCO	UEPRF	2.53							40.71	9.58		
1	2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	2.53							40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976,		LIEBOO	LIEDDA	0.55						1	40 =:	0.55		
1	1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2.53							40.71	9.58		
1	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2.53							40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD,		LIEBCO	HEDOD	0.50						1	40.74	0.50		
+	011+, & Local (AL, KY, LA, MS)		UEPCO UEPCO	UEPCD UEPRK	2.53 2.53						-	40.71 40.71	9.58 9.58	-	
+ -	Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)     Wire Coin Outward with Operator Screening and Blocking: 011, 900/976,		UEFCU	UEPKK	2.53							40.71	9.58		
	12-Wire Coin Outward with Operator Screening and Biocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2.53						1	40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+,		UEFCO	UEFKH	2.55							40.71	9.36		
	2-Wire Com Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+,		UEPCO	UEPCN	2.53						1	40.71	9.58		
+	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	2.53							40.71	9.58		
1	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	2.53							40.71	9.58		
ADDITIONA	L UNE COIN PORT/LOOP (RC)				2.50								2.00		
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	1.56	0.00	0.00								-
LOCAL NUM	MBER PORTABILITY											<b> </b>			
	Local Number Portability (1 per port)		UEPCO	LNPCX	0.35							<b> </b>			
1	Ecodi Hambor Conduitty (1 por port)		JL1 00	LINI OX	0.55										
FEATURES												1			
												1			
NONRECUR	RRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with														
	change		UEPCO	USACC		2.80	0.41				L	40.71	9.58		
				-											
ADDITIONA															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0.00	0.00		•			40.71	9.58		
2-WIRE VOI	CE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
INF	O and the office Butter											1			
UNE Port/Lo	oop Combination Rates				00.50										
+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			29.59						-	1		-	
1	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			36.58 45.06							<b> </b>			
+ -	Z TTHE TO LOUPIZ-TTHE DID THINK FOR COMIDO - UNE ZONE 3	3			45.00							1			
UNE Loop F	Rates									<b> </b>	-			<b> </b>	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	20.42							1			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	27.41							1			
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	35.89										
	. , /			-											
UNE Port Ra											1				
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9.17							40.71	9.58		
				·											
NONRECUR	RRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		14.61	3.73					40.71	9.58		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth			-											
	Allowable Changes		UEPPX	USA1C		14.61	3.73					40.71	9.58		
1											1			ļ	
ADDITIONA			LIEDD)/												
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53.56	53.56					40.71	9.58		
L															
Telephone	Number/Trunk Group Establisment Charges		LIEBBY	LIE-											
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0.00	0.00	0.00					19.99	19.99		
	Additional DID Numbers for each Group of 20 DID Numbers	1 1 1	UEPPX	ND4	0.00	0.00	0.00					19.99 19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0.00	0.00	0.00								

								RATES (\$)					OSS RA	ATES (\$)		
GORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	urring	Nonrecurrin	g Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic-D Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
R	Reserve Non-Consecutive DID numbers		$\vdash$	UEPPX	ND6	0.00	0.00	0.00				40.00	19.99	19.99		
R	Reserve DID Numbers		-	UEPPX	NDV	0.00	0.00	0.00				19.99	<del></del>			
	BER PORTABILITY															
Le	ocal Number Portability (1 per port)		$\vdash$	UEPPX	LNPCP	3.15										
2-WIRE ISDN	I DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		-									<del>                                     </del>				
UNE Port/Loc	op Combination Rates		$\vdash$	UEPPB		++						<u> </u>				
21	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1 1	UEPPR	1	36.62										
				UEPPB												
2	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPR UEPPB		44.49										
21	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPR		55.39										
UNE Loop Ra	ates		$\dashv$			<del></del>						<del>                                     </del>				
			$\vdash$	UEPPB												
2-	-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPR UEPPB	USL2X	27.20					<u> </u>	<b> </b>	19.99	19.99	19.99	19.9
2-	-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPR	USL2X	35.07						L '	19.99	19.99	19.99	19.9
				UEPPB												
	-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPR	USL2X	45.97						<b></b>	19.99	19.99	19.99	19.9
UNE Port Rat	te		H	UEPPB												
E	Exchange Port - 2-Wire ISDN Line Side Port		$\vdash$	UEPPB	UEPPB	9.42						<u> </u>	19.99	19.99	19.99	19.9
NONRECURR	RING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		ıl	UEPPB UEPPR	USACB	0.00	77.01	54.04				'	19.99	19.99	19.99	19.9
			$\Box$													
ADDITIONAL	NRCS		$\vdash$										<del> </del>			
LOCAL NUME	BER PORTABILITY															
	and Number Portability (4 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
L	ocal Number Portability (1 per port)		$\overline{}$	UEPPR	LINPUX	0.35	0.00	0.00								
B-CHANNEL	USER PROFILE ACCESS:															
	NICIOCO (DMC/FECC)		ı	UEPPB UEPPR	LIALICA	0.00	0.00	0.00								
C	CVS/CSD (DMS/5ESS)		$\dashv$	UEPPR	U1UCA	0.00	0.00	0.00			$\vdash$		$\vdash$			
С	CVS (EWSD)			UEPPR	U1UCB	0.00	0.00	0.00				<u> </u>				
	CSD		ı	UEPPB UEPPR	U1UCC	0.00	0.00	0.00				'				
			$\Box^{\dagger}$	OLIFE	01000	0.00	0.00	0.00								
D 0114 - 11 - 1	AREA BLUG HOER PROFILE ACCESS (11 1971 - 112 CO 112		$_{\scriptscriptstyle \rm I}$													
B-CHANNEL	AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)		$\vdash$	UEPPB		<del>                                     </del>						<del>                                     </del>	$\vdash$			
С	CVS/CSD (DMS/5ESS)			UEPPR	U1UCD	0.00	0.00	0.00				L '	I			
			П	UEPPB	HALICE	0.00	0.00	0.00								
C	CVS (EWSD)		$\dashv$	UEPPR UEPPB	U1UCE	0.00	0.00	0.00				<del>                                     </del>				
С	CSD		$\sqcup \downarrow$	UEPPR	U1UCF	0.00	0.00	0.00				L				
LICED TEDMI	NAL PROFILE		$\vdash$			<del>                                     </del>					$\vdash$	<b></b> '	$\vdash$			
OJEK TEKIVIII	INAL FIVORILL		$\dashv$	UEPPB								<b></b>				
U	Jser Terminal Profile (EWSD only)		$\sqcup$	UEPPR	U1UMA	0.00	0.00	0.00			<u> </u>	<b></b> '				
VERTICAL FE	EATURES		$\vdash$			<del>                                     </del>					$\vdash$	<del>                                     </del>	$\vdash$			
			$\vdash$	UEPPB												
A	N Vertical Features - One per Channel B User Profile		$\vdash$	UEPPR	UEPVF	5.55	0.00	0.00				<u> </u>	40.71	9.58		
INTEROFFICE	E CHANNEL MILEAGE		$\dashv$			<del>                                     </del>					$\vdash$	<b> </b>	$\vdash$			
	· · · · · · · · · · · · · · · · · · ·		$\sqcap$	UEPPB												
In	nteroffice Channel mileage each, including first mile and facilities termination			UEPPR	M1GNC	17.81	107.11	48.27				<u> </u>	19.99	19.99	19.99	19.9
	nteroffice Channel mileage each, additional mile			UEPPB	l MACNIM	0.0000	0.00	0.00				0.00				
li li i	nierouice Channel mileage each, additional mile	1	n l	UEPPR	M1GNM	0.0339	0.00	0.00	l			0.00				
In	Noticines Chamber mileage cach, additional mile		$\neg$	i i	·						1		1			

							RATES (\$)					OSS RA	TES (\$)		
NTEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	usoc		Nonrec	urring	Management	Discount	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
					Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/L	oop Combination Rates														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		198.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		274.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		425.41										
UNE Loop	Potes														
ONE LOOP	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	101.92							19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	177.63							19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	329.04							19.99	19.99	19.99	19.99
	, , , , , , , , , , , , , , , , , , ,														
UNE Port R															
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	96.37							19.99	19.99	19.99	19.99
NONRECU	RRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is		UEPPP	USACP	0.00	238.13	157.11					19.99	19.99	19.99	19.99
ADDITIONA	AL NRCs														
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel														
	nos within Std Allowance		UEPPP	PR7TF		0.9801						19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers														
	(All States except NC)		UEPPP	PR7TO		23.02	23.02					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel		LIEDDD	DDTT		40.05	40.05					40.00		40.00	40.00
	Nos Above Std Allowance		UEPPP	PR7ZT		46.05	46.05					19.99	19.99	19.99	19.99
LOCAL NU	IMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPPP	LNPCN	1.75										
INTERFACE	E (Provsioning Only)		UEPPP	PR71V	0.00	0.00	0.00								
	Voice/Data Digital Data		UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data		UEPPP	PR71E	0.00	0.00	0.00								
	Iliwald Data		OLITI	FINTE	0.00	0.00	0.00								
New or Add	ditional "B" Channel														
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0.00	29.05						19.99	19.99	19.99	19.99
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0.00	29.05						19.99	19.99	19.99	19.99
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0.00	29.05						19.99	19.99	19.99	19.99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0.00	29.05						19.99	19.99	19.99	19.99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0.00	29.05						19.99	19.99	19.99	19.99
OALL TYPE															
CALL TYPE			UEPPP	PR7C1	0.00	0.00	0.00								
+	Inward Outward		UEPPP	PR7C1	0.00	0.00	0.00								
-	Two-way		UEPPP	PR7CC	0.00	0.00	0.00								
			02		5.50	0.00	0.50								
Interoffice	Channel Mileage														
	Fixed Each Including First Mile	$\sqcup \sqcup \sqcup$	UEPPP	1LN1A	80.382	198.15	148.18	25.44				19.99	19.99	19.99	19.99
	Each Airline-Fractional Additional Mile	-	UEPPP	1LN1B	0.692										
4-WIRE DS	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del>                                     </del>		<del> </del>							-				
L D3	J. S.S. J. LOOF WITH THINK DON'T INDING FORT			<b> </b>	<del>                                     </del>										
LINE Day"	Loop Combination Rates				+										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC	<del>                                     </del>	170.59							19.99	19.99	19.99	19.99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		246.30							19.99	19.99	19.99	19.99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		397.71							19.99	19.99	19.99	19.99
			-												
UNE Loop					-										
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	101.92							19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC	177.63							19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	329.04							19.99	19.99	19.99	19.99
			_												
UNE Port R	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	68.67							19.99	19.99	19.99	19.99
	TWIG DETTO DIGITAL TRAINS ON							1		1					
					<del>                                     </del>										
	RRING CHARGES - CURRENTLY COMBINED		UEPDC	USAC4		258.98	134.03					19.99	19.99	19.99	19.99
			UEPDC	USAC4		258.98	134.03					19.99	19.99	19.99	19.99

								RATES (\$)			-		055 K/	ATES (\$)		1
EGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	curring	Nonrecurring	Discount	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manua Svc Order vs. Electronic-Add'	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion															
	with Change - Trunk	⊢—	+	UEPDC	USAWB		258.98	134.03					19.99	19.99	19.99	19.99
ADDITION	NAL NRCs	<del>                                     </del>	+													
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel															
	Activation/Chan - 2-Way Trunk		$\vdash$	UEPDC	UDTTA		28.85	28.95					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	$\vdash$													10.00	
	Activation/Chan Inward Trunk w/out DID		Ь.	UEPDC	UDTTC		28.85	28.85					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan -	<del>                                     </del>	+				20.00	20.03					13.33	13.33	19.99	13.33
	2-Way DID w User Trans	Į		UEPDC	UDTTE		28.85	28.85					19.99	19.99	19.99	19.99
BIPOLAR	8 ZERO SUBSTITUTION	<u> </u>	$\perp$													
1	B8ZS - Superframe Format B8ZS - Extended Superframe Format	⊢—	+-	UEPDC UEPDC	CCOSF		0.00	600.00 600.00					19.99 19.99	19.99 19.99	19.99	19.99 19.99
	DOLO EMONGO OUPORTAINO FORMAT	<del>                                     </del>	+	OLI DO	OOOLI		0.00	000.00					15.55	15.55	10.00	15.55
Alternate	Mark Inversion															
	AMI - Superframe Format	├──	+	UEPDC UEPDC	MCOSF MCOPO		0.00	0.00						-		
+	AMI - Extended SuperFrame Format	├──	+-	UEPDC	IVICUPU		0.00	0.00								
		匸														
							-					-				
Telephon	ne Number/Trunk Group Establisment Charges	<u> </u>	4-		1											
	Telephone Number for 2-Way Trunk Group		$\vdash$	UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	⊢—	+	UEPDC UEPDC	UDTGY	0.00							19.99 19.99	19.99 19.99		
	DID Numbers for each Group of 20 DID Numbers	$\vdash$	+	UEPDC	ND4	0.00	0.00						19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		4	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00					19.99 19.99	19.99 19.99		
	Reserve DID Numbers	$\vdash$	+	OLFDC	INDV	0.00	0.00	0.00					19.55	15.55		
Dedicated	d DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with	4-Wire	DDIT													
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	4-Wire	DDITS	UEPDC	1LNO1	79.69 0.692	198.15	148.18	25.44	20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	4-Wire	DDITS	UEPDC UEPDC UEPDC	1LNO1 1LNOA 1LNO2	79.69 0.692 0.00	198.15 0.00 0.00	148.18 0.00 0.00	25.44	20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB	0.692 0.00 0.692	0.00 0.00 0.00	0.00 0.00 0.00		20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3	0.692 0.00 0.692 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	25.44	20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC	0.692 0.00 0.692 0.00 0.692	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00		20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC	0.692 0.00 0.692 0.00 0.692	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
Dedicated	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT	4-Wire	DDITS	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 LOOP, 1 D4 Channel Bank, and up to 24 Feature Activations			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations term can have up to 24 combinations of rates depending on type and number of port			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP	0.692 0.00 0.692 0.692 3.15	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 LOOP 1 D4 Channel Bank, and up to 24 Feature Activations term can have up to 24 combinations of rates depending on type and number of port Loop			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  1 DS1 LOOP WITH CHANNELIZATION WITH PORT 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port Loop  4-Wire DS1 Loop - UNE Zone 1		1	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 2-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  1 DS1 LOOP WITH CHANNELIZATION WITH PORT 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  LOOP 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNOB 1LNOS 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  1 DS1 LOOP WITH CHANNELIZATION WITH PORT 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port Loop  4-Wire DS1 Loop - UNE Zone 1		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNO3 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  DS1 Loop WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNOB 1LNOS 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  SST LOOP WITH CHANNELIZATION WITH PORT  1 DS1 LOOP, 1 D4 Channel Bank, and up to 24 Feature Activations term can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	1LNOA 1LNO2 1LNOB 1LNOB 1LNO3 1LNOC LNPCP CTG	0.692 0.00 0.692 0.00 0.692 3.15 0.00 101.92 177.63 329.04	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42						
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  SB1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC LNPCP CTG  USLDC USLDC USLDC VUM24	0.692 0.00 0.692 3.15 0.00 101.92 177.63 329.04	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99	19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1  48 DS0 Channel Capacity - 1 per 2 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC LNPCP CTG  USLDC USLDC USLDC USLDC VVM24 VVM48	0.692 0.00 0.692 3.15 0.00 0.692 3.15 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99	19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 Loop WITH CHANNELIZATION WITH PORT  1 DS1 Loop , 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1  48 DS0 Channel Capacity - 1 per 2 DS1s  96 DS0 Channel Capacity - 1 per 2 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC LNPCP CTG  USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96	101.92 177.63 329.04 115.89 231.78	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99	19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1  48 DS0 Channel Capacity - 1 per 2 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC 1LNOC CTG  USLDC USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	101.92 177.63 329.04 115.89 231.78 463.56 695.34	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99	19.99 19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 Loop WITH CHANNELIZATION WITH PORT  1 DS1 Loop , 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1  48 DS0 Channel Capacity - 1 per 2 DS1s  96 DS0 Channel Capacity - 1 per 2 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC LNPCP CTG  USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96	101.92 177.63 329.04 115.89 231.78	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99	19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  SST LOOP WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations term can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DSO Channel Capacity - 1 per DS1  48 DSO Channel Capacity - 1 per 2 DS1s  96 DSO Channel Capacity - 1 per 4 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC 1LNOC CTG  USLDC USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	101.92 177.63 329.04 115.89 231.78 463.56 695.34	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99 19.99	19.99 19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DSO Activated Central Office Termininating Point  SST LOOP WITH CHANNELIZATION WITH PORT  1 DST LOOP WITH CHANNELIZATION WITH PORT  1 DST Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  Channelization Capacities (D4 Channel Bank Configurations)  24 DSO Channel Capacity - 1 per DS1  48 DSO Channel Capacity - 1 per DS1  49 DSO Channel Capacity - 1 per 2 DS1s  96 DSO Channel Capacity - 1 per 8 DS1s  192 DSO Channel Capacity - 1 per 8 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	ILNOA ILNO2 ILNOB ILNOB ILNOB ILNOC LNPCP CTG  USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM19	0.692 0.00 0.692 3.15 0.00 0.692 3.15 0.00 101.92 177.63 329.04 115.89 231.78 463.56 695.34 980.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  D Channelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity -1 per DS1  48 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 8 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG	ILNOA ILNO2 ILNOB ILNOB ILNOB ILNOB ILNOC ILNPCP CTG  USLDC USLDC USLDC USLDC USLDC VUM24 VUM48 VUM48 VUM96 VUM14 VUM19 VUM20	0.692 0.00 0.692 3.15 0.00 0.692 3.15 0.00 101.92 177.63 329.04 115.89 231.78 463.56 695.34 980.00 1,158.90	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99		
4-WIRE D System is Each Syst	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated Central Office Termininating Point  DS1 Loop WITH CHANNELIZATION WITH PORT  1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations tem can have up to 24 combinations of rates depending on type and number of port  Loop  4-Wire DS1 Loop - UNE Zone 1  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 2  4-Wire DS1 Loop - UNE Zone 3  DChannelization Capacities (D4 Channel Bank Configurations)  24 DS0 Channel Capacity - 1 per DS1  48 DS0 Channel Capacity - 1 per 2 DS1s  96 DS0 Channel Capacity - 1 per 8 DS1s  144 DS0 Channel Capacity - 1 per 8 DS1s  144 DS0 Channel Capacity - 1 per 8 DS1s  144 DS0 Channel Capacity - 1 per 8 DS1s  144 DS0 Channel Capacity - 1 per 8 DS1s		1 2	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOA 1LNO2 1LNOB 1LNOB 1LNOB 1LNOC LNPCP CTG  USLDC USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14 VUM19 VUM19 VUM20 VUM28	101.92 115.89 231.78 463.56 695.34 980.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00	20.42			19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99		

Non-Recurring Char A Minimum System co. Multiples of this config. NRC - Ci. Changes System Additions at New (Not Currently Ci. 1 DS1/D- New GA. Bipolar 8 Zero Subs  Clear Ch. Clear Ch. Clear Ch. Clear Ch. Superfrai Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire Ci. 2 Wire Ci. Feature Activations	at End User Locations Where 4-Wire DS1 Loop with Channelization y Combined) In Georgia & Tennessee Only  /D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only bstitution  Channel Capability Format, superframe - Subsequent Activity Only Channel Capability Format - Extended Superframe - Subsequent Activity	ith Port - 0 OSO Ports tem config	UEP! Conversion with Featuration is	on Charge ure Activat counted.  MG attion Curr  MG MG MG MG MG MG	USAC4 ently Exists and VUMD4  CCOSF	0.00	Nonrec First 0.00 300.95	Add1 0.00 16.72 468.04 600.00	Nonrecurring First	Disconnect Add'1	Svc Order Submitted Elice per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Svc Order vs.	Incremental Charge - Manual Sve Order - Manual Sve Order - Manual SOMAN 19.99	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Sec Electronic-Disc Addrl SOMAN
Non-Recurring Char A Minimum System co. Multiples of this config. NRC - Ci. Changes System Additions at New (Not Currently Ci. 1 DS1/D- New GA. Bipolar 8 Zero Subs  Clear Ch. Clear Ch. Clear Ch. Clear Ch. Superfrai Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire Ci. 2 Wire Ci. Feature Activations	harges (NRC) Associated with 4-Wire DS1 Loop with Channelization was configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 Enfiguration functioning as one are considered Add'l after the minimum system Conversion (Currently Combined) with or without BellSouth Allowed less at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  AD4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only  bestitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  Irrame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	OSO Ports tem config	Conversion with Featuration is upen to Combina  UEPP  UEPP  UEPP  UEPP  UEPP  UEPP	on Charge ure Activat counted.  MG attion Curr  MG MG MG MG MG MG	USAC4 eently Exists and VUMD4  CCOSF	3,244.92 stem  0.00  0.00  0.00	300.95	16.72	First	Add'l	SOMEC	SOMAN	19.99	19.99	SOMAN	SOMAN
Non-Recurring Char A Minimum System co. Multiples of this config. NRC - Ci. Changes System Additions at New (Not Currently Ci. 1 DS1/D- New GA. Bipolar 8 Zero Subs  Clear Ch. Clear Ch. Clear Ch. Clear Ch. Superfrai Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire Ci. 2 Wire Ci. Feature Activations	harges (NRC) Associated with 4-Wire DS1 Loop with Channelization was configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 Enfiguration functioning as one are considered Add'l after the minimum system Conversion (Currently Combined) with or without BellSouth Allowed less at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  AD4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only  bestitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  Irrame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	OSO Ports tem config	Conversion with Featuration is upen to Combina  UEPP  UEPP  UEPP  UEPP  UEPP  UEPP	on Charge ure Activat counted.  MG attion Curr  MG MG MG MG MG MG	USAC4 eently Exists and VUMD4  CCOSF	3,244.92 stem  0.00  0.00  0.00	300.95	16.72					19.99			
Non-Recurring Char A Minimum System co. Multiples of this config. NRC - Ci. Changes System Additions at New (Not Currently Ci. 1 DS1/D- New GA. Bipolar 8 Zero Subs  Clear Ch. Clear Ch. Clear Ch. Clear Ch. Superfrai Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire Ci. 2 Wire Ci. Feature Activations	harges (NRC) Associated with 4-Wire DS1 Loop with Channelization was configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 Enfiguration functioning as one are considered Add'l after the minimum system Conversion (Currently Combined) with or without BellSouth Allowed less at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  AD4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only  bestitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  Irrame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	OSO Ports tem config	Conversion with Featuration is upen to Combina  UEPP  UEPP  UEPP  UEPP  UEPP  UEPP	on Charge ure Activat counted.  MG attion Curr  MG MG MG MG MG MG	USAC4 eently Exists and VUMD4  CCOSF	0.00 0.00	300.95	16.72	148.75	17.65			19.99			
A Minimum System co Multiples of this confis NRC - CC Changes System Additions at New (Not Currently C 1 DS1/D New GA, Bipolar 8 Zero Subs  Clear Ch Clear Ch Clear Ch Clear Ch Superfrai Extendec  Exchange Ports  Line Side Line Side 2-Wire C 2 Wire C Feature Activations	configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 D figuration functioning as one are considered AddI after the minimum syst Conversion (Currently Combined) with or without BellSouth Allowed les at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  //D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ba, LA, KY &TN Only bottiution  Channel Capability Format, superframe - Subsequent Activity Only Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  frame Format  Jed Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	OSO Ports tem config	UEPP  UEPP  UEPP  UEPP  UEPP  UEPP	ure Activat counted.  MG attion Curr  MG  MG  MG  MG  MG  MG	USAC4 ently Exists and VUMD4  CCOSF	0.00	716.11	468.04	148.75	17.65				19.99		
A Minimum System co Multiples of this confis NRC - CC Changes System Additions at New (Not Currently C 1 DS1/D New GA, Bipolar 8 Zero Subs  Clear Ch Clear Ch Clear Ch Clear Ch Superfrai Extendec  Exchange Ports  Line Side Line Side 2-Wire C 2 Wire C Feature Activations	configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 D figuration functioning as one are considered AddI after the minimum syst Conversion (Currently Combined) with or without BellSouth Allowed les at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  //D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ba, LA, KY &TN Only bottiution  Channel Capability Format, superframe - Subsequent Activity Only Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  frame Format  Jed Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	OSO Ports tem config	UEPP  UEPP  UEPP  UEPP  UEPP  UEPP	ure Activat counted.  MG attion Curr  MG  MG  MG  MG  MG  MG	USAC4 ently Exists and VUMD4  CCOSF	0.00	716.11	468.04	148.75	17.65				19.99		
Multiples of this confliction in RC - CC Changes System Additions at New (Not Currently Confliction in RC - CC Changes System Additions at New (Not Currently Confliction in RC - CC Confliction in RC - CC Confliction in RC - CC Confliction in RC - CC - CC - CC - CC - CC - CC - CC	Infiguration functioning as one are considered Add't after the minimum syst Conversion (Currently Combined) with or without BeilSouth Allowed les at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  //D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - by Loop with Channelization by Channel Capability Format, superframe - Subsequent Activity Only Channel Capability Format - Extended Superframe - Subsequent Activity Version (AMI)  Irame Format  Jed Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	tem config	UEPI UEPI UEPI UEPI UEPI	counted.  MG  MIG  MIG  MIG  MIG  MIG  MIG  MIG	USAC4 ently Exists and VUMD4  CCOSF	0.00	716.11	468.04	148.75	17.65				19.99		
NRC - Ct. Changes  System Additions at New (Not Currently C  1 DS1/D- New GA, Bipolar 8 Zero Subs  Clear Ch Clear Ch Clear Ch Only  Alternate Mark Invert Extended  Exchange Ports Ass Exchange Ports  Line Side  Line Side  2-Wire C  2 Wire C  Feature Activations	Conversion (Currently Combined) with or without BellSouth Allowed least at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  //D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only bstitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  frame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI UEPI UEPI UEPI UEPI	MG MG MG MG MG	VUMD4  CCOSF  CCOEF	0.00	716.11	468.04	148.75	17.65				19.99		
System Additions at New (Not Currently Control of the New GA).  Bipolar 8 Zero Subs:  Clear Choly Alternate Mark Inversion Extended  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire Control of the New GA 2 Wire Control of the New GA 2 Wire Control of the New GA Exchange Ports  Line Side Control of the New GA Control	at End User Locations Where 4-Wire DS1 Loop with Channelization by Combined) In Georgia & Tennessee Only  /D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - bA, LA, KY &TN Only batitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  frame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	n with Port	UEP! UEP! UEP!	MG MG MG	VUMD4  CCOSF  CCOEF	0.00	716.11	468.04	148.75	17.65				19.99		
New (Not Currently C  1 DS1/D- New GA, Bipolar 8 Zero Subs  Clear Ch Clear Ch Clear Ch Superfrai Extended  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	y Combined) In Georgia & Tennessee Only  //D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - SA, LA, KY &TN Only bstitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  Irrame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port	n with Port	UEP! UEP! UEP!	MG MG MG	VUMD4  CCOSF  CCOEF	0.00			148.75	17.65			19.99			
1 DS1/D-New GA, Bipolar 8 Zero Subsi  Clear Ch Clear Ch Clear Ch Only Alternate Mark Inver Superfrat Extendec  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	// D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - A, LA, KY &TN Only  bstitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  trame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEP! UEP! UEP!	MG MG	CCOSF	0.00			148.75	17.65			19.99			
New GA, Bipolar 8 Zero Subs  Clear Ch Clear Ch Clear Ch Only Alternate Mark Invel Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	SA, LA, KY &TN Only bstitution  Channel Capability Format, superframe - Subsequent Activity Only  Channel Capability Format - Extended Superframe - Subsequent Activity  version (AMI)  frame Format  ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEP! UEP! UEP!	MG MG	CCOSF	0.00			148.75	17.65			19.99			
Clear Ch Clear Ch Clear Ch Only Alternate Mark Inver Superfrai Extendec  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire T 2-Wire C Feature Activations	Channel Capability Format, superframe - Subsequent Activity Only Channel Capability Format - Extended Superframe - Subsequent Activity version (AMI) frame Format Jed Superframe Format Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	MG MG	CCOEF		0.00	600.00								
Clear Ch Only  Alternate Mark Inver Superfrai Extendec  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	Channel Capability Format - Extended Superframe - Subsequent Activity version (AMI) frame Format ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	MG MG	CCOEF		0.00	600.00								
Clear Ch Only  Alternate Mark Inver Superfrai Extendec  Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	Channel Capability Format - Extended Superframe - Subsequent Activity version (AMI) frame Format ded Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	MG MG	CCOEF		0.00	600.00								
Clear Ch Only Alternate Mark Inver Extendec Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	Channel Capability Format - Extended Superframe - Subsequent Activity version (AMI) frame Format ded Superframe Format Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	MG MG	CCOEF											
Only Alternate Mark Inver Superfrai Extendec Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire C 2 Wire C Feature Activations	version (AMI) frame Format ded Superframe Format Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	ИG		0.00										
Alternate Mark Inver Superfrat Extended Exchange Ports Ass Exchange Ports Line Side Line Side 2-Wire T 2-Wire C Feature Activations	frame Format  Jed Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port		UEPI	ИG			0.00	600.00								
Superfran Extendec  Exchange Ports Ass Exchange Ports  Line Side  Line Side  2-Wire T  2 Wire C  Feature Activations	frame Format  Jed Superframe Format  Associated with 4-Wire DS1 Loop with Channelization with Port				1											
Exchange Ports Ass  Exchange Ports  Line Side  Line Side  2-Wire C  2 Wire C  Feature Activations	ded Superframe Format Associated with 4-Wire DS1 Loop with Channelization with Port				MCOSF	0.00	0.00	0.00								
Exchange Ports Ass  Exchange Ports  Line Side  Line Side  2-Wire C  2 Wire C  Feature Activations	Associated with 4-Wire DS1 Loop with Channelization with Port			VIG	MCOPO	0.00	0.00	0.00								
Line Side Line Side Line Side Line Side 2-Wire T 2-Wire C 2 Wire C Feature Activations	·					0.00										
Line Side Line Side Line Side Line Side 2-Wire T 2-Wire C 2 Wire C Feature Activations	·		1													
Line Side Line Side Line Side 2-Wire T 2-Wire C 2 Wire C Feature Activations	tide Combination Channelized PRY Trunk Port - Rusiness															
Line Side Line Side 2-Wire T 2-Wire C 2 Wire C Feature Activations	tide Combination Channelized PRY Trunk Port - Rusiness															
2-Wire C 2 Wire C Feature Activations	nac combination charmenzed i by trank i or basiness		UEPF	PX	UEPCX	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
2-Wire T 2-Wire C 2 Wire C Feature Activations	ide Outward Channelized PBX Trunk Port - Business		UEPF	Pχ	UEPOX	1.58	0.00	0.00	0.00	0.00			40.17	9.58		
2-Wire T 2-Wire C 2 Wire C Feature Activations																
2-Wire C 2 Wire C Feature Activations	ide Inward Only Channelized PBX Trunk Port without DID		UEPF	PΧ	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
2 Wire C	e Trunk Side Unbundled Channelized DID Trunk Port		UEPF	PΧ	UEPDM	9.20	0.00	0.00	0.00	0.00			40.71	9.58		
2 Wire C																
Feature Activations	e Channelized PBX Area Calling Service Combination Port (AL Only)		UEPF	PΧ	UEPA4	1.58	0.00	0.00					40.71	9.58		
Feature Activations																
	e Channelized PBX Area Calling Service Outgoing Only Port (AL Only)		UEPF	PΧ	UEPA3	1.58	0.00	0.00					40.71	9.58		
F	ns - Unbundled Loop Concentration															
	re (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPF	οv	1PQWM	0.64	25.39	13.41	4.19	4.16			40.71	9.58		
i eature (	e (Service) Activation for each Line Side For Terminated in D4 Bank		OLIT	^	II QWW	0.04	20.00	13.41	4.13	4.10			40.71	9.30		
Feature /	re (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPF	Pχ	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		
Telephone Number/	er/ Group Establishment Charges for DID Service															
DID Trun	runk Termination (1 per Port)		UEPF	PX	NDT	0.00							19.99			
	umbers - groups of 20 - Valid all States		UEPF	Pχ	ND4	0.00	0.00	0.00					19.99			
Non-Con	onsecutive DID Numbers - per number		UEPF	Pχ	ND5	0.00	0.00	0.00					19.99			
Reserve	ve Non-Consecutive DID Numbers		UEPF	Pχ	ND6	0.00	0.00	0.00					19.99			
	ve DID Numbers		UEPF	Pχ	NDV	0.00	0.00	0.00					19.99			
Local Number Porta	rtability															
Local Nu	Number Portability - 1 per port		UEPF	PX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertica																
Local Switching Fea	eatures Offered with Line Side Ports Only															
All Featu	atures Available		UEPF	PΧ	UEPVF	5.55	0.00	0.00					40.71	9.58		
ED PORT LOOP COM																
+	MBINATIONS - MARKET RATES															
	MBINATIONS - MARKET RATES				1											

						ı	RATES (\$)					OSS RA	ATES (\$)		
ATEGORY	UNBUNDLED NETWORK ELEMENT	Interim Zone	BCS	USOC		Nonrec	urring	Nonrecurrin	g Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
These scen	arios include:														
1 Unbundle	ed port/loop combinations that are Not Currently Combined in all of the BellSouth	states eveent	as noted for Ge	orgia Kentucky Lo	uisiana and Te	annassan									
	· · ·						D00	Andrew Press							
	ed port/loop combinations that are Currently Combined or Not Currently Combine														
	MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta urrently is developing the billing capability to mechanically bill the recurring and n									ceding in lie	of the Mar	ket Rates and	reserves		
	true-up the billing difference.	on roodining in	amor rates in t			ar orian bili a			a dodaion pro-	oodii ig iir iiot	a 01 1110 1111a11	not riated and	10001100		
The Market	Rate for unbundled ports includes all available features in all states.														
	and Tandem Switching Usage and Common Transport Usage rates in the Port se	ection of this ra	ite exhibit shall a	ipply to all combinat	ions of loop/po	ort network el	ements exce	ent for UNE (	Coin Port/Loc	n Combinati	ons which				
have a flat r	rate usage charge (USOC: URECU).							-							
listed in the	rently Combined scenarios where Market Rates apply, the Nonrecurring charges NRC - Currently Combined section. Additional NRCs may apply also and are ca	s are listed in t ategorized acco	he First and Add ordinalv.	itional NRC column:	s for each Port	USOC. For	Currently Co	ombined scer	arios, the No	nrecurring c	harges are				
			,												
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			1											
	oop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1 2			28.35 37.31				1						
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	3			56.24										
UNE Loop I	Potos														
ONE LOOP I	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	2	UEPRX UEPRX	UEPLX UEPLX	23.31 42.24										
	2-Wile Voice Grade Loop (SLT) - Zone 3	3	UEFRA	UEFLX	42.24										
	ce Grade Line Port (Res)  2-Wire voice unbundled port - residence		UEPRX	UEPRL	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14.00	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14.00	90.00	90.00					40.71	9.58		
LOCAL NUI	MBER PORTABILITY Local Number Portability (1 per port)		UEPRX	LNPCX	0.35										
			UEFKX	LINFOX	0.33										
FEATURES	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00								
			UEFKX	OEFVF	0.00	0.00	0.00								
NONRECUE	RRING CHARGES - CURRENTLY COMBINED														
ADDITIONA	L NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0.00	0.00					40.71	9.58		
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNF Port/L	oop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	3			37.31 56.24										
une:					30.2 1										
UNE Loop I	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14.35				1						
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	42.24				-						
2-Wire Voic	ce Grade Line Port (Bus)		HEDDY	LIEDDI	4100	00.00	00.00					10.71	0.50		
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX UEPBX	UEPBL UEPBC	14.00 14.00	90.00	90.00		-			40.71 40.71	9.58 9.58		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14.00	90.00	90.00					40.71			
LOCAL NUI	MBER PORTABILITY														
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35										
FEATURES				1					-						
NONRECUE	RRING CHARGES - CURRENTLY COMBINED														
ADDITIONA			(Jeney)	110400											
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0.00	0.00		-			40.71	9.58		

							1	RATES (\$)					OSS RA	TES (\$)		
TEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc		Nonrec	urring	Nonrecurrin	n Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
LINE Dort/L	oop Combination Rates															
ONE POIL	2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE Loop I																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	42.24										
2-Wire Vein	ce Grade Line Port Rates (RES - PBX)															
Z-VVIIE VOIC	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					40.71	9.58		
	2 THE TO CHARLES COMMISSION 2 Way 1 DX Hallet Off THES			OLI INO	OLITO	14.50	30.00	30.00					70.71	5.50		
LOCAL NUI	MBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATURES	9	$\vdash$														
NONRECLIE	RRING CHARGES - CURRENTLY COMBINED	$\vdash$														
NONECUP	ANIMO OTRAGEO - CONNERTET COMBINED															
ADDITIONA	AL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-															
	Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE VO	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
Z-WIKE VO	ICE GRADE LOOF WITH 2-WIRE LINE FORT (BOS-FBA)															
UNE Port/L	oop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
UNE Loop I	Rates															
0.12 200p.	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42.24										
0.14/1 1/1	Conduction Production (BUG BDW)															
2-Wire Void	ce Grade Line Port Rates (BUS - PBX)   Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	$\longmapsto$		UEPPX UEPPX	UEPXA UEPXB	14.00 14.00	90.00	90.00					40.71 40.71	9.58 9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports  2-Wire Voice Unbundled PBX LD DDD Terminals Port	$\vdash$		UEPPX	UEPXB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			UEPPX	UEPXM	14.00	00.00	00.00					40.74	9.58		
+	Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			UEPPX	UEPXM	14.00	90.00	90.00					40.71	9.58		
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.71			
		$\Box$		-												
LOCAL NUI	MBER PORTABILITY			LIEDBY	LAIDOD	0.45										
_	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATURES																
NONRECUE	RRING CHARGES - CURRENTLY COMBINED															
ADDITIONA	U NDC-															
ADDITIONA	AL NRCs  2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<del>                                     </del>		UEPPX	USAS2		0.00	0.00					40.71	9.58		
-	2 Wire Loop/Line Side Port Combination - Subsequent Activity-	$\vdash$		UEPPA	USASZ		0.00	0.00					40.71	9.56		
	Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
											1					

	UNBUNDLED NETWORK ELEMENT					ı	RATES (\$)			OSS RATES (\$)								
EGORY		Interim Zone	BCS	usoc		Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I			
					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
LINE Dest	Loop Combination Rates																	
UNE PORT					28.35													
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2				37.31													
	2-Wire VG Coin Port/Loop Combo – Zone 3				56.24													
1	2 WHO VO CONT ON LOOP CONIDO - ZONE O				30.24													
UNE Loop	Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14.35													
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	23.31					1					1			
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	42.24					1					1			
	2 THO TORO GRAD EDOP (GET) LONG O		CL. 00	SEIEK	72.24													
2-Wire Vo	ice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY,																	
	LA, MS)		UEPCO	UEPRF	14.00	90.00	90.00					40.71	9.58					
1	2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	14.00	90.00	90.00			1		40.71	9.58		1			
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976,									1					1			
	1+DDD (AL, KY, LA, MS, SC)		UEPCO	UEPRA	14.00	90.00	90.00			1		40.71	9.58		1			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58					
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	14.00	90.00	90.00					40.71	9.58					
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	14.00	90.00	90.00					40.71	9.58					
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976,																	
	1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	14.00	90.00	90.00					40.71	9.58					
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+,									1					1			
	& Local (AL, KY, LA, MS)		UEPCO	UEPCN	14.00	90.00	90.00					40.71	9.58					
LOCAL NI	UMBER PORTABILITY																	
LOCALING																		
	Local Number Portability (1 per port)		UEPCO	LNPCX	0.35													
	JRRING CHARGES - CURRENTLY COMBINED																	
ADDITION																		
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0.00	0.00			1		40.71	9.58		1			
NOTE: If r	no rate is identified in the contract, the rates for the specific service or function wi	I he as set forti	h in applicable F	RellSouth tariff or	as negotiated by	the Parties	unon reques	t by either Pa	artv	1	1				1			

# Unbundled Network Elements FLORIDA

					RATES (\$)						OSS RATES (\$)							
CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone E	BCS	USOC		Nonrect	Nonrecurring				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			<u> </u>
					Rec	First	Add'I	Nonrecurrir First	ng Disconnect Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			+
					Kec	FIRST	Add'1	FIFSt	Addi	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN			_
The "Zone" :	shown in the sections for stand-alone loops or loops as part of a combination refers to C	Geograph	nically [	Deaverag	ed UNE Zones.	To view Geograp	hically Deaverage	ed UNE Zon	e Designation	s by Central	Office, refer	to Internet We	bsite:					+
http://www.i	interconnection.bellsouth.com/become_a_clec/html/interconnection.htm									1		1	1	1				
DLED EXCHANG	GE ACCESS LOOP																	+
0 MIDE 411	HARAMAT AND THE LOOP																	1
2-WIRE AN	ALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1 UE	EΔNII	ΠΕΔΙ 2	11.74	44.68	20.57	23.10	5.92		10.73					$\vdash$	<b>_</b>	+
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEAL2	16.26	44.68	20.57	23.10	5.92		10.73							+
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3 UE	EANL	UEAL2	30.75	44.68	20.57	23.10	5.92		10.73							
	Loop Testing - Basic 1st Half Hour			URET1		78.92	78.92											
	Loop Testing - Basic Additional Half Hour	UE	EANL	URETA		23.33	23.33									₩	<u> </u>	+-
																	_	+
		UE	PSR.															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		EPSB	UEALS	11.74	44.68	20.57	23.10	5.92		10.73							
			PSR,															
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2 UE	EPSB	UEALS	16.26	44.68	20.57	23.10	5.92		10.73						├	+
		115	PSR.															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		EPSB	UEALS	30.75	44.68	20.57	23.10	5.92		10.73							
	Engineering Information Document (EI)		EANL			28.77	28.77											1
	Manual Order Coordination for UVL-SL1s (per loop)*			UEAMC		8.12	8.12									<del>                                     </del>	<b></b>	+-
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			OCOSL		20.75	20.75											+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start																	
	Signaling - Zone 1	1 L	JEA	UEAL2	13.43	122.38	74.35	57.28	10.83		10.73							4
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2 L	JEA	UEAL2	18.60	122.38	74.35	57.28	10.83		10.73							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start	2 (	JLA	ULALZ	10.00	122.30	74.33	31.20	10.03		10.73							+
	Signaling - Zone 3	3 L	JEA	UEAL2	35.18	122.38	74.35	57.28	10.83		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	l	JEA	OCOSL		20.75												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -																	
	Zone 1	1 L	JEA	UEAR2	13.43	122.38	74.35	57.28	10.83		10.73						├	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2 1	JEA	UEAR2	18.60	122.38	74.35	57.28	10.83		10.73							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -		JEA	OLANZ	10.00	122.00	74.00	31.20	10.00		10.75							+-
	Zone 3	3 L	JEA	UEAR2	35.18	122.38	74.35	57.28	10.83		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	l	JEA	OCOSL		20.75												
4-WIRE AN	ALOG VOICE GRADE LOOP			=														
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEAL4	21.23 29.41	151.34 151.34	103.82 103.82	60.47 60.47	14.02 14.02		10.73 10.73					<del></del>	$\vdash$	+
	4-Wire Analog Voice Grade Loop - Zone 2  4-Wire Analog Voice Grade Loop - Zone 3			UEAL4	55.63	151.34	103.82	60.47	14.02		10.73						<b>—</b>	+
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		20.75												I
																$\perp$		
2-WIRE ISD	N DIGITAL GRADE LOOP																	
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			U1L2X U1L2X	20.44 28.31	133.15 133.15	85.12 85.12	56.10 56.10	9.65 9.65		10.73 10.73					<b>├</b>	ļ	+-
				U1L2X	53.56	133.15	85.12	56.10	9.65		10.73					<b></b>	<del>                                     </del>	+
	Order Coordination For Specified Conversion Time (per LSR)			OCOSL	00.00	20.75	00.12	00.10	0.00		10.70							+
2-WIRE Uni	versal Digital Channel (UDC) COMPATIBLE LOOP																	
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1			UDC2X	20.44	133.15	85.12	56.10	9.65		10.73					₩	<u> </u>	+
			JDC	UDC2X UDC2X	28.31 53.56	133.15 133.15	85.12 85.12	56.10 56.10	9.65 9.65		10.73 10.73					<del></del>	<del>                                     </del>	+-
	2 This Shits Sail Digital Orial tion (ODO) Compatible Loop - Zone 3	5 (	,,,,,	JUUZA	33.30	133.13	05.12	30.10	5.00		10.73						$\vdash$	+
2-WIRE AS	YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP  2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation -																	F
-	Zone 1	1 L	JAL	UAL2X	11.52	134.80	93.62	67.66	14.09		10.73					<del> </del>	<b>├</b>	_
	Wire Unbundled ADSL Loop including manual service inquiry & facility reservation -     Zone 2	2 1	JAL	UAL2X	15.96	134.80	93.62	67.66	14.09		10.73					1		
+	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation -	2   L	JAL	UMLZX	15.96	134.80	93.02	07.00	14.09		10.73					<del></del>	$\vdash$	+
	Zone 3	3 L	JAL	UAL2X	30.19	134.80	93.62	67.66	14.09		10.73					1		
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL	33.13	20.75	00.0E	37.00	55									t
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton -									1				1		1		
	Zone 1	1 l	JAL	UAL2W	11.52	112.55	64.12	54.67	8.22	1	10.73	l	l	I	l	1	1	1

Page 25 of 248 Version 3Q01: 10/18/01

# Unbundled Network Elements FLORIDA

				RATES (\$)													
TEGORY	UNBUNDLED NETWORK ELEMENT Zon	BCS	usoc		Nonreci		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Manually per	Svc Order vs. Electronic-1st	Incremental Charge - Manua Svc Order vs. Electronic-Add'l	Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton -			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Zone 2 2	UAL	UAL2W	15.96	112.55	64.12	54.67	8.22		10.73							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator -			00.40	440.55	04.40	54.07	0.00		40.70							
	Zone 3 3 Order Coordination for Specified Conversion Time (per LSR)	UAL	UAL2W OCOSL	30.19	112.55 20.75	64.12	54.67	8.22		10.73							+
2-WIRE HIG	BH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation -														-	<del> </del>	
	Zone 1	UHL	UHL2X	9.12	143.43	102.25	67.66	14.09		10.73							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation -																
	Zone 2 2 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation -	UHL	UHL2X	12.63	143.43	102.25	67.66	14.09		10.73							+
	Zone 3	UHL	UHL2X	23.90	143.43	102.25	67.66	14.09		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	UHL	OCOSL		20.75		-								L		1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	UHL	UHL2W	9.12	121.17	72.75	54.67	8.22		10.73							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation -																
	Zone 2 2	UHL	UHL2W	12.63	121.17	72.75	54.67	8.22		10.73					<u> </u>	ļ	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	UHL	UHL2W	23.90	121.17	72.75	54.67	8.22		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	UHL		20.30	20.75		34.01	0.22		10.73							
4 14/105 1 110	NAME OF THE PROPERTY OF THE PR																
4-WIRE HIG	H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4 Wire Unbundled HDSL Loop including manual service inquiry and facility																_
	reservation - Zone 1	UHL	UHL4X	14.24	174.28	125.30	69.56	11.37		10.73							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility																
	reservation - Zone 2 2 4-Wire Unbundled HDSL Loop including manual service inquiry and facility	UHL	UHL4X	19.72	174.28	125.30	69.56	11.37		10.73							+
	reservation - Zone 3	UHL	UHL4X	37.31	174.28	125.30	69.56	11.37		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	UHL	OCOSL		20.75												
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	UHL	UHL4W	14.24	152.02	104.11	56.57	10.12		10.73							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation -	OFIL	OI IL-4VV	14.24	132.02	104.11	30.37	10.12		10.73						-	<b>†</b>
	Zone 2 2	UHL	UHL4W	19.72	152.02	104.11	56.57	10.12		10.73							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	UHL	UHL4W	37.31	152.02	104.11	56.57	10.12		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	UHL		37.31	20.75		36.37	10.12		10.73					<del>                                     </del>	<del>                                     </del>	+
4-WIRE DS1	1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone 1	LICI	USLXX	69.22	282.15	163.51	47.40	10.22		10.73					<del>                                     </del>	ļ	
	4-Wire DS1 Digital Loop - Zone 1         1           4-Wire DS1 Digital Loop - Zone 2         2	-	USLXX	95.89	282.15	163.51	47.40	10.22		10.73					<b>-</b>	$\vdash$	+
	4-Wire DS1 Digital Loop - Zone 3	USL	USLXX	181.38	282.15		47.40			10.73					<u> </u>	<b>_</b>	
	Order Coordination for Specified Conversion Time (per LSR)	USL	OCOSL		20.75											₩	+
4-WIRE 19.2	2, 56 OR 64 KBPS DIGITAL GRADE LOOP															<b></b>	<b>†</b>
	4 Wire Unbundled Digital 19.2 Kbps 1	UDL	UDL19	24.48	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital 19.2 Kbps 2		UDL19	33.91	145.66	98.14	60.47	14.02		10.73					<u> </u>		1
	4 Wire Unbundled Digital 19.2 Kbps         3           4 Wire Unbundled Digital Loop 56 Kbps - Zone 1         1	_	UDL19 UDL56	64.14 24.48	145.66 145.66	98.14 98.14	60.47	14.02 14.02		10.73 10.73					<b>├</b> ──	<b>├</b> ──	+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	UDL	UDL56	33.91	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3		UDL56	64.14	145.66	98.14	60.47	14.02		10.73							
	Order Coordination for Specified Conversion Time (per LSR)  4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1	UDL	OCOSL UDL64	24.48	20.75 145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	UDL	UDL64	33.91	145.66	98.14	60.47	14.02		10.73							
			UDL64	64.14	145.66		60.47	14.02		10.73							
	Order Coordination for Specified Conversion Time (per LSR)	UDL	OCOSL		20.75										<del> </del>	<del> </del>	+
	bundled COPPER LOOP						-										1
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 1	UCL	UCLPB	11.52	133.88	92.70	67.66	14.09		10.73							
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility	JUL	COLFB	11.02	133.00	52.10	37.00	14.09		10.73					<b>†</b>	<b>†</b>	+
	reservation - Zone 2 2	UCL	UCLPB	15.96	133.88	92.70	67.66	14.09		10.73					<u> </u>		
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 3	UCL	UCLPB	30.19	133.88	92.70	67.66	14.09		10.73							
			UCLMC	30.19	8.12		07.00	14.09		10.73					<del>                                     </del>	$\vdash$	+-
_		UCL														$\overline{}$	$\overline{}$
-	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility																
	Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLPW	11.52	111.62	63.19	54.67	8.22		10.73							

Page 26 of 248 Version 3Q01: 10/18/01

# Unbundled Network Elements FLORIDA

				RATES (\$)												
CATEGORY	UNBUNDLED NETWORK ELEMENT Zon	e BCS	usoc		Nonrecu	ırring	Nonrecurrin	ng Disconnect	Svc Order Submitted Elec per LSR	Manually per	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I		
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility			Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		+
	reservation - Zone 3 3	UCL	UCLPW	30.19	111.62	63.19	54.67	8.22		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility	UCL	UCLMC		8.12	8.12										-
	reservation - Zone 1 1	UCL	UCL2L	33.57	133.88	92.70	67.66	14.09		10.73						
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	UCL	UCL2L	46.50	133.88	92.70	67.66	14.09		10.73						
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility															
	reservation - Zone 3 3	UCL	UCL2L	87.96	133.88	92.70	67.66	14.09		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC		8.12	8.12										
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility	1101	LICE OVE	00.57	444.00	00.40	E4.07	0.00		40.70						
	reservation - Zone 1 1 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility	UCL	UCL2W	33.57	111.62	63.19	54.67	8.22		10.73						$\vdash$
	reservation - Zone 2 2	UCL	UCL2W	46.50	111.62	63.19	54.67	8.22		10.73						$\sqcup$
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	UCL	UCL2W	87.96	111.62	63.19	54.67	8.22		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC	550	8.12	8.12		0.00								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06		10.73						$\vdash$
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06		10.73						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 3		UEQ2X	20.22	44.69	22.40	25.65	7.06		10.73						
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)  Engineering Information Document	UEQ	USBMC		8.12 28.77	8.12 28.77										
	Loop Testing - Basic 1st Half Hour	UEQ	URET1		78.92	78.92										_
	Loop Testing - Basic Additional Half Hour		URETA		23.33	23.33										
4-WIDE	COPPER LOOP															
4-1111.	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation -															_
	Zone 1 1	UCL	UCL4S	16.18	160.36	119.69	69.56	15.99		10.73						
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2	UCL	UCL4S	22.41	160.36	119.69	69.56	15.99		10.73						
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation -	UCL	UCL4S	22.41	160.36	119.69	09.30	15.99		10.73						$\vdash$
	Zone 3 3	UCL	UCL4S	42.39	160.36	119.69	69.56	15.99		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)  4-Wire Copper Loop/Short - without manual service inquiry and facility reservation -	UCL	UCLMC		8.12	8.12										-
	Zone 1 1	UCL	UCL4W	16.18	138.10	90.19	56.57	10.12		10.73						
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation -     Zone 2	UCL		00.44	138.10	90.19	50.57	10.12		10.73						
	Zone 2  4-Wire Copper Loop/Short - without manual service inquiry and facility reservation -	UCL	UCL4W	22.41	138.10	90.19	56.57	10.12		10.73						+
	Zone 3 3		UCL4W	42.39	138.10	90.19	56.57	10.12		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)  4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility	UCL	UCLMC		8.12	8.12										
	reservation - Zone 1 1	UCL	UCL4L	57.88	160.36	119.69	69.56	15.99		10.73						
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility															
	reservation - Zone 2  4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility	UCL	UCL4L	80.18	160.36	119.69	69.56	15.99		10.73						$\vdash$
	reservation - Zone 3 3	UCL	UCL4L	151.67	160.36	119.69	69.56	15.99		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)  4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility	UCL	UCLMC		8.12	8.12										
	reservation - Zone 1 vitrout manual svc. inquiry and racility	UCL	UCL4O	57.88	138.10	90.19	56.57	10.12		10.73						
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility															
	reservation - Zone 2 2 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility	UCL	UCL4O	80.18	138.10	90.19	56.57	10.12		10.73						+
	reservation - Zone 3 3	UCL	UCL4O	151.67	138.10	90.19	56.57	10.12		10.73						
	Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC		8.12	8.12										
		+	1					-								+
LOOP MODIFICATIO	NC															
		UAL,														
		UHL, UCL,														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal	UEQ,														
	to 18k ft	ULS	ULM2L		0.00	0.00										
		UCL,						1								
1	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	ULS UHL,	ULM2G		309.32	309.32										
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to							1		0	1	1	i .	i e		1

Page 27 of 248 Version 3Q01: 10/18/01

					F	RATES (\$)					OSS RA	ATES (\$)					
CATEG	GORY UNBUNDLED NETWORK ELEMENT Zon	∋ BCS	usoc		Nonrecu	urring	Nonrecurrin	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	UCL	ULM4G		309.32	309.32											
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		9.48	9.48											
SUB-LOOPS	S																
	Sub-Loop Distribution								-	-	-	<del>                                     </del>				<del></del>	$\vdash$
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		USBSA		467.08	467.08				10.73							
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		USBSB		11.27	11.27				10.73						<u> </u>	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		USBSC		152.58 43.54	152.58 43.54				10.73 10.73					-	<del></del>	+
	200 Loop 1 of building Equipment (NOTH - FET 20 Fall Fatter Det-Op	OLANL	00000		45.54	40.04				10.73					l		$\vdash \vdash$
			USBN2	6.90	54.26	19.64	37.03	4.10		10.73						1	$\perp =$
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3  3		USBN2 USBN2	9.56 18.08	54.26 54.26	19.64 19.64	37.03 37.03	4.10 4.10		10.73 10.73						<del></del>	<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		USBMC	10.00	8.12	8.12	37.03	4.10		10.73							$\vdash$
		UEANL		7.35	62.05	27.42	37.98	5.05		10.73							
		UEANL		10.18	62.05	27.42	37.98	5.05		10.73						<u> </u>	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3  Order Coordination for Unbundled Sub-Loops, per sub-loop pair		USBN4 USBMC	19.25	62.05 8.12	27.42 8.12	37.98	5.05		10.73						<del></del>	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		USBR2	3.33	46.74	12.11	37.03	4.10		10.73						<del>                                     </del>	+-1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		USBMC	0.00	8.12	8.12	07.00			10.10							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		USBR4	6.32	50.41	15.78	37.98	5.05		10.73							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEANL		5.00	8.12	8.12	07.00	4.40		40.70						<u> </u>	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2	UEF	UCS2X UCS2X	5.66 7.83	54.26 54.26	19.64 19.64	37.03 37.03	4.10 4.10		10.73 10.73						<del></del>	<del></del>
		UEF	UCS2X	14.82	54.26	19.64	37.03	4.10		10.73							$\vdash$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEF	USBMC		23.24	23.24											
		UEF	UCS4X	4.72	62.05	27.42	37.98	5.05		10.73							
		UEF	UCS4X UCS4X	6.53 12.36	62.05 62.05	27.42 27.42	37.98 37.98	5.05 5.05		10.73 10.73						<del></del>	<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEF	USBMC	12.30	8.12	8.12	37.90	5.05		10.73							<del>                                     </del>
					5	9=											
	Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up	UEA, UDN,UC L,UDL,U DC UEA,	USBFW		467.08												
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up USL Feeder DS1 Set-up at DSX location, per DS1 termination	UDN,UC L,UDL,U DC USL			11.27 522.41	11.27 11.32										<u> </u>	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 1	UEA	USBFA	7.60	83.62	46.20	45.57	10.19		10.73							<b>—</b>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 2		USBFA	10.53	83.62	46.20	45.57	10.19		10.73						ļ	
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 3	UEA	USBFA	19.92	83.62	46.20	45.57	10.19		10.73						1	
	Order Coordination for Specified Conversion Time, per LSR	UEA	OCOSL	19.92	20.75	46.∠0	45.57	10.19		10.73					-		<del>                                     </del>
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 1	UEA	USBFB	7.60	83.62	46.20	45.57	10.19		10.73							<b>†</b>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	UEA		10.53	83.62	46.20	45.57	10.19		10.73						ļ	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3  Order Coordination for Specified Time Conversion, per LSR	UEA	USBFB	19.92	83.62 20.75	46.20	45.57	10.19		10.73						<del></del>	$\vdash$
	Order Coordination for Specified Time Conversion, per LSK	UEA	UCUSL		20.75										-		$\vdash$
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 1	UEA	USBFC	7.60	83.62	46.20	45.57	10.19		10.73						<del>                                     </del>	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade -	UEA	USBFC	10.53	83.62	46.20	45.57	10.19		10.73						<del></del>	+
	Zone 3 3	UEA	USBFC	19.92	83.62	46.20	45.57	10.19		10.73							
	Order Coordination For Specified Conversion Time, per LSR	UEA	OCOSL		20.75												
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 1		USBFD	16.05	96.40	58.12	48.55	11.33		10.73						<u> </u>	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 3		USBFD	22.23 42.06	96.40 96.40	58.12 58.12	48.55 48.55	11.33 11.33		10.73 10.73						<del></del>	₩
	Order Coordination For Specified Conversion Time, Per LSR	UEA	OCOSL	72.00	20.75		70.00	11.00		10.73							$\vdash$
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 1	UEA	USBFE	16.05 22.23	96.40 96.40	58.12 58.12	48.55 48.55	11.33 11.33		10.73 10.73							

Married Spring Principle (1987)   Marr						F	RATES (\$)					OSS R	ATES (\$)					T
Debanded Size From Load Affine Code Size From Load Code Size Fro	CATEGORY	UNBUNDLED NETWORK ELEMENT Zone	BCS	usoc		Nonrect	urring	Nonrecurrin	ng Disconnect	Submitted Elec	Submitted Manually per	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-Disc			
Control Cont					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
Standard St. Aug Process (1985)   1.00   1		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 3			42.06		58.12	48.55	11.33		10.73						<del></del>	1
					16.18		60.12	46.95	9.74		10.73							+
Instance   Instance					22.41			46.95	9.74									
Manufact Sub-Lose Freedom, 20'Net LUC (CR), composition   1, LUC (USB)   115,18   19,19   10,012   48,30   17,76   10,00		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			42.39		60.12	46.95	9.74		10.73							
Manual Station Federal Vives (IDIC (IRIS) (IRIS)   22-14   10-24   1					16 10		60.12	46 OF	0.74		10.72						<b>—</b>	+
Methodic Size Loss Peters P. 1979 LEW CO. 1987   2		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)  Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)  2							9.74		10.73							+
Michael School (1997)   1.00		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) 3	UDC	USBFS	42.39	98.91	60.12	46.95			10.73							
Discription September   Logo - Priving Sept   Logo - State   Log																	<b></b>	ļ
Octob   Contention   February   Content   Content   February   Content   C																	<b>—</b>	+
New York Control Con					114.30		70.34	65.07	10.20		10.73							+
Description Sub-lange Federal Long, 2 New Congress Long, 2 New Sub-Sub-Sub-Sub-Sub-Sub-Sub-Sub-Sub-Sub-		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 1	UCL	USBFH		76.87												
Out Contention for Specified Contention From pot LBR																	<del></del>	
Set Loop Feeter - Feet - Vilve Colognet Loop - Zone 1					17.44		38.08	45.64	8.43		10.73					-		+
Sub-Lace Feeter: Feet - Affect Conget Long - Zone 2		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 1			12.76		51.57	46.59	9.38	1	10.73						$\overline{}$	<b>†</b>
Sub-Loop Feature - Per A-Wine Cooperation - Jane 3   10.1   16997   33.43   9936   91.57   46.59   33.8   19.77   19.75   19		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	UCL	USBFJ	17.67	89.85	51.57	46.59	9.38		10.73							
Sel-Loop Feeder: Part - 4'Why: 12 Stope Dated Grade Loop		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 3			33.43		51.57	46.59	9.38		10.73						·	4
Sub-book Freder - Per 4-Wire 12 (Sub- Distal Grade Loop   2   U.D.   U.SePh   2-2.28   90.77   52.40   46.55   11.33   10.73   10.73   10.74   10.74   10.75					17.52		52.42	49 FF	11 22		10.72						<b>—</b>	-
Sub-Loop Feeder: Part 4-West 92 Risos Displate Grand Loop  Sub-Loop Feeder: Part 4-West 93 Risos Displate Grand Loop  Sub-Loop Feeder: Part 4-West 93 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 3  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 3  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 3  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 3  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 3  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-West 94 Risos Displate Grand Loop - Zone 2  Sub-Loop Feeder: Part 4-																		+
Sub-Loop Feeder: Pet 4/Wire 5 Roce Dated Greek Loop: Zeror 2   2 U.K. USBFC   24.29   50.77,   52.44   48.56   11.33   10.73   10.60					45.92		52.43	48.55										
Sub-Loop Feeder - Pie 4-Wine 6 Rights Digital Grade Loop - Zone 3   3 LOV, USBFO   45.95   20.72   52.40   45.95   11.33   10.73   1.20   1.																		
Order Conditation For Specified Time Conversion, per LSR   Self-Loop Feeder Feel - 4 Virgle & River Edited (Inselt Loop - 20ne 1   1.00, L. USB)   1.00, L. USBPP   2.52   50.72   5.24   46.55   11.33   10.73   1.00, L. USBPP   1.00, L. USBPP   2.52   50.72   5.24   46.55   11.33   10.73   1.00, L. USBPP   1.00, L. USBPP   2.52   50.72   5.24   46.55   11.33   10.73   1.00, L. USBPP   2.52   50.72   5.24   40.75   50.63   40.715   56.63   40.95   50.75						90.72											<b>—</b>	+
Sibil-Loop Feeder - Per 4-Wire R R Regue Digital Grands Loop - Zone 1   1 U.D. L (SBFP   73-25) 90.77   52-43   48.55   11.33   10.73					45.92		52.43	48.55	11.33		10.73							+
Sizu-Loop Feeder - Peer - AVVIVE 64 Hopp Digital Grades Loop - Zore 2   2 LUCL LUSRIPP   45 92   50.72   52.43   48.55   11.33   10.73					17.52		52.43	48.55	11.33		10.73							†
Display   Disp		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 2	UDL		24.28	90.72			11.33									
Sub-Loop Feeder - OG-3 - Peeder Feeder - OG-3 - Peeder Feeder - OG-3 - Peeder					45.92		52.43	48.55	11.33		10.73							
Sub Loop Feeder - DS3 - Facility Termination Per Morth   US3 USBF1   347.59   3.38,80.0   407.15   166.83   94.58   10.73		Order Coordination For Specified Conversion Time, per LSR	UDL	OCOSL		20.75											<del></del>	+
Sub Loop Feeder - DS3 - Facility Termination Per Morth   US3 USBF1   347.59   3.38,80.0   407.15   166.83   94.58   10.73		Sub Loop Feeder - DS3 - Per Mile Per Month	UE3	1L5SL	15.69													+
Sub Loop Feeder - OS-1 - Facility Termination Pet Morth		Sub Loop Feeder - DS3 - Facility Termination Per Month	UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		10.73							
Sub Loop Feeder - OC3 - Per Mile Per Month   UDLO3   USBF5   62.88   11.90																	<b></b>	
Sub Loop Feeder - CO-3 - Facility Termination Protection Per Morth   UDL03   USBF5   62.98						3,386.00	407.15	166.83	94.58		10.73						<b>—</b>	-
Sub Loop Feeder - CO-2 - Facility Termination Fer Morth   UDL03   USBF2   547.22   3,386.00   407.15   166.83   94.58   10.73		Sub Loop Feeder - OC-3 - Fer Mile Fer Month  Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	UDLO3	USBF5														+
Sub Loop Feeder - OC-12 - Facility Termination Per Morth   UDL12   USBF6   S02-47   UDL12   USBF6   S02-47   UDL14   USBF3   1,577.00   3,386.00   407.15   166.83   94.58   10.73   UDL14		Sub Loop Feeder - OC-3 - Facility Termination Per Month	UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		10.73							
Sub Loop Feeder - O.C.4: Pacility Termination Per Morth   UDL42   USBF3   1.577.00   3.386.00   407.15   168.83   94.58   10.73																		
Sub Loop Feeder - CQ-48 - Per Mile Per Month   UDL48   LSSE,   48.06   Sub Loop Feeder - CQ-48 - Facility Termination Protection Pretenth   UDL48   USBF9   251.80   Sub Loop Feeder - CQ-48 - Facility Termination Pretenth   UDL48   USBF9   251.80   Sub Loop Feeder - CQ-12 (Interface On OC-48   UDL48   USBF9   251.80   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   USBF9   UDL48   UDL		Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month				2 206 00	407.15	166.92	04.59		10.72						<del></del>	-
Sub Loop Feeder - OC-48 - Facility Termination Perf Month   UDL48 USBF9   251.80   Sub Loop Feeder - OC-42 Facility Termination Perf Month   UDL48 USBF9   251.80   Sub Loop Feeder - OC-42 Facility Termination Perf Month   UDL48 USBF8   331.15   788.39   407.15   168.35   95.43   10.73		Sub Loop Feeder - OC-12 - Facility Termination Fer Month				3,300.00	407.13	100.03	34.30		10.73							+
Sub-Loop Feeder - OC-12 Interface On OC-48		Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	UDL48	USBF9	251.80													
Unbundled Sub-Loop Modification  Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2- UEF ULM2X 9.11 9.11 10.73 10.7		Sub Loop Feeder - OC-48 - Facility Termination Per Month															<del></del>	
Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coll/Equip Removal per 2-W PR   UEF   ULM2X   9.11   9.11   10.73   1		Sub Loop Feeder - OC-12 Interface On OC-48	UDL48	OSB18	331.15	788.39	407.15	168.35	95.43		10.73					-		+
Unburdled Sub-Loop Modification - 2-W Copper Dist Load Coll/Equip Removal per 2-W PR   UEF   ULM2X   9.11   9.11   10.73   1	Unbundled	Sub-Loop Modification																†
Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR   UEF   ULMAX   9.11   9.11   10.73		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-															i T	1
W PR			UEF	ULM2X		9.11	9.11				10.73						ь—	
Unbundled Sub-loop Modification - 2-wi/4-w Copper Dist Bridged Tap Removal, per PR unloaded  Unbundled Network Terminating Wire (UNTW)  Unbundled Network Terminating Wire (UNTW) per Pair  UENTW UENPP 0.3682 21.85 21.85 10.73  Set-Up Work: Site Visit Survey, per MDU  UENTW UENVS 120.11 120.11  Site Visit Set-Up - Per Terminal - 1st Terminal  UENTW UENSS 39.43 39.43  Site Visit Set-Up, Per Terminal, Additional Terminals  UENTW UENSV 36.42 36.42  Access Terminal Provisioning, per Terminal, 1st Terminal  UENTW UENTT 101.09 101.09  Access Terminal Provisioning, per Terminal, Additional Terminals  UENTW UENTT 100.25 100.25			LIEE	LILMAY		0.11	0.11				10.72						I	
PR unloaded   UEF   ULM4T   14.05   14.05   10.73     10.73			OLI	OLIVIAN		3.11	5.11				10.73							†
Unbundled Network Terminating Wire (UNTW) per Pair			UEF	ULM4T		14.05	14.05				10.73						1	
Unbundled Network Terminating Wire (UNTW) per Pair																		
Set-Up Work: Site Visit Survey, per MDU	Unbundled	I Network Terminating Wire (UNTW)															<del></del>	1
Set-Up Work: Site Visit Survey, per MDU		Unbundled Network Terminating Wire (UNTW) per Pair	UENTW	UENPP	0.3682	21.85	21.85				10.73						I	
Site Visit Set-Up - Per Terminal - 1st Terminal					3.5502													
Site Visit Set-Up, Per Terminal, Additional Terminals  UENTW UENSV 36.42 36.42  Access Terminal Provisioning, per Terminal, 1st Terminal  UENTW UENIT 101.09 101.09  Access Terminal Provisioning, per Terminal, Additional Terminals  UENTW UENZT 100.25 100.25		Set-Up Work: Site Visit Survey, per MDU	UENTW	UENVS		120.11	120.11											<del>                                     </del>
Access Terminal Provisioning, per Terminal, 1st Terminal UENTW UENTT 101.09 101.09  Access Terminal Provisioning, per Terminal, Additional Terminals UENTW UENZT 100.25 100.25		Site Visit Set-Up - Per Terminal - 1st Terminal	UENTW	UENSS		39.43	39.43											
Access Terminal Provisioning, per Terminal, 1st Terminal UENTW UEN1T 101.09 101.09  Access Terminal Provisioning, per Terminal, Additional Terminals UENTW UEN2T 100.25 100.25		Site Visit Set-Up, Per Terminal, Additional Terminals	UENTW	UENSV		36.42	36.42											
Access Terminal Provisioning, per Terminal, Additional Terminals  UENTW UEN2T  100.25  100.25																		
UNTW Pair Provisioning, per Pair for 1st Terminal UENTW UENP1 4.48 4.48																		+

1						R	ATES (\$)					OSS R	ATES (\$)					T
CATEG	SORY UNBUNDLED NETWORK ELEMENT	Zone BCS	s uso	ос		Nonrecu	rring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
							-	Nonrecurrin	ng Disconnect							<del></del>		₩
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	-		-
	UNTW Pair Provisioning, per Pair for Additional Terminals	UENT	W UEN	NPA		3.64	3.64											₩
	Network Interface Device (NID)																	1
	Network Interface Device (NID) - 1-2 lines	UENT	W UNE	D12		63.72	40.94				10.73					L		
	Network Interface Device (NID) - 1-6 lines	UENT	W UND	D16		105.96	83.17				10.73					L		
	Network Interface Device Cross Connect - 2 W	UENT	W UNE	DC2		7.12	7.12				10.73					L		
	Network Interface Device Cross Connect - 4W	UENT	W UNE	DC4		7.12	7.12				10.73							
LINDUNDI EL	D LOOP CONCENTRATION																	-
UNBUNDLEL	Unbundled Loop Concentration - System A (TR008)	ULO	UC1	T8A	461.86	324.01	324.01				10.73					$\vdash$		+
	Unbundled Loop Concentration - System B (TR008)	ULO	UC1	T8B	54.91	135.00	135.00				10.73							
$\vdash$	Unbundled Loop Concentration - System A (TR303)	ULO			500.74 92.53	324.01	324.01 135.00				10.73 10.73					<del></del>		+
++	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card		UCT		92.53 5.18	135.00 64.65	135.00 46.45	16.67	4.35		10.73					<del></del>	<b> </b>	+
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)	UDI	N ULC	CC1	8.22	14.96	14.88	6.11	6.07									
$\vdash$	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)	UDO	C ULC	CCU	8.22	14.96	14.88	6.11	6.07							⊢—	-	+-
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)	UE	A ULC	CC2	2.06	14.96	14.88	6.11	6.07							<u> </u>		
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)	UE	A ULC	CCR	12.22	14.96	14.88	6.11	6.07									
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)	UE/			7.29	14.96	14.89	6.11										
	Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface	ULO			35.63 10.80	14.96 14.96	14.88 14.88	6.11 6.11			10.73					<del></del>		-
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface	UDI			10.80	14.96	14.88	6.11	6.07									+
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	UDI	ULC	CC6	10.80	14.96	14.88	6.11	6.07									
																$\vdash$		+
	Unbundled Loop Concentration - Loop Interface For Digital 19.2 Kbps Data																	1
UNE OTHER	R, PROVISIONING ONLY - NO RATE															$\vdash$		+
	NID - Dispatch and Service Order for NID installation	UENI	W UNE	DBX												<del></del>		-
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	UENT	W UEN	NCE														
		UEAN																
		UEF, Q,UE																
	Unbundled Contract Name, Provisioning Only - No Rate	W		ECN														
	, , , , , , , , , , , , , , , , , , ,	UAL,	JC															
		L,UD UDL.																
		N,UE																
		UHL,	UL															
	Unbundled Contact Name, Provisioning Only - no rate	С	UNE	ECN	0.00	0.00										<u> </u>		₩
$\vdash$		UEA.	JD	-+								-	-			<del>                                     </del>		+
		N,UC	L,															
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	UDO		BFQ	0.00	0.00										<del></del>		₩
		UEA, L,UCI																
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	DL.		BFR	0.00	0.00												
	Unbundled DS1 Loop - Superframe Format Option - no rate	USI	CCC	OSF	0.00	0.00												
-	Unbundled DS1 Loop - Expanded Superframe Format option - no rate	USI	CCC	JEF	0.00	0.00										<del></del>		+-
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP																	_
	NOTE: 4 month minimum billing period																	
$\vdash$	High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE;		SND SDV	10.06 387.10	501.59	309.24	125.43	87.30		10.73					<del></del>		+
<del>                                     </del>	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		3 UE3		10.06	501.59	309.24	125.43	87.30		10.73					<del></del>		+
$\vdash$	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDL	SX UDL	LS1	426.68	501.59	309.24	125.43	87.30		10.73	-	-			⊢—		+
																		+-
LOOP MAKE																		
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	UM	K UMK	KLW		43.10	43.10											

## SPANSON  **********************************								F	RATES (\$)					OSS R	ATES (\$)					
March   Marc	CATEG	GORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	usoc						Submitted	Submitted	Charge - Manual	Charge - Manual	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.			
No.   Pro.   Mr.   Pro.   Mr.   Pro.   Mr.   Pro.   Mr.   Pro.								Nonrect	ırring	Nonrecurrin	a Disconnect	per LSR	LSR	Electronic-1st	Electronic-Add'l					
Machine   Mach							Rec	First	Add'I			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
The Sharting plane part prison of this Land County   U.S. U.S.D. 11-77   37-13   50.0   547-90   50.0   6.00			Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0.6757	0.6757											
The Sharting plane part prison of this Land County   U.S. U.S.D. 11-77   37-13   50.0   547-90   50.0   6.00	I INE SUADIA	ıc																	$\overline{}$	
Leve Shares Spirite, per Spetim, 24 Line Capacity  14 Starting of part Lack Actions 1  14 Starting of part Lack Actions 1  15 Starting of part Lack Actions 1  15 Starting of part Lack Actions 1  15 Starting of part Lack Actions 1  15 Starting of part Lack Actions 1  15 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  16 Starting of part Lack Actions 1  17 Starting of part Lack Actions 1  17 Starting of part Lack Actions 1  18 Starting of part Lack Actions 1  18 Starting of part Lack Actions 1  18 Starting of part Lack Actions 1  18 Starting of part Lack Actions 1  18 Starting of part Lack Action 1  18 Starting of	LINE SHAKII	10																		
Live Space Splane California Publishin, Pu																				
Inter-Spring put to Antonion																			$\longrightarrow$	
Line Spatrs   Line Spatrs					ULS	ULSDC							10.73						-+	
Like Spilling, Lipe Pile authorition DLC Connect spilling   Like Spilling, Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile authorition Still Connect of the Spilling Lipe Pile Authorition Still Connect of the Spilling Pile Pile Pile Pile Pile Pile Pile Pile					ULS	ULSDS	0.00				0.01									
MRINANE TRANSPORT			Line Splitting - per Iline activation DLEC owned splitter		UEPSB	UREOS														
NOTE: INTEROPTIC CHANNEL - DEDICATED TRANSPORT - menum biling period balow ISE1 - one month, DSS and above but movine.  NOTE: INTEROPTIC CHANNEL - DEDICATED TRANSPORT - menum biling period balow ISE1 - one month, DSS and above but movine.  Interdiffic Channel - Dedicated Transport - 2 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 2 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 2 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 2 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 4 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 4 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 Wire Vince Gross Per May per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Channel - Dedicated Transport - 6 May - per mile per month.  Interdiffic Chann													1							
NOTE INTEGRATEC CHANGE. DEDICATED TRANSPORT - moreum biling period: Below RSS - one morth. DSS and above four morths  WEBROFFEZ CHANGE. DEDICATED TRANSPORT - MOVE GROUP.  Interactive Change - Dedicated Transport - 2 Wer Votes Grode - Pacifity UTTVA UTT			Line Splitting - per line activation BST owned - virtual		UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61								$\rightarrow$	
### REFORMER CHANNEL DESCRATED TRANSPORT - YORK GARDA   For Mile per morth morth morth Channel Descrated Transport - 2 Wile Voice Grade - Facility morth morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth	UNBUNDLE	TRANSPOR	रा																	
### REFORMER CHANNEL DESCRATED TRANSPORT - YORK GARDA   For Mile per morth morth morth Channel Descrated Transport - 2 Wile Voice Grade - Facility morth morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth morth per morth																			$\dashv$	
Interoffice Charmed - Declarated Transport - 2-Wile Votor Grade - Facility   UTTXX   UTTXX   UTTXX   UTTXX   UTTXX   UTTXX   UTTXX   UTTXX   UTXXX		NOTE: INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS	3 = one	month,	DS3 and a	bove four mont	hs												
morth   mort																				
Interesting Charmet - Decisional Transport - 2 Wile Vice Grade - Facility   UTTVX			month		U1TVX	1L5XX	0.0084								1					
Interesting Charmet - Decidated Transport - 2-Vive vices Grade Rev Bat Per Net per north   UTTX			Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility					42.69	28.66	16.51	6.34		10.73							
Interesting Charmer   Decidated Transport - 2: Wire Vote Grade - Facility Termination per morth Charmer   Decidated Transport - 4: Wire Vote Grade - Facility Termination per morth Charmer   Decidated Transport - 4: Wire Vote Grade - Facility Termination per morth   UTTX   UTTX   UTTX   UTTX   UTTX   UTTX   UTTX   UTTX   UTTX   UTX			Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile					.2.00			2.01									
Interoffice Charen - Dedicated Transport - 4-Wire Voice Grade - Pecility U1TVX - 1L5XX - 0.0064   1L5XX - 0.0064   1.0073   1.007			Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility					42 69	28 66	16.51	6.34		10.73							
Interoffice Channel - Dedicated Transport - 64 Wise - Facility Termination per month   U1TDX			Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per																	
Interoffice Charmel - Desicated Transport - 56 kbgs - per mile per morth			Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility					42.69	28.66	16.51	6.34		10.73							
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month   UTDX   UTDS   18.95   42.69   28.86   16.51   6.34   10.73																				
Interoffice Channel - Dedicated Transport - 64 ktps - per more per morth   UTDX   UT								42.69	28.66	16.51	6.34		10.73							
NTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1			Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				0.0084												=	
Interoffice Channel - Dedicated Channel - DSI - Per Mile per month   UITD1   1L5XX   0.171			Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	18.95	42.69	28.66	16.51	6.34		10.73							
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month   U1TD1   U1TF1   99.87   95.16   88.78   16.74   14.85   10.73																				
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month								95.16	88.78	16.74	14.85		10.73							
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		INTEROFFIC	E CHANNEL - DEDICATED TRANSPORT- DS3																$\rightarrow$	
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice CHANNEL - DEDICATED TRANSPORT - STS-1  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Chann					U1TD3	1L5XX	3.57						1							
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month								302.43	197.70	64.94	63.61		10.73							-
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month																				
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month   U1TS1   U1TFS   1,085.00   302.43   197.70   64.94   63.61   10.73					LIATO	11.577	0.57												$\longrightarrow$	
LOCAL CHANNEL - DEDICATED TRANSPORT   NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-ene month, DS3 and above=four months																			-	
NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months			Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1 [S1	U1 FFS	1,085.00	302.43	197.70	64.94	63.61		10.73							_
NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above-four months		I UCAI CHA	NNEL - DEDICATED TRANSPORT																$\longrightarrow$	
Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1				onth. D	S3 and	above=fou	r months												-+	
Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2   2   ULDVX   ULDV2   29.15   239.67   42.34   33.93   3.61   10.73			Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1	ULDVX	ULDV2	21.04	239.67	42.34	33.93	3.61		10.73							
Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1   ULDVX ULDR2   21.04   239.67   42.34   33.93   3.61   10.73			Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2	ULDVX	ULDV2	29.15	239.67	42.34	33.93	3.61		10.73							
Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2   ULDVX ULDR2   29.15   239.67   42.34   33.93   3.61   10.73																			$\longrightarrow$	
Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 3   ULDVX   ULDV2   55.14   239.67   42.34   33.93   3.61   10.73																			+	
Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1									42.34											
Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2   2 UNDVX ULDV4   30.35   240.30   42.97   34.47   4.15   10.73     10.73     10.73     10.73   10			Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1	UNDVX	ULDV4	21.91	240.30	42.97	34.47	4.15		10.73							
Local Channel - Dedicated - DS1 per month - Zone 1   1   ULDD1   ULDF1   34.49   195.33   165.48   21.90   15.28   10.73			Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2	UNDVX	ULDV4	30.35	240.30	42.97	34.47	4.15		10.73							
Local Channel - Dedicated - DS1 per month - Zone 2         2         ULDD1         ULDF1         47.78         195.33         165.48         21.90         15.28         10.73           Local Channel - Dedicated - DS1 per month - Zone 3         3         ULDD1         ULDF1         90.38         195.33         165.48         21.90         15.28         10.73			Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3	UNDVX	ULDV4														
Local Channel - Dedicated - DS1 per month - Zone 3 3 ULDD1 ULDF1 90.38 195.33 165.48 21.90 15.28 10.73																			$\rightarrow$	
																		+	-+	
			·							200										

Version 3Q01: 10/18/01

							R	RATES (\$)					OSS R	ATES (\$)				
CATEG	GORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC						Svc Order Submitted	Svc Order Submitted	Incremental Charge - Manual		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.		
							Nonrecu	ırring			Elec per LSR	Manually per LSR	Svc Order vs. Electronic-1st	Svc Order vs. Electronic-Add'l	Electronic- Disc 1st	Electronic-Disc Add'I		
									Nonrecurrin	ng Disconnect								
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
		Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3		554.83	501.59	309.24	125.43	87.30		10.73						
		Local Channel - Dedicated - STS-1- Per Mile per month  Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	1L5NC ULDFS	7.83 563.73	501.59	309.24	125.43	87.30		10.73						
MULTIPLEX	ERS																	
		Channelization - DS1 to DS0 Channel System  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			MQ1 1D1DD	151.74 2.16	91.44 9.08	64.57 6.38	10.00	9.46		10.73						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UC1CA	3.76	9.08	6.38										
		Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	1.42	9.08	6.38										
	-	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month		UXTD3	MQ3 MQ3	218.70 218.70	179.66 179.66	106.96 106.96	36.37 36.37	35.22 35.22	1	10.73 10.73	1	1				
		DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	14.24	9.08	6.38	30.37	33.22		10.73						
DARK FIBER	?									<u> </u>								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month -			41.55.5													
		Local Channel NRC Dark Fiber - Local Channel		UDF UDF	1L5DC UDFC4	54.11	677.34	174.79	277.72	179.41		10.73						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	25.14												
		NRC Dark Fiber - Interoffice Channel		UDF	UDF14	20.14	677.34	174.79	277.72	179.41		10.73						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month- Local Loop		UDF	1L5DL	54.11												
		NRC Dark Fiber - Local Loop			UDFL4	54.11	677.34	174.79	277.72	179.41		10.73						
TRANSPOR	T OTHER																	
	Optional Fe	atures & Functions:																
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			CCOSF		184.92 184.92	23.82 23.82	2.07	0.80		10.73 10.73						
8XX ACCES	S TEN DIGIT	SCREENING			CCCGi		104.92	23.02	2.07	0.00		10.73						
<u> </u>		8XX Access Ten Digit Screening, Per Call		OHD		0.0006165				<del>                                     </del>								
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		3.74	0.64				10.73						
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			7.92	1.06	5.20	0.64		10.73						
	<u></u>	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD	N8FTX		7.92	1.06	5.20	0.64		10.73						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		3.74	1.87				10.73						
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.		OHD	N8FMX		4.37	2.50				10.73						
		8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination Features			N8FAX N8FDX		4.37 3.74	0.64				10.73 10.73						
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query		OHD	HOLDY	0.0006165	3.74					10.73						
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query		OHD		0.0006165				<del></del>								
LINE INFOR	MATION DA	TA BASE ACCESS (LIDB)																
		LIDB Common Transport Per Query LIDB Validation Per Query		OQT OQU		0.0000195 0.0132254												
				OQT,		3.0102234												
		LIDB Originating Point Code Establishment or Change		OQU	NRPBX		49.71	49.71	49.71	49.71		10.73						
SIGNALING	(CCS7)	CCCT Signaling Termination Day CTD Day		LIDD	DTOOY	100.77						40.70						
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message		UDB UDB	PT8SX	129.77 0.0000592						10.73						
		CCS7 Signaling Connection, Per link (A link)		UDB	TPP++	18.39	39.28	39.28	16.51	16.51		10.73						
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP++	18.39	39.28	39.28	16.51	16.51		10.73						
<b>—</b>		CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA		UDB UDB	STU56	0.0000148 676.89						10.73						
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change,		UDB	CCAPO		41.50	41.50				10.73						
		per STP affected CCS7 Signaling Point Code, per Destination Point Code Establishment or Change,																
		Per Stp Affected		UDB	CCAPD		8.00	8.00		-		10.73						
E911 SERVI	CE																	
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				21.04 29.15	239.67 239.67	42.34 42.34	33.93 33.93	3.61 3.61		10.73 10.73						
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				29.15 55.14	239.67	42.34 42.34	33.93	3.61		10.73						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				0.0084												
1		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				26.02	42.69	28.66	16.51	6.34		10.73						

					R	RATES (\$)					OSS RA	ATES (\$)				<del></del> 1	
CATE	EGORY UNBUNDLED NETWORK ELEMENT Zone	BCS	usoc		Nonrecu			g Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
	Local Channel - Dedicated - DS1 - Zone 1			Rec 34.49	First 195.33	Add'I 165.48	21.90	Add'I 15.28	SOMEC	SOMAN 10.73	SOMAN	SOMAN	SOMAN	SOMAN			
	Local Channel - Dedicated - DS1 - Zone 2			47.78	195.33	165.48	21.90	15.28		10.73							
	Local Channel - Dedicated - DS1 - Zone 3			90.38	195.33	165.48	21.90	15.28		10.73							
	Interoffice Transport - Dedicated - DS1 Per Mile			0.171											لـــــــا		
	Interoffice Transport - Dedicated - DS1 Per Facility Termination			90.87	95.16	88.78	16.74	14.85		10.73					$\vdash$		
CALLING N	AME (CNAM) SERVICE														$\vdash$		
	CNAM for DB Owners, Per Query	OQV		0.0010161													
	CNAM for Non DB Owners, Per Query	OQV		0.0010161													
	CNAM For DB Owners - Service Establishment	OQV			22.85	22.85	17.14	17.14		10.73					$\vdash \vdash$	<del></del>	
	CNAM For Non DB Owners - Service Establishment	OQV	-		22.85	22.85	17.14	17.14		10.73			-		$\vdash$		-
	CNAM For DB Owners - Service Provisioning With Point Code Establishment	OQV			1,435.00	1,061.00	317.70	233.60		10.73							
	· · · · · · · · · · · · · · · · · · ·																
	CNAM For New DD Courses Consider St. 11 1 1474 B 1 1 C 1 5 1 1 7 1	001/	1		***	055.0-	000.07	000.5-							,	 	
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment CNAM (Non-Databs Owner), NRC, applies when using the Character Based User	OQV	-		492.73	355.07	322.83	233.60		10.73			-		$\vdash$		-
	Interface (CHUI)	oqv	CDDCH		595.00	595.00				10.73						l l	
LND OUES:	VOEDWOE	<u> </u>													لــــــا		₩-
LNP QUERY	Y SERVICE	-	-														
	LNP Charge Per query			0.000842													
	LNP Service Establishment Manual				12.46	12.46	9.35	9.35		10.73							
	LNP Service Provisioning with Point Code Establishment				591.01	301.93	218.42	160.60		10.73					$\vdash \vdash$	· ·	
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE														$\vdash$		
	OF ERATOR SERVICES AND DIRECTORT ASSISTANCE														$\vdash$		
OPERATOR	R CALL PROCESSING																
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB			1.20											$\vdash$		
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB Oper. Call Processing - Fully Automated, per Call - Using BST LIDB			1.24 0.20											<del>                                     </del>		
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB			0.20													
INWARD OF	PERATOR SERVICES														ļ — — — — — — — — — — — — — — — — — — —		
	Inward Operator Services - Verification, Per Call Inward Operator Services - Verification and Emergency Interrupt - Per Call			1.00 1.95											$\vdash$		
	inward Operator octivices - verification and Emergency interrupt - 1 et oaii			1.55													
BRANDING	- OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement		CBAOS		7,000.00	7,000.00				10.73					ļ — — — — — — — — — — — — — — — — — — —		
-	Loading of Custom Branded OA Announcement per shelf/NAV	-	CBAOL		500.00	500.00				10.73					$\vdash$		$\vdash$
	Unbranding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)	-			1,200.00	1,200.00									$\vdash$		
					1,200.00	1,200.00											
DIRECTORY	Y ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE	ļ		0.0747											┝──┤		
$\vdash$	Directory Assistance Access Service Calls, Charge Per Call	-	-	0.271744											$\vdash$		$\vdash$
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																-
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt			0.10													
		<u> </u>													لــــــا		<b></b>
	DIRECTORY TRANSPORT	-	-														$\vdash$
-	SWA Common transport per Directory Assistance Access Service Call	1		0.0003													$\vdash$
	SWA Common Transport per Directory Assistance Access Service Call Mile			0.00004													
	Access Tandem Switching per Directory Assistance Access Service Call	L		0.00055											$\vdash$		$\Box$
	Directory Assistance Interconnection per Directory Assistance Access Service Call			0.00											, !	l I	
	DS3 to DS1 Multiplexer per DA Access Service Call	<b> </b>		0.00018													-
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)														┉		
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month	-	DBSOF	0.04 150.00													
BRANDING	- DIRECTORY ASSISTANCE	<b> </b>	DUOUF	150.00													$\vdash$
	Facility Based CLEC																
	Recording and Provisioning of DA Custom Branded Announcement	AMT	CBADA		6,000.00	6,000.00											
	Loading of Custom Branded Announcement per DRAM Card/Switch	AMT	CBADC		1,170.00	1,170.00									┌──┚		$\Box$
	UNEP CLEC	1			0.000.5-	0.000.00											1
	Recording of DA Custom Branded Announcement	<u> </u>	L		3,000.00	3,000.00				l							

					ı	RATES (\$)					OSS R	ATES (\$)			,		
CATEG	ORY UNBUNDLED NETWORK ELEMENT Zon	e BCS	usoc		Nonrec	urring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
								ng Disconnect									
				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN Unbranding via OLNS for UNEP CLEC				1,170.00	1,170.00									<b></b>	<del></del>	-
	Loading of DA per OCN (1 OCN per Order)				420.00	420.00											
	Loading of DA per Switch per OCN				16.00	16.00											
															<u> </u>	<b></b>	
SELECTIVE I	ROUTING																-
	Selective Routing Per Unique Line Class Code Per Request Per Switch		USRCR		84.33	84.33	11.46	11.46		10.73							
VIRTUAL CO	LLOCATION														<b></b>	<del></del>	
VIKTUAL CO	Virtual Collocation - Application Cost	CLO	EAF		4,122.00	2,848.30											1
	Virtual Collocation - Cable Installation Cost, per cable	CLO	ESPCX		965.00	2,750.00											
	Virtual Collocation - Floor Space, per sq. ft.	CLO	ESPVX	4.25													$\Box$
	Virtual Collocation - Power, per breaker amp Virtual Collocation - Cable Support Structure, per entrance cable	CLO	ESPAX ESPSX	6.95 13.35												<del></del>	+
	virtual Collocation - Cable Support Structure, per entrance cable	CLO	ESPSA	13.33													1
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts		i	5.02	1,157.00	1,157.00				11.90							
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts	uea,uhl, ucl,udl	UEAC4	5.02	1,157.00	1,157.00				11.90					1 '	I	
	Virtual Collocation - 4-Wire Cross Connects (loop), per 100 ckts  Virtual Collocation - 2-Fiber Cross Connects	CLO	CNC2F	6.71	2,431.00	1,157.00				11.90							-
	Virtual Collocation - 4-Fiber Cross Connects	CLO	CNC4F	6.71	2,431.00					11.90							
		USL,UL														1	
	Virtual Collocatin - DS1 Cross Connects	C,CLO USL,UL	CNC1X	7.50	155.00	14.00				11.90					<u> </u>	<b>—</b>	
	Virtual Collocatin - DS3 Cross Connects	C,CLO	CND3X	56.25	151.90	11.83				11.90					1 '	I	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per															Ī	
	linear foot	AMTFS	PE1ES	0.0028											<b></b>		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft	AMTES	PE1DS	0.0041											1 '	I	
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per	AWITIS	FEIDS	0.0041													_
	cable	AMTFS			535.54										L'		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support				505.54										1 '	I	
	Structure, per cable Virtual Collocatin - Security Escort - Basic, per quarter hour	AMTFS CLO	SPTBQ		535.54 10.89										<u> </u>	<b>—</b>	-
	Virtual Collocatin - Security Escort - Dustic, per quarter hour	CLO	SPTOQ		13.64												-
	Virtual Collocatin - Security Escort - Premium, per quarter hour	CLO	SPTPQ		16.40												
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts	CLO		5.02	1,157.00												
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts	CLO	VE440	5.02	1,157.00										<b></b>	<del></del>	
	Virtual Collocation - DS-1/DCS, PER 28 CKTS Virtual Collocation - DS-1.DSX, PER 28 CKTS	CLO	VE11S VE11X	226.39 11.51	1,950.00 1,950.00												-
	Virtual Collocation - DS-3/DCS, PER 25 GRTS  Virtual Collocation - DS-3/DCS, PER CKT	CLO	VE13S	56.97	528.00												$\vdash$
	Virtual Collocation - DS-3/DSC, PER CKT	CLO	VE13X	10.06	528.00												
	Virtual Collocation - Virtual to Virtual connection, per fiber, per cable	CLO	1	0.19	526.17										<u> </u>		+
	Virtual Collocation - Virtual to Virtual connection - DS1/DS-3, per cable  Virtual Collocatin - Maintenance in CO - Basic, per quarter hour	CLO	SPTRE	0.17	134.46 10.89										· '		$\vdash$
	Virtual Collocatin - Maintenance in CO - Destine, per quarter hour  Virtual Collocatin - Maintenance in CO - Overtime, per quarter hour	CLO	SPTOE		13.64												$\vdash$
	Virtual Collocatin - Maintenance in CO - Premium per quarter hour	CLO	SPTPE		16.40												
VIRTUAL CO			L		·										⊢ —	<del></del>	$\perp =$
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res	UEPSR	VE1R2	0.524	11.57	11.57				11.90	-				<sup> </sup>		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res	UEPRX	PE1R2	0.524	11.57	11.57				11.90					. '	I	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX														i '		
	Trunk - Bus	UEPSP	VE1R2	0.524	11.57	11.57				11.90					<b></b>	<del></del>	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX  Trunk - Res	UEPSE	VE1R2	0.524	11.57	11.57				11.90					. '	I	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus		VE1R2	0.524	11.57	11.57				11.90							$\vdash$
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN	UEPSX	VE1R2	0.524	11.57	11.57	_			11.90							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	UEPTX	VE1R2	0.524	11.57	11.57				11.90					⊢—	<u> </u>	$\perp \Box$
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1		VE1R4	0.524	11.57	11.57				11.90					ļ	<u> </u>	
VIRTUAL CO	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	UEPEX	VE1R4	0.524	11.57	11.57				11.90					<u> </u>		
VIK I UAL CO	LLOCATION	1	1	1				l	1	1	1	1	1	1			

Page 34 of 248 Version 3Q01: 10/18/01

					ı	RATES (\$)					OSS RA	ATES (\$)					
CATEG	SORY UNBUNDLED NETWORK ELEMENT Zone	BCS	usoc		Nonrec			ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			-
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR, UEPSB	VE1LS	0.0297	33.86	31.95				10.73							
AIN SELECT	IVE CARRIER ROUTING																<u> </u>
	Regional Service Establishment	SRC	SRCEC		191,575.00		6,974.00			10.73							
	End Office Establishment Query NRC, per query	SRC	SRCEO	0.0030998	168.89	168.89	0.63	0.63		10.73							
	query rate, per query	ONO		0.0030336													
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		CAMSE		39.27	39.27	33.04			10.73						<u> </u>	<del></del>
	AIN SMS Access Service - Port Connection - Dial/Shared Access  AIN SMS Access Service - Port Connection - ISDN Access	1	CAMDP CAM1P	<del>                                     </del>	7.79 7.79	7.79 7.79	7.38 7.38			10.73 10.73					<b></b>	<del> </del>	+
	AIN SMS Access Service - Port Confliction - Tobh Access  AIN SMS Access Service - User Identification Codes - Per User ID Code		CAMAU		34.85	34.85	21.97	21.97		10.73						<del>                                     </del>	$\vdash$
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		CAMRC		73.76	73.76	9.51	9.51		10.73							
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute	1	1	0.0029 0.7985											<del>                                     </del>		$\vdash$
	AIN SMS Access Service - Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per Minute			0.7965												<del>                                     </del>	$\vdash$
AIN - BELLS	OUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup  AIN Toolkit Service - Training Session, Per Customer		BAPSC		39.27 8,406.00	39.27 8,406.00	33.04	33.04		10.73 10.73							
	And Toolkit Service - Training Session, Fer Customer		DAFVA		0,400.00	6,406.00				10.73					<del></del> '	$\vdash$	+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt		BAPTT		7.79	7.79	7.38	7.38		10.73					<u> </u>		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay		BAPTD		7.79	7.79	7.38	7.38		10.73							
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate		BAPTM		7.79	7.79	7.38	7.38		10.73							
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP		BAPTO		34.32 34.32	34.32 34.32	11.66 11.66	11.66 11.66		10.73 10.73							
	AIN TOOIKI Service - Higger Access Charge, Fer Higger, Fer DN, CDF		DAFIC		34.32	34.32	11.00	11.00		10.73					<del></del> '	$\vdash$	+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code		BAPTF		34.32	34.32	11.66	11.66		10.73							
	AIN Toolkit Service - Query Charge, Per Query			0.0509436													
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query			0.0063797													
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100			0.0062787											<del></del> '	$\vdash$	+
	Kilobytes			0.06											ļ		
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription	1	BAPMS		7.79	7.79	4.47	4.47		10.73							
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription	+	BAPLS BAPDS	3.85 4.28	8.62 7.79	8.62 7.79	4.47	4.47		10.73 10.73				-	-	<del> </del>	
	And Fooling deliving - Gail Event Report - Fel And Fooling deliving Subscription	1	DAF DO	4.28	1.19	7.79	4.47	4.4/		10.73					<del>                                     </del>	$\vdash$	<del>                                     </del>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		BAPES	0.13	8.62	8.62				10.73					<del>                                     </del>	-	
ODUF/EDOL	F/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)														<del></del> '	$\vdash$	+
	ADUF: Message Processing, per message			0.013928													
	ADUF: Data Transmission (CONNECT:DIRECT), per message			0.00012927													
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message			0.222451													<u> </u>
	OPTIONAL DAILY USAGE FILE (ODUF)	1	1												<u> </u>	<del> </del>	$\vdash$
	OPTIONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message	+	<del>                                     </del>	0.0000068											<del>                                     </del>	<del>                                     </del>	-
	ODUF: Message Processing, per message			0.006614													
	ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message			48.77													<del></del>
	ODUF: Data Transmission (CONNECT:DIRECT), per message			0.00010772											<del>                                     </del>	<del></del>	+
ENHANCED	EXTENDED LINK (EELs)																
					·										$ldsymbol{ldsymbol{eta}}$	$\perp$	$\perp$
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; I	Miami, FL	; Ft. Laud	erdale, FLI; Nas	shville, TN; New	Orleans, LA;									'		
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rate																
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilit					Is Charge appli	es to currer	ntly combine	facilities o	onverted to	1	I.	1	I			<u> </u>
	UNEs.(Non-recurring rates do not apply.)					Juan go appii		, 00									<u>L</u>

					F	RATES (\$)					OSS R	ATES (\$)		Т	<b>├</b>	<b></b>	_
ATEGORY	UNBUNDLED NETWORK ELEMENT Zone	BCS	usoc		Nonrec	urring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
							Nonrecurrin	ng Disconnect							<b>↓</b> '	<b>-</b>	_
				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	1 '	ı	
															i i		_
NOTE: IN G	GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network ele	ments.(N	io Switch	As is Charge.)													_
2-WIRE VO	DICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EE	L)													ļ		_
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination -														i i		_
	Zone 2 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination -	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.68		10.73					<u> </u>		_
	Zone 3 3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	UNC1X	1L5XX	0.171											<u> </u>		Ξ
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73					1 '	ı	
	DS1 Channelization System Per Month	UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21		10.73							Ξ
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport	UNCVX	1D1VG	1.42	6.05	4.36									<sup>'</sup>		_
	Combination - Zone 1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68		10.73							
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport  Combination - Zone 2	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.68		10.73						1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport	UNCVX	UEAL2	18.00	115.02	54.58	43.28	5.08		10.73							-
	Combination - Zone 3 3		UEAL2	35.18	115.02	54.58	43.28	5.68		10.73					<b>↓</b> '	<b>-</b>	_
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		1D1VG UNCCC	1.42	6.05 8.10	4.36 8.10	8.10	8.10		10.73							-
																	Ξ
4-WIRE VO	DICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EE First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination -	L)													<u> </u>		_
	Zone 1 1	UNCVX	UEAL4	21.23	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination -																
	Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination -	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68		10.73							-
	Zone 3 3		UEAL4	55.63	115.02	54.58	43.28	5.68		10.73					L		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		1L5XX U1TF1	0.171 90.87	157.30	110.42	41.12	16.18		10.73					<u> </u>		_
	Channelization - Channel System DS1 to DS0 combination Per Month	UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21		10.73							_
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport	UNCVX	1D1VG	1.42	6.05	4.36									<b></b>		_
	Combination - Zone 1	UNCVX	UEAL4	21.23	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport														i '		Ξ
	Combination - Zone 2 2 Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68		10.73					<b></b>		_
	Combination - Zone 3 3	UNCVX	UEAL4	55.63	115.02	54.58	43.28	5.68		10.73					L		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		1D1VG UNCCC	1.42	6.05 8.10	4.36 8.10	8.10	8.10		10.73					<u> </u>		_
	,		UNCCC		8.10	6.10	0.10	0.10		10.73							_
4-WIRE 56	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	(EEL)	1												$\vdash$	_	_
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73						ı	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination -															1	_
	Zone 2 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination -	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10.73					<b></b> '		_
	Zone 3 3		UDL56	64.14	115.02	54.58	43.28	5.68		10.73					L		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per	UNC1X	1L5XX	0.171											H-	$\overline{}$	_
	Month	UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73					1 '	ı	
	Channelization - Channel System DS1 to DS0 combination Per Month		MQ1	151.74	51.63	13.29	1.35	1.21							ļ	_	Ξ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)  Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport	UNCDX	1D1DD	2.16	6.05	4.36											-
	Combination - Zone 1	UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73					L		_
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport  Combination - Zone 2	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport	CIACDY	UDLUG	33.31	110.02	J <del>4</del> .J0	+3.20	3.00		10.73					$\Box$		_
	Combination - Zone 3 3	UNCDX	UDL56	64.14	115.02	54.58	43.28	5.68		10.73					<u> </u>		_
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)	UNCDX	1D1DD	2.16	9.08	6.38										ı	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCCC		8.10	8.10	8.10	8.10		10.73							_
4-WIRE 64	KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	(FFL)	1					-					1				-
4-VIII\L 04	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination -																-
	Zone 1	UNCDX	UDL64	24.48	115.02	54.58	43.28	5.68		10.73					ı		_

Page 36 of 248 Version 3Q01: 10/18/01

					F	RATES (\$)					OSS R	ATES (\$)	-				
CATEGORY	UNBUNDLED NETWORK ELEMENT Zone	BCS	usoc		Nonrecu	urring	Nonrecurrin	g Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- I Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<u> </u>		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	UNCDX	LIDL 64	33.91	115.02	54.58	43.28	5.68		10.73						ı	1 '
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination -	UNCDA	UDL64	33.91	115.02	34.36	43.20	3.00		10.73			+			ī	+
	Zone 3 3	UNCDX		64.14	115.02	54.58	43.28	5.68		10.73							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per	UNC1X	1L5XX	0.171											<b></b>		
	Month	UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73					'	ı	
	Channelization - Channel System DS1 to DS0 combination Per Month	UNC1X		151.74	51.63		1.35	1.21		10.73							
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-	LINGS	40400	0.40		4.00									'	ı	
	64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	UNCDX	1D1DD	2.16	6.05	4.36									$\vdash$		+
	Combination - Zone 1	UNCDX	UDL64	24.48	115.02	54.58	43.28	5.68		10.73					'	ı	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport														1		
	Combination - Zone 2 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport	UNCDX	UDL64	33.91	115.02	54.58	43.28	5.68		10.73					<b></b> '		<b></b> '
	Combination - Zone 3	UNCDX	UDL64	64.14	115.02	54.58	43.28	5.68		10.73					1 '	ı	1 '
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-																
	64kbs)	UNCDX	1D1DD UNCCC	2.16	6.05 8.10	4.36 8.10	8.10	8.10		10.73					<b></b>		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	UNCTX	UNCCC		8.10	8.10	8.10	8.10		10.73					<b>—</b>	·	+
4-WIRE DS	1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL	-)															
		UNC1X			196.32		46.38	13.03		10.73							
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 3	UNC1X UNC1X	USLXX		196.32 196.32		46.38 46.38	13.03		10.73 10.73					$\vdash$		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		1L5XX		190.32	109.03	40.30	13.03		10.73			+			ī	+
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per				-											1	
	Month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	UNC1X		90.87	157.30		41.12	16.18		10.73					<b></b>		
	Nonlecurring Currently Combined Network Elements Switch -As-is Charge	UNCIA	UNCCC		8.10	8.10	8.10	8.10		10.73			+		$\vdash$	<del></del>	+
4-WIRE DS	31 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL																
		UNC1X			196.32		46.38	13.03		10.73			——		<u></u>		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2  First DS1Loop in DS3 Interoffice Transport Combination - Zone 3  3	UNC1X UNC1X	USLXX		196.32 196.32	109.65 109.65	46.38 46.38	13.03		10.73			-			i	+
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		1L5XX														
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		U1TF3	1,101.00	288.50		34.80	16.96		10.73					<b> </b>		
	DS3 to DS1 Channel System combination per month  DS3 Interface Unit (DS1 COCI) combination per month		MQ3 UC1D1	218.70 14.24	104.13 6.05		10.96	3.84							<b>—</b>	·	+
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73						ī	
		UNC1X			196.32		46.38	13.03		10.73						-	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3  DS3 Interface Unit (DS1 COCI) combination per month	UNC1X	USLXX UC1D1		196.32 6.05		46.38	13.03		10.73			+		$\vdash$		+
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCCC		8.10		8.10	8.10		10.73			<u> </u>				+
			<u> </u>			<b>↓</b>							1	1	$\vdash$		
2-WIRE VO	DICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EE	:L)	-			<del>                                     </del>							+	-	<del>                                     </del>		+
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68		10.73					l '	ı	
																I	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.68		10.73					<b></b> '		₩
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68		10.73					1 '	ı	
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		1L5XX				0	5.50									
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month	UNCVX	U1TV2	26.02	85.38	47.42	40.82	16.25		10.73					l '	ı	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCCC		85.38 8.10		40.82 8.10	8.10		10.73			+	<del>                                     </del>			+
			500		50	55	00	0.10		.00							
4-WIRE VO	DICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EE		LIEAL	04.00	445.00	54.50	43.28	F.00		40.70				<u> </u>	——		<u> </u>
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 2	UNCVX	UEAL4		115.02 115.02		43.28	5.68 5.68		10.73 10.73			+				+'
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 3	UNCVX	UEAL4	55.63	115.02		43.28	5.68		10.73							
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		1L5XX	0.0084											$\vdash$		$\perp$
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month	UNCVX	U1TV4	23.20	85.38	47.42	40.82	16.25		10.73					1 '	ı	1 '
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCCC	23.20	85.38		8.10	8.10		10.73			<del>                                     </del>		<b>-</b>	i	<del>                                     </del>
								· · ·									
DS3 DIGITA	AL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)  High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month	LINCOV	1L5ND	10.06		+									<b></b> '		<b></b> '
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month  High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per	UNC3X	TLOND	10.06		<del>                                     </del>							+	<del> </del>			+
1	month	UNC3X	UE3PX	387.10	220.36	139.50		23.69	l	1					l '	ı	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1L5XX		220.36	139.50	60.49	23.09									

Page 37 of 248 Version 3Q01: 10/18/01

						F	RATES (\$)					OSS R	ATES (\$)	ı			I
JEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	usoc		Nonrec	urring	Nonrecurrin	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I		_
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per																T
	month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	U1TF3 UNCCC	1,101.00	288.50 8.10	124.61 8.10	34.80 8.10	16.96 8.10		10.73 10.73						+
			ONOOA	014000		0.10	0.10	0.10	0.10		10.70						Ħ
STS1 DIGIT	AL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EE	-)															I
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per		UNCSX	1L5ND	10.06												$\dashv$
	month		UNCSX	UDLS1	426.68	220.36	139.50	60.49	23.69								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	3.57												4
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	1,085.00	288.50	124.61	34.80	16.96		10.73						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCCC	1,000.00	8.10	8.10	8.10	8.10		10.73						$\exists$
2 WIDE 1001	N EVTENDED LOOD WITH DOUBLE TO ANODODY (FF.)																4
2-WIKE ISDI	N EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL) First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	20.44	115.02	54.58	43.28	5.68		10.73					<u> </u>	+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	28.31	115.02	54.58	43.28	5.68		10.73						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3		U1L2X		115.02	54.58	43.28	5.68		10.73						4
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNCTX	1L5XX	0.171											<u> </u>	+
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73						
	Channelization - Channel System DS1 to DS0 combination - per month	1	UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21								4
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3.76	6.05	4.36										
								40.00	E 00		40.70						
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	20.44	115.02	54.58	43.28	5.68		10.73						$\dashv$
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	28.31	115.02	54.58	43.28	5.68		10.73						4
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	53.56	115.02	54.58	43.28	5.68		10.73						4
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3.76	6.05	4.36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73						1
4-WIRE DS1	LIDIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPO	RT (F	FI )														+
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73						T
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		UNC1X			196.32	109.65	46.38	13.03		10.73						4
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month	3	UNC1X UNCSX	1L5XX	181.38 3.57	196.32	109.65	46.38	13.03		10.73						$\dashv$
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1,085.00	288.50	124.61	34.80	16.96		10.73						
	STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month		UNCSX	MQ3 UC1D1	218.70 14.24	6.05	4.36										_
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73						7
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		UNC1X		95.89	196.32	109.65	46.38	13.03		10.73						I
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	3		USLXX UC1D1		196.32 6.05	109.65 4.36	46.38	13.03		10.73		-				+
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCCC	1.024	8.10	8.10	8.10	8.10		10.73						#
A-WIDE SO L	 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EI	EL)											-			-	$\dashv$
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73						$\forall$
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10.73						コ
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile	3		UDL56 1L5XX	64.14 0.0098	115.02	54.58	43.28	5.68		10.73						4
	micromoc mansport - Dedicated - 4-wire 50 kbps combination - Per Mile		UNCDX	ILOAA	0.0098												$\forall$
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	19.31	85.38	47.42	40.82	16.25		10.73						_
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	<b>!</b>	UNCDX	UNCCC	-	8.10	8.10	8.10	8.10		10.73		-				$\dashv$
4-WIRE 64 H	KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (E													<u></u>			#
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		UNCDX		24.48	115.02	54.58	43.28	5.68	1	10.73						コ
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64 UDL64	33.91 64.14	115.02 115.02	54.58 54.58	43.28 43.28	5.68 5.68		10.73 10.73						$\dashv$
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile	Ŭ		1L5XX	0.0098	1.0.02	0 1.00	.0.20	0.00		.0.70						⇉
	Intereffice Transport - Dedicated - Awire 64 kbns combination - Facility Titi		LINCOV	U1TD6	40.04	140.50	00.00	71.35	24.04		40.70						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	<b>!</b>	UNCDX	UNCCC	19.31	149.56 8.10	86.00 8.10	71.35 8.10	31.91 8.10		10.73 10.73						$\dashv$
																	4
IAL NETWORK	LELEMENIS	-			-								-				$\dashv$
	as a part of a currently combined facility, the non-recurrng charges do not app	alv bu	t a Swite	h Δs Is c	harge does an	nh.		<b> </b>		1		1	1				$\dashv$
When used	as a part of a currently combined facility, the non-recurring charges do not abi																

					F	RATES (\$)					OSS R	ATES (\$)					
CATEGORY	UNBUNDLED NETWORK ELEMENT Z	ne BCS	USOC		Nonrect	-		ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs. Electronic-1st	Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
Node (	(SynchroNet)																
	Node per month	UNCDX	UNCNT	16.35													
Nonre	curring Currently Combined Network Elements "Switch As Is" Charge (One applies to ea	ch combin	ation)														
11000	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is"															-	
	Conversion Charge	UNCVX	UNCCC		8.10	8.10	8.10	8.10		10.73				<b>——</b>			
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNCDX	UNCCC		8.10	8.10	8.10	8.10		10.73							
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge	UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73				ı			
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion	UNCIX			0.10	0.10	0.10	0.10							$\longrightarrow$		
	Charge	UNC3X	UNCCC		8.10	8.10	8.10	8.10		10.73							
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is"  Conversion Charge	UNCSX	UNCCC		8.10	8.10	8.10	8.10		10.73							
NOTE:	: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month,	DS3 and a	bove=fou	r months											-	-	
	PPORT SYSTEMS			L	L									<b></b>			
	<ul> <li>(1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the st</li> <li>(1) Continued: The electronic service ordering charge currently contained in this rate exhibit is</li> </ul>						OFFITTISSIONS								$\longrightarrow$		
	: (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the						ctronic servi	ce orderina ch	arge.								
NOTE:	: (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LS	R basis		J state goo, o		g			g								
	Electronic OCC Character I CD and with all the DCT- OCC interesting interface																
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)		SOMEC	:	3.50												
	cone" shown in the sections for stand-alone loops or loops as part of a combination refers to Ge www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm	ographically	/ Deavera	ged UNE Zones.	To view Geograp	hically Deaverage	ed UNE Zone	e Designations	by Central	Office, refer	to Internet We	bsite:					
	AL EXCHANGE SWITCHING(PORTS)		1	1				I		I	I	I					
DINBONDEED LOCA	AL EXCHANGE SWITCHING(FORTS)																
	inge Ports																
NOTE:	: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired t	eatures wil	I need to	be ordered usi	ng retail USOCs												
o MIDI	E VOICE GRADE LINE PORT RATES (RES)													-			
2-WIRE	E VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports - 2-Wire Analog Line Port- Res.	UEPSR		1.34	3.37	3.27	1.69	1.62		10.73			1.65				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	UEPSR	UEPRC	1.34	3.37	3.27	1.69	1.62		10.73			1.65				_
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		UEPRO		3.37	3.27	1.69	1.62		10.73			1.65		$\longrightarrow$		
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID	UEPSR	UEPAF	1.34	3.37	3.27	1.69	1.62		10.73			1.65				
	(LUM)	UEPSR	UEPAP	1.34	3.37	3.27	1.69	1.62		10.73			1.65				
	Subsequent Activity		USASC														
		ULF 3I	USASC	0.00	0.00	0.00											
FEATU		OLFSI	USASC	0.00	0.00	0.00											
FEATU			USASC		0.00	0.00				10.73			1.65				
	All Available Vertical Features									10.73			1.65				
	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)	UEPSR	UEPVF	2.17	0.00	0.00											
	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus	UEPSR		2.17	0.00		1.69	1.62		10.73			1.65				
	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unburdled Line Port with unburdled port with	UEPSR	UEPVF	2.17	0.00	3.27				10.73			1.65				
	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with  Caller-E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	UEPSE UEPSE UEPSE	UEPVF  UEPBL  UEPBC  UEPBC	2.17 1.34 1.34	0.00	0.00	1.69 1.69 1.69	1.62 1.62 1.62									
	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus	UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBC UEPBO UEPBO UEPBO	2.17 1.34 1.34 1.34 1.34	3.37 3.37 3.37 3.37 3.37	3.27 3.27 3.27 3.27 3.27	1.69	1.62		10.73			1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity	UEPSE UEPSE UEPSE UEPSE UEPSE	UEPVF  UEPBL  UEPBC  UEPBC	2.17 1.34 1.34 1.34 1.34	3.37 3.37 3.37	3.27 3.27 3.27	1.69 1.69	1.62 1.62		10.73 10.73 10.73			1.65 1.65 1.65				
	All Available Vertical Features  All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with  Caller-E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Subsequent Activity  URES	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBC UEPBO UEPB1 UEPB1 USASC	2.17 1.34 1.34 1.34 1.34 0.00	3.37 3.37 3.37 3.37 0.00	3.27 3.27 3.27 3.27 3.27 0.00	1.69 1.69	1.62 1.62		10.73 10.73 10.73 10.73			1.65 1.65 1.65 1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  URES  All Available Vertical Features	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBC UEPBO UEPBO UEPBO	2.17 1.34 1.34 1.34 1.34 0.00	3.37 3.37 3.37 3.37 3.37	3.27 3.27 3.27 3.27 3.27	1.69 1.69	1.62 1.62		10.73 10.73 10.73			1.65 1.65 1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E494 ID - Bus. Exchange Ports - 2-Wire VG unbundled incoming only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity URES  All Available Vertical Features  ANGE PORT RATES (DID & PBX)	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBL UEPBC UEPBC UEPBC UEPBC UEPBC	2.17 1.34 1.34 1.34 1.34 0.00	3.37 3.37 3.37 3.37 0.00	3.27 3.27 3.27 3.27 0.00	1.69 1.69 1.69	1.62 1.62 1.62		10.73 10.73 10.73 10.73 10.73			1.65 1.65 1.65 1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  URES  All Available Vertical Features	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBC UEPBO UEPB1 UEPB1 USASC	2.17 1.34 1.34 1.34 1.34 0.00	3.37 3.37 3.37 3.37 0.00	3.27 3.27 3.27 3.27 3.27 0.00	1.69 1.69	1.62 1.62		10.73 10.73 10.73 10.73			1.65 1.65 1.65 1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E494 ID - Bus. Exchange Ports - 2-Wire VG unbundled incoming only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity URES  All Available Vertical Features  ANGE PORT RATES (DID & PBX)	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPEX	UEPBL UEPBL UEPBC UEPBC UEPBC UEPBC UEPBC	2.17 1.34 1.34 1.34 0.00 2.17	3.37 3.37 3.37 3.37 0.00	3.27 3.27 3.27 3.27 0.00	1.69 1.69 1.69	1.62 1.62 1.62		10.73 10.73 10.73 10.73 10.73			1.65 1.65 1.65 1.65				
2-WIRE	All Available Vertical Features  E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  JRES All Available Vertical Features ANGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port	UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE UEPSE	UEPBL UEPBC UEPBC UEPBC UEPBC UEPBC UEPVF UEPPC	2.17 1.34 1.34 1.34 0.00 2.17	3.37 3.37 3.37 3.37 0.00	3.27 3.27 3.27 3.27 0.00 0.00	1.69 1.69 1.69 37.81	1.62 1.62 1.62		10.73 10.73 10.73 10.73 10.73			1.65 1.65 1.65 1.65 1.65				

	OSS RATES (\$)	
CATEGORY UNBUNDLED NETWORK ELEMENT Zone BCS USOC Nonrecurring	Svc Order Svc Order Svc Order Svc Order Submitted Submitted Elec Manually per per LSR LSR LSR LSR LSR LSR LSR LSR LSR LSR	
Nonrec  Rec First Add'l First	t Add'l SOMEC SOMAN SOMAN SOMAN SOMAN SOMAN	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels ass		
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined	d via the Bona Fide Request/New Business Request Process.	
Fishers Date Office County Defice		
Exchange Ports - 2-Wire ISDN Port Channel Profiles   UEPSX U1UMA   0.00   0.00   0.00	4.89 16.43 10.73 1.65	
2-Wire VG Unbundled 2-Way PBX Trunk - Res UEPRD 1.34 35.22 16.39 11.	1.14 0.648 10.73 1.65	
	1.14 0.648 10.73 1.65	
	1.14 0.648 10.73 1.65 1.14 0.648 10.73 1.65	
2-virie volue side of bloomer and only in the state   0ersy		
	1.14 0.648 10.73 1.65	
2-Wire Vice Unbundled 2-Way PBX Usage Port   UEPSP   UEPXA   1.34   35.22   16.39   11.		
	1.14 0.648 10.73 1.65	
	1.14 0.648 10.73 1.65	
	1.14 0.648 10.73 1.65 1.14 0.648 10.73 1.65	
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling CEPS CEPS CEPS CEPS CEPS CEPS CEPS CEPS	10.70	
	1.14 0.648 10.73 1.65	
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 1.34 35.22 16.39 11.	1.14 0.648 10.73 1.65	
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling   3.3.22 10.39 11.	1.14 0.046 10.73	
Port   UEPSP UEPXO 1.34 35.22 16.39 11.	1.14 0.648 10.73 1.65	
	1.14 0.648 10.73 1.65	
Subsequent Activity UEPSP USASC 0.00 0.00 0.00		
FEATURES EPSP		
All Available Vertical Features UEPSE UEPVF 2.17 0.00 0.00	10.73 1.65	
EXCHANGE PORT RATES (COIN)		
Exchange Ports - Coin Port         1.34         3.37         3.27         1.	1.69 1.62 10.73 1.65	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels ass	sociated with 2-wire ISDN ports.	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined	d via the Bona Fide Request/New Business Request Process.	
UNBUNDLED LOCAL SWITCHING, PORT USAGE		
End Office Switching (Port Usage)		
End Office Switching Function, Per MOU   0.0007341		
End Office Trunk Port - Shared, Per MOU 0.0001571		
Tandem Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU 0.0001263		
Tandem Truk Port - Shared, Per MOU   0.0002252		
Common Transport		
Common Transport - Pert Mile, Per MOU   0.0000034		
Common transport - racinites Termination Fer WOO 0.0004495		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES		
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.		
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate	te Exhibit.	
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements excep	pt for UNE Coin Port/Loop Combinations.	
For Copyrig Menticipal Legislane and Toppesses, the requiring IINE Port and Lean through Control of Mark Compatible Control of Mark Compatible Control of Mark Compatible Control of Mark Compatible Control of Mark Control o		
For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and		
For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections		<del>                                     </del>
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 1 13.01]		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 1 1 13.01 1 [2-Wire VG Loop/Port Combo - Zone 2 2 17.15 ]		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 13.01  2-Wire VG Loop/Port Combo - Zone 2 2 17.15  2-Wire VG Loop/Port Combo - Zone 3 3 30.45		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.01  2-Wire VG Loop/Port Combo - Zone 2 2 17.15  2-Wire VG Loop/Port Combo - Zone 3 3 30.45  UNE Loop Rates		
Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE PORT/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1.3.01  2-Wire VG Loop/Port Combo - Zone 2 2 177.15  2-Wire VG Loop/Port Combo - Zone 3 3 3.0.45		

					ı	RATES (\$)					OSS R	ATES (\$)				$\Box$
FEGORY	UNBUNDLED NETWORK ELEMENT Zoi	e BCS	usoc		Nonrec	urring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
				Rec	First	Add'I	Nonrecurri First	ng Disconnect	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		_
	2-Wire Voice Grade Loop (SL1) - Zone 3	UEPRX	UEPLX	29.33												Ξ
2 Wire Voice	Crade Line Part Pates (Pas)															ᆜ
	e Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	LIEDDY	UEPRL	1.12						10.73			1.65			_
	2-Wire voice unbundled port with Caller ID - res	UEPRX	UEPRC	1.12						10.73			1.65			-
	2-Wire voice unbundled port outgoing only - res	UEPRX	UEPRO	1.12						10.73			1.65			_
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		UEPAF	1.12						10.73			1.65			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	UEPRX	UEPAP	1.12						10.73			1.65			_
																_
FEATURES																_
	All Features Offered	UEPRX	UEPVF	2.17	0.00	0.00				10.73			1.65			Ξ
1.0041 1	ADED DODTADILITY															_
	IBER PORTABILITY  Local Number Portability (1 per port)	HEDRY	LNPCX	0.35												_
		OLI IXX	2141 07	0.33												-
	RING CHARGES (NRCs) - CURRENTLY COMBINED															Ξ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	UEPRX	USAC2		0.092	0.092				10.73						_
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	LIEDRY	USACC		0.092	0.092				10.73						
	criange	UEPRX	USACC		0.092	0.092				10.73						-
ADDITIONAL	NRCs															Т
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	UEPRX	USAS2	0.00	0.00	0.00				10.73			1.65			
2-WIRE VOI	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
LINE Dort/Lo	Nam Combination Pates															_
	pop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1 1			13.01												_
	2-Wire VG Loop/Port Combo - Zone 2			17.15												-
	2-Wire VG Loop/Port Combo - Zone 3 3			30.45												
																_
UNE Loop R	2-Wire Voice Grade Loop (SL1) - Zone 1	UEPBX	LIEDLY	11.89												_
		UEPBX														-
		UEPBX		29.33												Ξ
	0.111.0.4(0.)															_
	e Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus	LIEDRY	UEPBL	1.12						10.73			1.65			_
	2-Wire voice unbundled port with Caller + E484 ID - bus	UEPBX	UEPBC	1.12						10.73			1.65			_
	2-Wire voice unbundled port outgoing only - bus		UEPBO	1.12						10.73			1.65			_
	2-Wire voice unbundled incoming only port with Caller ID - Bus	UEPBX	UPEB1	1.12						10.73			1.65			Ξ
LOCAL NUM	IBER PORTABILITY															_
	Local Number Portability (1 per port)	UEPBX	LNPCX	0.35				1								-
		2. 27		2.30												Ξ
FEATURES	All Cooking Officerd	LIEDS	LIED) (E	0.4-	2.55	0.0-				40.7-						_
+ -	All Features Offered	UEPBX	UEPVF	2.17	0.00	0.00				10.73			1.65			_
NONRECUR	RING CHARGES (NRCs) - CURRENTLY COMBINED															_
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	UEPBX	USAC2		0.092	0.092				10.73			1.65			Ξ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with	HEDEN	110460		0.000	0.000										
+	change	UEPBX	USACC		0.092	0.092										_
ADDITIONAL	NRCs															-
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	UEPBX	USAS2							10.73			1.65			Ξ
2 WIDE VOY	CE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	1													_
Z-VVIKE VOIC	GL GRADE LOOF WITH 2-WIRE LINE FORT (RES - PBA)	+	<del>                                     </del>													-
UNE Port/Lo	pop Combination Rates															_
	2-Wire VG Loop/Port Combo - Zone 1 1			13.01												Ξ
	2-Wire VG Loop/Port Combo - Zone 2			17.15												_
	2-Wire VG Loop/Port Combo - Zone 3	-	-	30.45												_
	1-1	+	1													_
UNE Loop R		LIEDEO	LIEDLY	44.00												_
	* * * *	UEPRG		11.89												_
+	2-Wire Voice Grade Loop (SL 1) - Zone 2			16.03												_
	2-Wire Voice Grade Loop (SL 1) - Zone 3	UEPRG	UEPLX	29.33												_

Manual Property   Manual Pro							ı	RATES (\$)					OSS R	ATES (\$)				
COCK   MONTE POPULAR POPULAR   FOR Trush Plant - New   Confidence	CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	usoc		Nonreci	urring	Nonrecurr	ing Disconnect	Submitted Elec	Submitted Manually per	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc I Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-Disc		
COCAL HUMBER PORT ABILITY   10 prof)						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
Description   Comparison   Co		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	1.12						10.73			1.65			
Confundament Published Line Confundament C	LOCAL NUM	MRER PORTARII ITY																$\vdash$
### Af Fautres Official  Af Fautres Official  Af Fautres Official  Af Fautres Official  After State Log-Line Pint Confession (PBI) - Concessor - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch As-  2 Vitre Visor Goods Log-Line Pint Confession - Seatch	2007.2 110.1			UEPRG	LNPCP	3.50												
Microares Orleaned   Use/PG   USP/F   0.30   0.00   10.75   1.5	FEATURES																	
NONECOLING CHARGES (NEC.) - CURRENT COMMEND   SWEW Voca Conduct Logy Live Port Condition (PSO) - Convenion - Selectivate   SWEW Voca Conduct Logy Live Port Condition (PSO) - Convenion - Selectivate   SWEW Voca Conduct Logy Live Port Condition (PSO) - Convenion - Selectivate   SWEW Voca Conduct Logy Live Port Condition (PSO) - Convenion - Selectivate   SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Condition (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Conduction (PSO) - Selectivate Annual SWEW Voca Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Conduct Logy Live Port Logy Live Port Conduct Logy Live Port Logy Live Port Conduct Logy Live Port Logy Live				LIEDDG	LIED\/E	2 17	0.00	0.00				10.72			1.65			
2 Mile Visice Grade Long Lie Perf Contribution (PRS) - Convention - Selectivity   1.65   1.77   1.	NONDECLID			OLFING	OLFVI	2.17	0.00	0.00				10.73			1.03			
2-Wee Vesse Cinical Logor Line Post Contribution (PB0) - Concessor - Selects with Contribution (PB0) - Concessor - Selects with Contribution (PB0) - Contr	NONRECUR	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-		LIEDDG	LISACS		7.62	1.72				10.72			1.65			
ADDITIONAL HINCS  2-Wife Vice Grands Loop Live Port Combination (PSD) - Sussepant Activity  1- Live Stands Andrew Character Ch															1.03			
EVID   State   Continuent Conti	ADDITIONA	4-																
### PSS Schaegard Analys - Change Research Multiler but Group  ### Average Loop With Juve Will Like Polit (BUS - PBJ)  ### Average Combination Rates    Use Four Composition Rates	ADDITIONA			LIEDD *				0				40 ==						
UNE POPULOGO Combination Rates		2-Wire Voice Grade Loop/ Line Port Combination (PbX) - Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		UEPRG	USAS2	0.00												=
2-Miny Vol Logo/Per Combo - Zone 1	2-WIRE VOI	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
2-Miny Vol Logo/Per Combo - Zone 1	UNF Port/L	oon Combination Rates																
2-Wine Vol Loop Per Comito - Zone 3   3   30.46			1			13.01												
2-Wire Voice Grade Loog (St. 1) - Zone 1		2-Wire VG Loop/Port Combo - Zone 2																
2-Wire Voice Grade Loog (St. 1) - Zone 1	LINE Loop E	Pate																
2-Wire Voice Grade Loop (St. 1) - Zone 2   2 UEPPX UEPX   16.03	ONE LOOP I		1	UEPPX	UEPLX	11.89												-
2-Wire Voice Orable Line Port Rates (BUS - PBX)   Line Side Underded Conference Orable PBX Trurk Port - Bus   UEPPX   UEPPC   112   10.73   1.65		2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	16.03												
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus   LiePPX   LiePPC   1.12   10.73   1.65		2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	29.33												
Line Side Urbounded Outward PBX Trunk Port - Bus   UEPPX   UEPP   1.12   10.73   1.65   1.6	2-Wire Voic																	
Line Side Urbundled Incoming PBX Trank Port - Bus   UEPPX   UEPDL   1.12   10.73   1.65   1																		
2-Wire Voice Urbundled PEX LD Terminal Ports		Line Side Unbundled Dutward PBX Trunk Port - Bus				1.12									1.65			
2-Wire Voice Urbundled PBX Toll Terminal Hotel Ports   UEPPX   UEPX   1.12   1.073   1.65		2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	1.12						10.73			1.65			
2-Wire Voice Urbunded PBX LD DDT Terminals Port						1.12									1.65			
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port   UEPPX   UEPX											<del>                                     </del>							$\vdash$
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling   UEPPX   UEPX   1.12   10.73   1.65		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	1.12						10.73			1.65			
Port   UEPX   UEPX   1.12   10.73   1.65				UEPPX	UEPXE	1.12					1	10.73			1.65			
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port   UEPPX   UEPX   1.12   10.73   1.65				UEPPX	UEPXL	1.12						10.73			1.65			
Port																		
Local Number Portability (1 per port)		Port																
Local Number Portability (1 per port)	LOCAL NUM																	
All Features Offered	EGGAL NON			UEPPX	LNPCP	3.15												
All Features Offered	FFATURES						<del> </del>			1								$\vdash$
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As- Is   UEPPX   USAC2   7.62   1.72   10.73   1.65	ILAIONEO			UEPPX	UEPVF	2.17	0.00	0.00				10.73			1.65			
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As- Is   UEPPX   USAC2   7.62   1.72   10.73   1.65											1							$\sqcup$
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPPX USACC 7.62 1.72 10.73 1.65 1.65 1.72 1.72 10.73 1.65 1.65 1.72 1.72 10.73 1.65 1.72 1.72 10.73 1.65 1.72 1.72 10.73 1.65 1.72 10.73 10.73 1.72 10.73 10.73 1.72 10.73	NONRECUR			LIEDDY	IISACo		7 62	1 79				10.72			1 65			$\vdash$
ADDITIONAL NRCs																		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity UEPPX USAS2 0.00 0.00 0.00 10.73 1.65	ADDITIONA																	
	ADDITIONA			UEPPX	USAS2	0.00	0.00	0.00		1	+	10.73	<u> </u>		1.65			
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.09					10.73		1			-	$\vdash$
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	2-WIRE VOI	LEGRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT									+							$\vdash$

					F	RATES (\$)					OSS RA	ATES (\$)			
EGORY	UNBUNDLED NETWORK ELEMENT Zon	∋ BCS	usoc		Nonrec	urring	Nonrecurrir	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I	
				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNE Port/Loc	op Combination Rates														
2	2-Wire VG Coin Port/Loop Combo – Zone 1			13.01											
2	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3			17.15 30.45											
UNE Loop Ra				30.45											
0.12 200p 1.ta															
2	2-Wire Voice Grade Loop (SL1) - Zone 1	UEPCO	UEPLX	11.89											
	2-Wire Voice Grade Loop (SL1) - Zone 2	UEPCO		16.03											
	2-Wire Voice Grade Loop (SL1) - Zone 3	UEPCO		29.33											
		OLF CO	OLFLX	23.33											
	Grade Line Ports (COIN)														
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD														
(1	FL)  Wire Coin 2 Way with Operator Sergering and 011 Blocking (FL)	UEPCO	UEP2F	1.12						10.73			1.65		
2	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)	UEPCO	UEPFA	1.12						10.73			1.65		
2	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+,	OLI OU	JELLY	1.12						10.73			1.00		
a	and Local (FL)	UEPCO	UEPCG	1.12						10.73			1.65		
2	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)	LIEBOS	LIEDDI							40.75					
2	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD,	UEPCO	UEPRK	1.12						10.73			1.65		
	011+ (FL)	UEPCO	UEPOF	1.12						10.73			1.65		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD,														
0	011+, and Local (FL, GA)	UEPCO	UEPCQ	1.12						10.73			1.65		
2	2-Wire 2-Way Smartline with 900/976 (all states except LA)	LIEDCO	UEPCK	1.12						10.73			1.65		
2	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	OLFCO	OLFOR	1.12						10.73			1.03		
		UEPCO	UEPCR	1.12						10.73			1.65		
ADDITIONAL	UNE COIN PORT/LOOP (RC)														
	JNE Coin Port/Loop Combo Usage (Flat Rate)	LIEDCO	URECU	1.86	0.00	0.00									
	Sive Control of Ecop Control Coage (Flat Nate)	OLI OO	ONLOG	1.00	0.00	0.00									
LOCAL NUME	BER PORTABILITY														
L	ocal Number Portability (1 per port)	UEPCO	LNPCX	0.35											
FEATURES															
NONRECURR	RING CHARGES - CURRENTLY COMBINED														
	Wire Voice Grade Lean / Line Port Combination Conversion Cuitable - :-	LIEDOO	USAC2		0.092	0.092				10.73			4.0-		
2	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with	UEPCO	USACZ		0.092	0.092			-	10.73			1.65		
	change	UEPCO	USACC		0.092	0.092				10.73			1.65		
ADDITIONAL	NRCs														
,	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	UEPCO	USAS2		0.00	0.00				10.73			1.65		
		OLF CO	COAGE		0.00	0.00				10.73			1.05		
2-WIRE VOICE	E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
		1	1					1							
	pp Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1		-	22.22				1							
2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2		1	27.39											
2	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3			43.79											
ļ I		1	<b>↓</b>			-									
UNE Loop Ra		HEDDY	LIEOD/	40.40						40.70			4.0=		
2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2	UEPPX UEPPX	UECD1	13.43 18.60				1		10.73 10.73			1.65 1.65		
2	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 3	UEPPX	UECD1	35.18						10.73			1.65		
	• , , ,														
UNE Port Rat								1							
ļE	Exchange Ports - 2-Wire DID Port	UEPPX	UEPD1	8.79						10.73			1.65		
NONRECURR	RING CHARGES - CURRENTLY COMBINED	1	1					1							
2	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	UEPPX	USAC1		7.08	1.69				10.73					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth														
	Allowable Changes	UEPPX	USA1C		7.08	1.69		1	1	10.73	l		1	1	

						RATES (\$)					OSS RA	ATES (\$)				Ι
EGORY	UNBUNDLED NETWORK ELEMENT	Zone BCS	s usc	c	Nonrec	:urring	Nonrecurri	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I		    - 
				Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
ADDITIONA																I
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	UEPI	PX USA	S1	29.08	29.08				10.73						 +
															ī	 #
	Number/Trunk Group Establisment Charges	uspi	274			0.00				40.70			4.05			 4
	DID Trunk Termination (One Per Port)	UEPI	PX ND	T 0.0	0.00	0.00				10.73			1.65			 +
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers	UEPI		Z 0.0	0.00	0.00				10.73			1.65		ı	
	Additional DID Numbers for each Group of 20 DID Numbers	UEPI								10.73			1.65			 4
	DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers	UEPI		5 0.0 6 0.0						10.73 10.73			1.65 1.65		-	 +
	Reserve DID Numbers		X ND	V 0.0						10.73			1.65		i	 †
					<u> </u>										$\Box$	 4
LOCAL NUM	MBER PORTABILITY Local Number Portability (1 per port)	IIEDI	PX LNP	CP 3.1	5											 +
	Essai riamos i ortability (i per port)	UEFI	A LINE	3.1	,											 +
2-WIRE ISD	N DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															I
LINE Dort"	con Combination Pates														$\longrightarrow$	 +
UNE PORT/LO	oop Combination Rates	UEPI	РВ													 +
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1 UEPF	PR	30.2	9										L	$\perp$
		UEPI													ı	
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2 UEPI		36.5	1	1		-								 +
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3 UEPI		56.4	5											-
		J=/ .		50.1												1
UNE Loop F	Rates	UEPI	OB.													 +
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1 UEPF		2X 13.4	3					10.73			1.65		ı	
		UEPI	РВ													T
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2 UEPI		2X 29.4	4			-		10.73			1.65			 +
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3 UEPF		2X 49.3	В	<u> </u>				10.73			1.65		L	
UNE Port Ra					1										-	 4
UNE POR R	act C	UEPI	РВ													 +
	Exchange Port - 2-Wire ISDN Line Side Port		PR UEP	PB 7.0	7					10.73			1.65			1
NONDECTIO	RRING CHARGES - CURRENTLY COMBINED				+											 +
NONKECUK	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination -	UEPI	PB													 +
	Conversion	UEPF		CB 0.0	27.61	15.33				10.73			1.65		ı	
ADDITIO																 4
ADDITIONA	L NKUS															 +
LOCAL NUM	MBER PORTABILITY															 t
		UEPI		21/												Ī
	Local Number Portability (1 per port)	UEPF	PR LNP	CX 0.3	5 0.00	0.00									-	 +
B-CHANNEL	L USER PROFILE ACCESS:															İ
		UEPI		24	.											T
	CVS/CSD (DMS/5ESS)	UEPI	PR U1U	CA 0.0	0.00	0.00										 +
	CVS (EWSD)	UEPF	PR U1U	CB 0.0	0.00	0.00										
		UEPI	РВ													T
	CSD	UEPI	PR U1U	OC 0.0	0.00	0.00		-								 +
					+			1								 +
B-CHANNEL	L AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	NAME OF THE STATE															 4
	MINAL PROFILE User Terminal Profile (EWSD only)	LIEDI	PR U1U	иA 0.0	0.00	0.00										 +
		ULFI	010	0.0	0.00	0.00										 +
VERTICAL F	FEATURES															Ī
	All Vertical Features - One per Channel B I have Brafile	UEPI		VE 0.4	7 0.00	0.00				40.70					, 7	
+	All Vertical Features - One per Channel B User Profile	UEPI	PR UEP	VF 2.1	7 0.00	0.00				10.73						 +
INTEROFFIC	CE CHANNEL MILEAGE												<u></u>			_†
т —		UEPI	ъ													T
	Interoffice Channel mileage each, including first mile and facilities termination		R M1G	NC 19.7	9 42.69	28.66	16.51	6.34		10.73			1.65			

					F	RATES (\$)				1	OSS RA	ATES (\$)				
GORY	UNBUNDLED NETWORK ELEMENT Zon	e BCS	usoc		Nonreci	urring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I		
					Fort			ng Disconnect	201120		201111					
Int	eroffice Channel mileage each, additional mile	UEPPB UEPPR	M1GNM	0.0084	First 0.00	Add'I 0.00	First	Add'I	SOMEC	SOMAN 10.73	SOMAN	SOMAN	SOMAN 1.65	SOMAN		
4-WIRE DS1 DI	GITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop	Combination Rates															
4V	/ DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 1	UEPPP		148.57												
	/ DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 2 / DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 3	UEPPP UEPPP		175.24 260.73												
UNE Loop Rate																
		UEPPP	USL4P	69.22						10.73			1.65		,	
4-	Wire DS1 Digital Loop - UNE Zone 2	UEPPP	USL4P	95.89						10.73			1.65			
4-		UEPPP		181.38	-			1	<u> </u>	10.73			1.65		F	
UNE Port Rate																
Ex	change Ports - 4-Wire ISDN DS1 Port	UEPPP	UEPPP	79.35						10.73			1.65			
	IG CHARGES - CURRENTLY COMBINED															
Go	Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - nversion -Switch-as-is	UEPPP	USACP	0.00	61.25	55.34				10.73			1.65		.	
ADDITIONAL N																
wit	Vire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos hin Std Allowance	UEPPP	PR7TF		0.4879					10.73			1.65			
	Vire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All stes except NC)	LIEDDD	PR7TO		11.46	11.46				10.73			1.65		ı	
4-\	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos ove Std Allowance		PR7ZT		22.92	22.92				10.73			1.65			
	R PORTABILITY	LIEDDD	LAIDON	4.75												
Lo	cal Number Portability (1 per port)	UEPPP	LNPCN	1.75											i	
INTERFACE (P																
	ice/Data		PR71V	0.00	0.00	0.00										
Diç	gital Data vard Data	LIEPPP	PR71D PR71E	0.00	0.00	0.00										
	and Data	OLITI	TINTIE	0.00	0.00	0.00									ı	
	nal "B" Channel	LIEDDD	DD ZD\	0.00	40.00					40.70			4.05		1	
	w or Additional - Voice/Data B Channel w or Additional - Digital Data B Channel		PR7BV PR7BF	0.00	13.96 13.96					10.73 10.73			1.65 1.65			
	w or Additional Inward Data B Channel		PR7BD	0.00	13.96				<del>                                     </del>	10.73			1.65			
	w or Additional Useage Sensitive Voice Data B Channel		PR7BS	0.00	13.96					10.73			19.99			
	w or Additional Useage Sensitive Digital Data B Channel	UEPPP	PR7BU	0.00	13.96					10.73			1.65		<del></del> T	
CALL TYPES																_
	vard		PR7C1	0.00	0.00	0.00									, I	
	tward o-way	UEPPP	PR7C0 PR7CC	0.00	0.00	0.00									-	
		021	50	5.50	0.00	0.00										
Interoffice Chan		LIEDDO	1LN1A	91.04	95.15	88.78	16.74	14.85		10.73			1.65		$\longrightarrow$	
Ea	ed Each Including First Mile ch Airline-Fractional Additional Mile		1LN1A	0.171	90.15	00.18	10.74	14.60		10.73			1.05			
4-WIRE DS1 DI	GITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
LINE Port/I com	Combination Rates														$\rightarrow$	
		1														
4W	/ DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 1	UEPDC		121.95						10.73			1.65		$\rightarrow$	
4V	/ DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2	UEPDC		148.62						10.73			1.65			
4W	/ DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3	UEPDC		234.11						10.73			1.65			
UNE Loop Rate							-							-		_
	Wire DS1 Digital Loop - UNE Zone 1 1	UEPDC	USLDC	69.22						10.73			1.65		<del>,                                    </del>	
4-	The Sol Signal Loop - Olac Zolie I	OLFDU	JULLUU	05.22				1	1	10.73	-	-	1.65		-	

						R	RATES (\$)					OSS R	ATES (\$)					
CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone BC:	s u	usoc		Nonrecu	urring	Nonrecurrin	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I			
	4-Wire DS1 Digital Loop - UNE Zone 3	3 UEP	DC US	ISI DC	Rec 181.38	First	Add'l	First	Add'I	SOMEC	SOMAN 10.73	SOMAN	SOMAN	SOMAN 1.65	SOMAN		$\dashv$	
		3 UEF	DC 0.	BLDC	101.30						10.73			1.05				
UNE Port R	4-Wire DDITS Digital Trunk Port	UEP	DC UI	JDD1T	52.73						10.73			1.65				
NONRECUI	RRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with	UEP	DC U	JSAC4		71.29	42.11				10.73			1.65				
	DS1 Changes  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with	UEP	DC US	SAWA		71.29	42.11				10.73			1.65				
	Change - Trunk	UEP	DC US	SAWB		71.29	42.11				10.73			1.65				
ADDITIONA																_		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk	UFP	DC UI	JDTTA		14.14	14.14				10.73		1	1.65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan- 1-Way Outward Trunk		DC UI			14.14	14.14				10.73			1.65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		DC UI			14.14	14.14				10.73			1.65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan -																	
	Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-		DC UI			14.14	14.14				10.73			1.65				
BIPOLAR 8	Way DID w User Trans ZERO SUBSTITUTION	UEP	DC UI	IDTTE		14.14	14.14				10.73			1.65				
	B8ZS -Superframe Format	LIED	DC CC	COSE		0.00	655.00				10.73			1.65				
	B8ZS - Extended Superframe Format		DC CC			0.00	655.00				10.73			1.65				
		UEP		COEF		0.00	055.00				10.73			1.05				
Alternate M	lark Inversion															-	$\rightarrow$	
	AMI -Superframe Format	UEP	DC M	ICOSF		0.00	0.00											
	AMI - Extended SuperFrame Format	UEP	DC M	COPO		0.00	0.00											
Telephone	Number/Trunk Group Establisment Charges																	
	Telephone Number for 2-Way Trunk Group	UEP	DC U	DTGX	0.00						10.73							
	Telephone Number for 1-Way Outward Trunk Group	UEP	DC UI	DTGY	0.00						10.73							<b>—</b>
	Telephone Number for 1-Way Inward Trunk Group Without DID	UEP	DC UI	IDTGZ	0.00						10.73							
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers	UEP	DC I	NDZ	0.00	0.00	0.00				10.73							
	DID Numbers for each Group of 20 DID Numbers	UEP	DC I	ND4	0.00						10.73							
	DID Numbers, Non- consecutive DID Numbers , Per Number	UEP	DC I	ND5	0.00						10.73							]
	Reserve Non-Consecutive DID Nos.	UEP	DC I	ND6	0.00	0.00	0.00				10.73		1					
	Reserve DID Numbers	UEP		NDV	0.00	0.00	0.00				10.73							
	Process remode	OLF		v	0.00	0.00	0.00				10.73							
	2010 1 10 10 10 10 10 10 10 10 10 10 10 1																	
Dedicated D	DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-W															-		
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		DC 1I		90.87	95.16	88.78	16.74	14.85		10.73			1.65				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	UEP	DC 1L	LNOA	0.171	0.00	0.00											
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)	UEP	DC 1I	LNO2	0.00	0.00	0.00									$\longrightarrow$	$\longrightarrow$	
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles	UEP	DC 1L	LNOB	0.171	0.00	0.00											
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)	UEP	DC 1I	LNO3	0.00	0.00	0.00	0.00										

					1	RATES (\$)					OSS R	ATES (\$)					Ι
TEGORY	UNBUNDLED NETWORK ELEMENT 2	one BCS	usoc		Nonrec	urring	Nonrecurrir	ng Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I	2		<u>+</u> +
				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	LIEPT	C 1LNO	0.171	0.00	0.00											
	Local Number Portability, per DS0 Activated		C LNPC			0.00	0.00										$\top$
	Central Office Termininating Point	UEPE															
																	T
4-WIRE DS	S1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																_
Each Syste	em can have up to 24 combinations of rates depending on type and number of port	s used															4
																₩	+
UNE DS1 L		LIED	IG USLDO	00		0.00									+	+	+
	4-Wire DS1 Loop - UNE Zone 1		_			0.00									+	+	+
	4-Wire DS1 Loop - UNE Zone 2 2 4-Wire DS1 Loop - UNE Zone 3 3		IG USLDO			0.00									+	+	+
	4-Wire DS1 Loop - UNE Zone 3	UEPN	IG USLDC	181.38	0.00	0.00									+	+	+
LINE DSO (	Channelization Capacities (D4 Channel Bank Configurations)				<del> </del>				<del>                                     </del>						+	+	+
JINE DOU	24 DSO Channel Capacities (14 Channel Bank Configurations)	UEPM	IG VUM24	121.31	0.00	0.00				10.73					<del>                                     </del>	1	+
	48 DSO Channel Capacity - 1 per 2 DS1s		IG VUM48			0.00				10.73					†	†	+
	96 DSO Channel Capacity -1per 4 DS1s		IG VUM96			0.00				10.73					1	1	$\top$
	144 DS0 Channel Capacity - 1 per 6 DS1s		IG VUM14			0.00				10.73							T
	192 DS0 Channel Capacity -1 per 8 DS1s	_	IG VUM19			0.00				10.73							T
	240 DS0 Channel Capacity - 1 per 10 DS1s	UEPN	IG VUM20			0.00				10.73							T
	288 DS0 Channel Capacity - 1 per 12 DS1s		IG VUM28			0.00				10.73							
	384 DS0 Channel Capacity - 1 per 16 DS1s	UEPN	IG VUM38	1,940.96	0.00	0.00				10.73							
	480 DS0 Channel Capacity - 1 per 20 DS1s	UEPN	IG VUM40	2,426.20	0.00	0.00				10.73							
	576 DS0 Channel Capacity -1 per 24 DS1s		IG VUM57		0.00	0.00				10.73							
	672 DS0 Channel Capacity - 1 per 28 DS1s	UEPM	IG VUM67	3,396.68	0.00	0.00				10.73							
																	4
	ring Charges (NRC) Associated with 4-Wire DS1 Loop with Channeliztion with Port				rstem											<u> </u>	4
	n System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS															₩	+
Multiples o	of this configuration functioning as one are considered Add'I after the minimum sys	tem confi	guration is	counted.											₩	₩	+
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	LIEDA	IG USAC4	0.00	72.61	2.00				40.70							
Systom Ad	Iditions at End User Locations Where 4-Wire DS1 Loop with Channelization with Po					3.82				10.73					+	+	+
	Currently Combined) In Georgia & Tennessee Only	TT COMBIN	ation curi	entry Exists and											+		+
(	,																Ť
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New																
	GA, LA, KY &TN Only	UEPN	IG VUMD	0.00	726.11	468.21	145.32	17.24		10.73							1
Bipolar 8 Z	Zero Substitution															<u> </u>	$\perp$
	Clear Channel Capability Format, superframe - Subsequent Activity Only	UEPN	IG CCOS	0.00	0.00	655.00				10.73					<del> </del>	₩	4
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	LIECT	IG CCOE	0.00	0.00	655.00				40.70							
Altornata M	Idear Channel Capability Format - Extended Superframe - Subsequent Activity Only  Mark Inversion (AMI)	JEPIV	IG CCCE	0.00	0.00	00.000		1		10.73		1	<b> </b>		+	<del>                                     </del>	+
Alternate IV	Superframe Format	LIEDA	IG MCOS	F 0.00	0.00	0.00									+	+	+
	Extended Superframe Format		IG MCOS			0.00		1				1	<b> </b>		+	<del>                                     </del>	+
	Extended Supernante i Utiliat	OLPIV	WICOP	0.00	0.00	0.00									+-	+	+
+	Ports Associated with 4-Wire DS1 Loop with Channelization with Port														+-	<b>†</b>	$^{+}$
Exchange I	-														<u> </u>	<b>†</b>	+
																	+
Exchange I					1	0.00	0.00	0.00		10.73			1.65	1		1	
	Line Side Combination Channelized PBX Trunk Port - Business	UEPP	X UEPCX	1.34	0.00	0.00	0.00	0.00									
	Line Side Combination Channelized PBX Trunk Port - Business												4.05				
			X UEPOX			0.00	0.00	0.00		10.73			1.65				